BUTANE-PROPANE

HEADQUARTERS FOR LP-GAS

Co., ca., the of llen

E a

of

has

wn

the inirs, the Suice ave and ny.

eriisasaneen of diin ity
ice
gas

es, an-C. tor

ry-

at

ews.

-8-021

DEC 12 1949

U S BUREAU OF MINES
LIBREM 2258 INT BIDG
LIBREM & E STS N W
MASHINGTON 25 D C



TULSA, OKLAHOMA

STRICT OFFICES: FORT WORTH . HOUSTON . MIDLAND, TEXAS . DETROIT . MOBILE NEWARK . MT. VERNON, ILL. . MADISON, WIS.

DECEMBER, 1949-50c per Copy

Hackney L-P Gas Cylinder





Whatever your need...

You'll find a Hackney Cylinder to meet

Look them over! These handsome, sturdy Hackney L-P Gas Cylinders are typical of the complete line manufactured by Pressed Steel Tank Company. You'll find big fellows with capacities up to and including 420-pound Propane—and small 5-pound industrial type containers. There's Hackney's famous, sturdy light-weight king—the RC-100A, the most popular cylinder in the industry. Hackney Cylinders can be furnished with removable type of valve protection cap, permanently installed collar and removable hood.

They Assure Repeated Economies! Hacknet Cylinders are all alike in their ability to provide savings—not once but many times it their long lives. They're all comparative light in tare weight—are rigid and strong They save on shipping charges—are fast and easy to handle. Your trucks receive less we and tear—and more cylinders can be shipped per truckload. Maintenance costs are know—thanks to such design features as by "scalloped" foot ring and improved manufacturing methods like the finishing procedure.

There repair dealer way wanoth Rocks for but

low ligi

Remov

packin

parts.

valve

onism.

test, w

CLAS

Remo

disass

pons.

and

Regri

Clear new fow to

Write us for full details

Hackney

Pressed Steel Tank Company

Manufacturers of Hackney Products

Main Office and Flant: 1487 5, 66th St., Milwauken 14, Wis.

1399 Venderhilt Concourse Bidg., New York 17, N. Y. 227 Hanne Bidg., Cleveland 15, Öhlo 208 S. La Salle St., Room 2069, Chicage 4, Ill. 552 Ressevelt Bidg., Los Angeles 14, Celif.

CONTAINERS FOR GASES, LIQUIDS AND SOLIDS

economical factory service plans for .

ROCKWELL-EMCO No.00 LP-Gas Meters



There's no need to shy away from metering because of anticipated repair difficulties. We've streamlined that procedure for LP-gas dealers with the six repair plans listed below. Here's just another way we help our customers get the most out of their metersanother good reason for checking all the advantages of using Rockwell-Emco No. 00 LP-gas meters on your services. Write for bulletin 1163.



Illustrating how entire measuring mechanism (valve plate assembly) lifts from meter case. This can be returned to factory to be serviced or it may be replaced with a completely new unit in your own shop. Choice of six repair plans described below.

WHEN ENTIRE METER IS RETURNED

CLASS 1 REPAIR

Remove seal wire, index box, index, top, valve cover and crank assembly. Inspect all parts. Regrind valve covers and valve seats. Clean and adjust mechanism. Reassemble meter with new gaskets and seal wire. Re-prove, pressure test. low light test, wash, paint and pack.

CLASS 2 REPAIR

eti

lackne

to pro

mes i

ast an SS Wea

hippe

re ker

as the

anufac

cedun

17

rativel

Remove parts listed in Class 1 repair plus flag arms. pecking glands, collars, pins, valve plate from body and dismantle valve and crank assembly. Inspect all parts. Re-oil diaphragms. Regrind valve covers and valve seats. Repack glands. Clean and adjust mechonism. Reassemble meter with new gaskets and seal wire. Re-prove, pressure test, low light \$4.50 not strong test, wash, paint and pack.

CLASS 3 REPAIR

Remove parts listed in Class 1 and Class 2 repair plus disassembly of diaphragms from rods, leathers from pans. Inspect all parts. Install new diaphragm leathers and test. Straighten rods and assemble to pans. Regrind valve covers and valve seats. Repack glands. Clean and adjust mechanism. Reassemble meter with new gaskets and seal wire. Re-prove, pressure test, low light test, wash, paint and pack. \$5.50 not

Replacement of other parts will be at listed sale prices. Customer to pay freight both ways.

WHEN INTERNAL MECHANISM ONLY (VALVE PLATE ASSEMBLY) IS RETURNED

CLASS A REPAIR

Remove valve cover and crank assembly from valve plate. Re-oil diaphragms. Regrind valves and valve seats. Inspect all parts. Replace worn parts where required. Repack glands. Clean, adjust and re-prove unit in a meter body. \$4.25 not

CLASS B REPAIR

Disassemble entire unit. Install new diaphragm leathers and test. Regrind valves and valve seats. Inspect all parts. Replace worn parts where required. Repack glands. Clean, adjust and re-prove unit \$5.50 not in a meter body.

NEW INTERNAL UNIT PLAN (No return of old unit required)

After a period of years, the entire internal mechanism of the No. 00 meter can be completely renewed by simply inserting a factory-fresh valve plate assembly in the old meter body. Also a stock of extra internal mechanisms may be desired. All units are interchangeable and proof of meter is not affected. Everything in this assembly is entirely new, ready to give new meter performance. No turn-in of old unit is \$8.50 not required.

a large known our representative plant of the control of the contr PITTSBURGH EQUITABLE METER DIVISION

BUTANE PROPANE

DECEMBER, 1949

A JENKINS PUBLICATION

Letters	23
Comment	27
Beyond the Mains Ed Titus	31
Sell the Tractor LoadSi Darling	35
Can You Figure Your Costs?	39
"To All Architects and Contractors"Ted Shields	46
"Wet" Products Get Dry Treatment In LP-Gas	
Dehydration SystemsJames Joseph	51
Safe Handling of LP-Gases, Part 1 E. O. Mattocks	58
Heating with Propane Feasible In Alberta, Canada	72
Demonstrates Safety to UnderwritersA. W. Porter	75
Looking For Answers to Insurance Problems?	
Paul W. Hower, Jr.	76
Associations	84
Power: Fighter-Plane Engine Makes A Sawmill Run Carl Abell	90
Adjusting LP-Gas Carburetors, Part 3	96
If You Have "Depreciation" Coming Put it in Your	
Income Tax	106
Calendar	110
Products	112
The Trade	133
Classified	151
1949 Annual Index	154
Advertisers	162

Publication Office

Los Angeles (4)-198 So. Alvarado St. Phone: DUnkirk 7-4837

Branch Offices

New York (18)—11 W. 42nd St. Joseph M. Dematthew, Manager. Phone: CHickering 4-1969. Chicago (3)—1064 Peoples Gas Bldg. David Carmen, Manager. Phone WAbash 2-2589. Tulss (6)—1341 South Boston. Craig Espy, Manager. Phone: 2-5726.

Lynn C. Denny, Editor; Edward K. Titus, Eastern Editor; Paul Lady, West Coast Editor; Ted Shields, News Editor; Barbara Hall, Editorial Assistant; O. D. Hall, Mid-Continent Editor; Fred L. Dalton, Art Editor.

Jay Jenkins, President and Publisher; James E. Jenkins, Secretary-Treasurer; Robert C. Horton, Circulation Manager; Gene Masters, Research.

December, 1949 • Volume 11 • Number 12
BUTAINE-PROPANE News is published monthly. Copyright 1949 by Jenkins Publications, Inc., at
198 So. Alvarado St., Los Angeles 4, California, Subscription price: United States and U. S.
Possessions, Canada, Mexico, Cuba, South and Central American Countries (in advance), 50c
per copy, one year \$2.00; two years, \$3.50; three years, \$5.00. All other countries \$3.00 per
year. By air mail \$8 per year, in U. S. only. Entered as second-class matter May 29, 1939.
at the post office at Los Angeles, California, under the Act of March 8, 1879. Member of
Audit Bureau of Circulation.

Publishers: GAS, The Magazine of the Gas Utility Industry; HANDBOOK BUTANE-PROPANE GASES; THE BOTTLED GAS MANUAL; Annual BUTANE-PROPANE News CATALOG; B-P News BULK PLANT DIRECTORY; WESTERN METALS.

LETTERS

 BUTANE-PROPANE News welcomes letters from our readers, but it must be understood that this magazine does not necessarily concur in opinions expressed by them.—Editor. pump as LP-Gas is not easily pumped by suction. A compressor system could also be used.—Ed.

Gentlemen:

Regarding cylinders up to 100-lb. size, what is the rate of depreciation per year? We have been told that they are usually depreciated at the rate of 10% per year, or written off in 10 years. Would you say this was about right?

W.J.S.

Wisconsin

It is a common practice in our industry for dealers to write off their cylinder investments on a 10-year depreciation plan. This also seems to be satisfactory to the income tax authorities as no objection has been made to it by them as far as we know.—Ed.

Gentlemen:

Several of our customers have 1000-gallon underground butane tanks for commercial purposes. Now that tractors are being converted to butane, some of these customers have asked me if it is practical to pump out of 1000-gallon tanks by inserting a pumping tube into the filler valve or any other opening which they may have.

I have heard pros and cons about this subject and would like to know what is your opinion.

E.M.

Louisiana

We know of no good reason why liquid should not be taken from an underground storage tank for use in other equipment.

However, the average pump has to be installed low enough for gravity feed to the

Gentlemen:

Can you give us an idea how large an LP-Gas heater would be required to take care of a brick space 11 feet wide, 10 feet high and 20 feet long with one door and three windows?

Also an estimate of the cost of propane for same at 12 cents per gallon.

F.H.M.

Illinois

Your room contains 2200 cubic feet and with a factor of 10 Btu's per cubic foot, indicates that you require a heater of approximately 22,000 Btu input, so a 20,000 or 25,000 Btu heater should answer your requirements.

At the 12-cent per gallon price for propane, you would be able to operate approximately 4½ hours per gallon with a heater of the above capacity, or about three cents per hour.—Ed.

Gentlemen:

We would like to know the correct hook-up for meter use in propane gas use. Also would like to know how to figure and charge if the gas costs us 10 cents per gallon and 9 cents per gallon.

We are planning on hooking up several store buildings off one tank. Please give us your suggested plan for such a job.

A.E.

Kansas

In using several meter installations off of one tank, be sure the lines carrying the vapor are large enough and also that your storage tank has sufficient capacity to vaporize the amount of gas necessary for peak load. You can follow the principle of feeder lines as would be used in a natural gas system, with the meter installed between the regulator and the appliances. A regulator and meter should be used for each store building served.

In figuring the size of tank, take the capacity of tank and multiply by .2 to get the average amount of propane that this size

tank will vaporize per hour.

If you do not correct for temperature, a simple way to figure your cost per cubic foot vapor is to divide the cost per gallon by 32, which will give you cost per cubic foot of vapor, as 10c÷32=.03122c per cu. ft. vapor. -FA

Gentlemen:

Please advise if in your opinion we can pull 800,000 Btu off of a 500-gal. underground tank using 60-40 mixture at 20°.

W.C.G.

Louisiana

If you expect to pull 800,000 Btu it means that your customer will be using approximately eight gallons per hour. You do not say if the operation is continuous or based on an eight-hour day but if the operation is on a 24-hour continuous basis it would mean you would have to refill your 500 gallon tank about every day and a half in order to keep it above the trouble-free point of 50% full.

It might give sufficient vaporization down to 25% full but it would be safer to have more

in it.

We have assumed that the 20° temperature you mention is the outside temperature rather than that of the tank under ground.-Ed.

Gentlemen:

I am interested in knowing how to construct a refrigeration unit for a small camping trailer, using Freon gas as the refrigerant and butane or propane to maintain the burner.

S.D.L.

Washington

The only successful gas fired refrigerator developed to date is made by Servel, Inc., Evansville, Ind.

Many firms have tried to develop a substitute for their method, but to date all have

failed .- Ed.

Gentlemen:

How high a compression should be and can be used on a Ford industrial motor No. 7HNN5C*, 226 cu. in., 1400 r.p.m., and a Ford 6 cyl. car? Both motors have head No. 7HA 6050-C2.

What change do you recommend

in spark plugs and ignition?

Do you recommend planing head or get a special butane-propane head? J.O.

Oklahoma

On your two engines we recommend that you mill .060 in. off the heads, as we believe that Ford does not make a special high compression head for this engine. This would raise your compression from approximately 6.7 to 7.3 to 1.

We recommend you use one grade colder

spark plugs .- Ed.

Gentlemen:

This is a community in which much seafood is handled and among other things crabs are boiled and then picked and canned.

Some of the processors are using oil to boil their crabs, using electric motor driven blower to vaporize the oil.

The vat being used is $3 \times 5 \times 1.5$ ft. The oil brings it to a boil in 30 minutes and three gallons of oil per hour is the average consumption.

Our problem is: Can we do it better or cheaper or even as well with

butane?

Our figuring the vat into cubic feet, then gallons, then pounds, then Btu indicates that the amount of heat required to boil the water would be about 279,000 Btu's. How quick that amount of heat would boil that amount of water is not indicated. Also experience shows that less heat is required to maintain the water at a boil than was required to raise it to a boil.

What effect would the addition of the crabs to the water have? Should

that be figured on a basis of more Btu's per pound of meat?

Of course the price of current to operate the motor and the price of the oil would have a bearing on the comparative operating costs but we can figure that if we can be informed in regard to the questions raised above.

It seems we are a little short on our engineering information. One hp. is that amount of power necessary to raise 33,000 lbs. 1 ft. in 1 minute.

One Btu is that amount of heat necessary to raise one pound of water one degree. But in what period of time?

E.M.G.

Alabama

Gas-fired kettles would operate more efficiently than oil-fired ones and can be controlled much easier.

We would suggest installation of a burner with at least 500,000 Btu per hour input. This will enable them to bring the water to a boil in about the same time as they are doing with oil.

The amount of heat required to boil the crabs or fish will be less than the heat required to raise the same weight of water from that temperature to boiling. Usually there is enough heat in the pot of boiling water with little additional outside heat to boil the crabs quickly.

A Btu is the amount of heat required to raise one pound of water 1°F, starting at 60°F, regardless of the time required.

Your definition of a horsepower is correct. Possibly, you would like to have a more complete one which I am giving you from a technical handbook. It is as follows:

Force may be defined as an action between two bodies, causing or tending to cause, rest or motion. The unit of force is the force required to support a weight of one pound on any specified place on the globe.

Work may be defined as the combination of force and motion. The unit of work is a force of one pound exerted through a distance of one foot.

Power may be defined as the speed of doing work. The unit of power is a force of one pound exerted through a distance of one foot in one minute.

A horse power is equal to 33,000 of the above units of power.—Ed.

Gentlemen:

We have a 30,000-gallon propane storage tank. It measures 66 ft. long by 9 ft. in diameter. The tank has the manhole at one end on the top of tank. After installing the safety valves, gauges, etc., one hole of %" was left and the engineers making that installation, instead of plugging that hole, installed one service cylinder valve with safety device setting at 375 lbs.

We never had any trouble with this valve, but we are afraid that sometime in the future its packing or diaphragm may break and gas will be lost through that hole and practically nothing can be done to stop it when that occurs.

To solve this problem, shall we empty entirely the tank to remove that cylinder valve and properly plug that hole? Or do you suggest any other way to do it? We hate to go to the trouble of emptying that big tank and lose some gas or vapors.

C.S.A.

Mexico

We believe you should leave the valve in the tank rather than go to the trouble of trying to change it, as the probability of anything breaking in the valve is very remote. If anything did break, you would not be

If anything did break, you would not be any worse off than if you deliberately blew the gas off to lower the pressure to where the valve could be changed.—Ed.



PROPANE - BUTANE AND MIXTURES

BE SURE OF YOUR SUPPLY

UPG diversified production from major L-P Gas manufacturers assures you an ample supply to fill your needs during seasonal and industrial emergencies.



United Petroleum Gas operates a large fleet of tank cars and trucks to deliver your L-P Gas requirements...when needed...where needed.

UNITED PETROLEUM GAS COMPANY

806 Andres Building . Minneapolis 2, Minn.

COMMENT

It's early-but, Merry Christmas!

WHAT are the most important issues before the LP-Gas industry today?

Well, there's always safety. That comes first. And safety naturally brings up the question of insurance for protection if safety is not practiced.

Competition is every dealer's problem. Most think of electricity as the biggest competition. That's important, but every gadget on the market from television sets to pari-mutuel tickets competes for the public's dollars. The worst competition is that between dealers, themselves. That's ruinous.

Tying in with competition is the thought of publicity and advertising —mediums to propagandize the LP-Gas industry and thus combat competition. Kindred to those subjects is the general one of promotion of industry welfare, which may be through publicizing and/or the raising of standards of operations to cultivate public confidence.

All of these ends are aided and nearer accomplishment when individual firms take the time to study their problems and to unite their efforts to gain desired results. This can be realized best through employe training which, of course, includes consideration of safety, selling, servicing, installation, record keeping, customer relations, and cooperation.

Under selling comes the development of increased load and new load. More than half of all LP-Gases sold in this country have been going into domestic applications, mostly limited to cooking, water heating, and refrigeration. The great new load on the horizon is space heating. It offers the quickest, surest, biggest profits in the immediate future.

But selling the heating load throws off the summer-winter balance, one of the serious problems of producers and marketers, alike. Part of the answer to this is larger consumer storage, and it is being prosecuted with success. A better way is to find new summer load, and now this is in the offing in the increasing use of butane and propane for internal combustion engine fuel that is finding popularity among farmers for their tractors, trucks, and irrigation pumps. It is not too much to prophesy that before long the tractor load, alone, (where tractors are extensively used), will balance all domestic demand, including the expected increased heating load.

Added to the whole is the question of cooperative effort by dealers through their industry organizations— state and national associations. Banded together, and striving for common good, the united strength of such groups can accomplish important objectives.

There are other industry "issues," of course, but these are among the foremost today. So, let's emphasize them by a recapitulation. Here are the subjects:

Safety. Insurance. Competition. Publicity. Advertising. Industry Promotion. Employe Training. Selling. Space Heating. Load Balance. Larger Storage. Tractor Fuel. Cooperation Through Associations.

Pick out the ones where you are weak and bolster up your offensive!

Arriving too late to be included in our news columns is an announcement from Plumer E. Pope, 777 Broad St., East Weymouth, Mass., that a temporary committee of LP-Gasmen has been formed to arrange for the formation of a New England LP-Gas dealers' association.

A meeting has been tentatively set for the evening of Jan. 17 at Boston. Complete information regarding the

meeting will be mailed to all dealers who send their name and address to Mr. Pope at the above address.

All LP-Gas dealersin the New England section are eligible andareurged to make an effort to attend this meeting.

Not all careless dealers will have as amiable a

customer as Helen Mout, of Fayetteville, Ark. According to a letter received from her some time ago, "When we had our propane system installed, the workmen left many boxes and oddly shaped pieces of cardboard. With much paint, paste and imaginattion we made a miniature reproduction of our farm. Most of the boxes resembled buildings and

only needed a little bending here and there to make a house, barn and outbuildings. Two triangular shaped pieces about a foot long each were pasted together to make a silo. We glued all the buildings to a square of cardboard and painted the remaining area green.

"Reproduction of our farm 'stole the show' with our two boys on Christmas morning."


> It worked out all right this time but ordinarily dealers will do well to leave premises in an orderly condition when making installations.

The Bureau o f Mines has estimated that the total demand for petroleum products in the last half of 1949 will be

5.9% greater

than for the same period in 1948. The bureau does not estimate the LP-Gas demand but states that heating oils will show increased sales of 20% over last winter.

Can't LP-Gas dealers do better than that?



"She's well insulated, streamlined, and complete with push-button control."

By Ed.

BEYOND THE MAINS


d d

d e e e

-

d

0



EMBERS of the butane-propane industry, most of M them in the category of small business men, are in competition with the government at every level. The fact that the industry is making strides ahead in spite of this competition is eloquent testimony of its vitality and great future.

The different levels of this competition are: The highly subsidized TVA and other big government power projects at the top level: Rural Electrification Administration at the medium level; and now, at the final level, the small city municipally operated electric plant, of which more later.

President Harry Truman was a small business man himself once, too, in haberdashery. If it would accomplish any objective, maybe someone from the butane-propane industry ought to see him one day, and acquaint him better with the industry and what it's doing.

Speaking of competition of local governments with the industry, there's a good case in point in the towns of Rockville Center and Patchogue, Long Island, New York.

Electric power companies owned municipally by these small cities, themselves, are competing intensively against bottled gas men, some of whom pay taxes to help support these companies.

These publicly owned companies are selling electricity at prices lower than Long Island Lighting, the combination electric and gas utility which covers most of central and eastern Long Island.

The fact of lower price in itself suggests that one way or another these two municipal companies are getting a hidden subsidy. We're told that the tax rate in Rockville Center and Patchogue is higher than in towns served by Long Island Lighting, and these higher taxes may support the town-owned electric system.

These town utilities are advertising against the bottled gas man, in effect. They're advertising an off-peak rate on water heating, and making the fallacious claim that cook-

ing is cheaper with electricity.

A N automobile distributor found that placing mirrors in his display room boosted sales. Or at least he sold a larger percentage of the cars of whatever model he placed in front of a mirror than those not so situated.

It seems women liked to see themselves sitting in the

cars.

The same idea has been tried with success by other auto-

mobile distributors and firms in other lines.

Maybe this has an application to the butane-propane business. And perhaps a customer is more likely to buy an appliance if she can look into a mirror and see herself standing in front of it.

Another little story about how much it pays to pay attention to customer whims has to do with collections on installment plan purchases.

One clerk out of a group of collector clerks had no trouble

getting in payments. The bosses looked into it.

It developed this particular clerk or teller was giving each child who came in a lollypop costing a quarter of a cent.

The kid would ask the mother please go to the place where man was who gave out the lollypops.

P.S. Don't, however, let this lollypop idea intrigue you into going into the installment financing business yourself, unless you're an expert banker. Let your local bank or a good finance company handle it, and pick a plan that won't leave you holding the bag.

We're indebted to Red Motley, the speaker the North Eastern District got for their luncheon at the Statler in New York, for the above incidents, but some of the interpretation is our own. The North Eastern people are to be congratulated on a very fine program, and everybody who spoke or served on a committee or worked on a program deserves a pat on the back. A full report on the meeting appeared in the November issue.

Propane operators on Long Island in New York State had a good meeting this fall. Congratulations to them.



ir

C

b

THAT old LP-Gas operator bug-aboo—balancing the load—has answer that may go a long way been plaguing the industry since its toward a

inception. The customers all buy gas in large volume during the cold winter months: in the summer, sales of the fuel fall off, and dealers and producers and distributors are all beset with the task of finding some way to dispose of or store the gas until de-

mand goes zooming upward again with the first frost.

Ideally, the best way out is to balance the consumption load. In the task of trying to do so-to keep winter sales in reasonably even proportion with summer sales-LP-Gasmen have searched for new utilizations of butane and propane. uses that would draw on the ample summer supplies as well as the thinner winter reserves.

workable solution.

value of selling the plan of tractor conversions to farmers offers a challenge to the industry wherever tractors are used. It is not only a way to establish better summer-winter load balances, but offers a source of important profits. Mr. Darling's entire paper was too long

MR. DARLING'S ADDRESS upon the

for reprinting here, but a review of his presentation has been made by BUTANE-PROPANE News and his explanation of the accompanying Stanolind Oil & Gas Co. charts is given in full.

We have omitted the technical details of the equipment required to make conversions by a newly offered method as being secondary to the importance of showing what happens to fuel sale curves when a sizable number of tractors burn LP-Gas in the summer months .- Editor.

Through concentration on selling Kansas farmers on conversion of tractors to LP-Gas use, they have been able to greatly improve the sales volume of their summer loads so as to strike a much better balance of consumption. How this was done

was illustrated fully in an address by Si Darling, president of LPGA.

Mr. Darling related how Kansas dealers, working on the problem through their state association. realized that conversion of only 16% of the tractors in their state

Based upon a talk by Si Darling before the members of the Colorado LP-Gas Assn.




CHART 1, MONTHLY PER-CENTAGES OF ANNUAL CONSUMPTION DOMES-TIC LP-GAS AND TRACTOR FUEL, STATE OF KANSAS 1948.

would furnish an additional market for their product in the summer months to equal the entire present domestic demand. Kansas dealers have already made headway toward this goal, Mr. Darling reported, because (1) efforts were concentrated in selling the idea of conversion, through association effort. (2) the Garretson carburetion system was made available to prospective customers at a lower initial conversion cost, and (3) performance showed that farmers could get better, more economical performance by using LP-Gas in their tactors than with gasoline.

To illustrate his address, Mr. Darling used charts prepared by H. R. Thomas, W. R. Thorne, and Walter Scott, all of Tulsa, Oklahoma. Much of the information for the charts was supplied by R. H. Mahnke of the Kansas LP-Gas Assn. These charts show that LP-Gas use for tractor fuel in Kansas has been plotted on a conservative

basis as (1) the domestic consumption was increased 10% over actual for 1948, and (2) published information since these charts were prepared indicates that 5.7% more tractors are in use in Kansas than the number used in the charts.

in C

as,

sum

mer

to 1

in

star

con

able

use

tial

LP

sur

sho

in

ver

wo

cor

fu

tra

we

su

pr

me

to

LI

ab

sa

po

si

of

to

pi

w

G

ti


is

D

(

Chart No. 1 shows percentagewise, how the conversion of tractors from gasoline to LP-Gas for fuel tends to adjust the present domestic winter-summer ratio of sales in Kansas. This chart shows that approximately 80% of the total annual consumption of LP-Gas is used in the six heating months and approximately 20% in the six summer months. As a direct opposite, the chart further shows that only 10% of the total annual consumption of tractor fuel is used

CHART 2. POTENTIAL EFFECT OF TRACTOR CONVERSION TO LP-GAS FOR FUEL ON LP-GAS SALES, STATE OF KANSAS.



in our six heating months; whereas, 90% of the total annual consumption is used in our six summer months. It is very interesting to note that the two curves cross in April and October which is the start and the end of our heating season. This one chart alone should convince anyone engaged in the LP-Gas industry that it is desirable to sell propane for tractor use.

np-

ual

or-

re-

ore

an

ze-

ic-

or

nt

of

WS

he

P-

ng

in

ct

VS

al ed

18

Chart No. 2 compares the potential effect of tractor conversion to LP-Gas fuel with domestic consumption in Kansas. This chart shows that if 16.3% of the tractors in the state of Kansas were converted to propane the consumption would equal the present domestic consumption of LP-Gas. It shows further that if only 10% of the tractors in the state of Kansas were converted to LP-Gas the consumption would be equal to approximately 63% of our total domestic consumption. If all the tractors in Kansas were converted to LP-Gas, consumption would be about 6.2 times present domestic sales.

Chart No. 3 is of special interest to the LP-Gas distributor, as well as the producer, as it shows the potential effect of tractor conversions on the winter-summer ratio of 3.9 to 1 in Kansas.

Conversion of 12.2% of the tractors in Kansas would reduce the present (3.9 to 1) ratio to 1 to 1. Any conversions in excess of 12.2% would result in more sales of LP-Gas in the summer than in winter time. The sharpness of the curve is very interesting in that it illustrates the tremendous effect of the




CHART 4. POTENTIAL EF-FECT OF TRACTOR CON-VERSIONS ON LP-GAS CON-SUMPTION IN KANSAS.




CHART 3. POTENTIAL EFFECT OF TRACTOR CONVERSIONS ON WINTERSUMMER RATIO OF LP-GAS SALES, STATE OF KANSAS.




CHART 5. ECONOMICS OF CONVERTING TRACTORS FROM GASOLINE TO LP-GAS FOR FUEL. BASIS: CARBURETION CONVER-SION EQUIPMENT INVEST-MENT OF \$120.

initial conversions on the wintersummer ratio. If only 2.5% of the tractors are converted the wintersummer ratio becomes 2.25 to 1 instead of 3.9 to 1, while the over-all sales are increased around 16%.

Chart No. 4 shows the potential effect of tractor conversions on present LP-Gas consumption in gallons. It shows very plainly that the very low consumption for domestic use is in the months of April to September, inclusive, as represented by the light shaded area. The dark shaded area shows the tremendous increase in summer sales in LP-Gas that would result if 8.1% of the tractors in the state of Kansas were converted to LP-Gas operation. The next

lighter shade shows again the consumption of LP-Gas if 12.2% of the tractors were converted.

I wish to call to your attention how little the tractor conversions affect the delivery of LP-Gas in the six heating months and what a tremendous effect it has during the six summer months. You will note that if 12:2% of the tractors were converted to LP-Gas that our peak month would be July instead of December as is now the case. It shows still further that if 16.3% of the tractors in the state of Kansas were converted that we would have two months-July and August-in which the consumption would exceed December's peak.

Chart No. 5 shows the economics of converting tractors from gasoline to LP-Gas, using \$120 as the user's investment in a low cost carburetion system. As an example, let's assume that a consumer has a price differential of 7 cents between the price of gasoline and LP-Gas and that he uses 2500 gallons per year. The chart shows that his saving in .68 of a season would equal the cost of the equipment. It shows further that his savings in 10 years would equal \$1750.

Chart No. 5 does not consider the lower Btu value of LP-Gas for fuel, or an increase in compression ratio of the engine to give greater power and fuel economy with LP-Gas. Lower engine maintenance, and less crank-case dilution in LP-Gas use were not considered.

Tractor conversions offer a wonderful opportunity to level out our off-peak curve and we must apply the sales tools necessary to accomplish this end.





CAN YOU FIGURE YOUR COSTS

MR. MASSEY originally prepared the accompanying article in two parts. The first outlined in detail the problems confronting all dealers in determining their operating costs. Part 2 gave the answers.

Space limitations have compelled us to digest Part I.

-Editor

By MARSHALL H. MASSEY
The Ross-Martin Co., Tulsa, Oklahoma

GIVEN the same set of circumstances, two LP-Gas dealerships seldom will yield the same amount of profit for a given period. The difference between them, profit-wise, varies directly with the computation of what is considered to be a "fixed" factor: The cost of doing business.

Cost analysis spells the difference; and a correct and detailed analysis of costs aids a dealer in many indirect ways—it tells him where he can afford to expend maximum selling effort for the greatest yield, when it is wise for him to expand, which appliances he can handle at a fair profit.

LP-Gas dealers have a tendency to

onof ion ns the a the ote ere ak of It 1% of we nd on ics 30he ırle, a 96-

nd alat ald

It

in

he

el.

io

er

IS.

nd

as

n-

ır

ly

n-

WS

"do their thinking in volume." That means that "costs" are considered to be a lump sum that is paid out for bills each month and which never seems to diminish. In reality, however, costs are individual expenditures for individual items of service that the dealer sells to customers. Each time a dealer pays out money, he is paying for something that he hopes will bring back more money than he has spent.



If dealers carried on just one operation, the matter would be simple—if money were spent for only one thing and received for only one thing. But most dealers are engaged in three different businesses. They are retailers of gas appliances for domestic and commercial use; they are gas engineers and plumbing contractors when they install LP-Gas equipment; they are engaged in the buying, selling, and distribution of the gas, itself.

Costs become complicated when the enterprises are increased in number. The questions that arise are many: What is your appliance market? Which items are most in demand by your customers? How much will your customers pay for them? What is your rate of turnover on the various appliances you carry? How much of your inventory is made up of "slow movers?"

You can't make a profit on appliances unless these questions are answered. If costs per unit—including varying costs of selling and operation between your different territories, the cost of selling one "class" of customer over another, and the cost of credit and billing—are analysed and computed, it is much easier to ascertain which lines and models—and in what quantities—you can afford to handle.

imp

ticu

the

nee

of

tak

H

I

can

I

per

1

1

car

cos

tor

is.

or

te

eto

"F

Pe

fu

di

st

in

co

m

of

01

CE

la

A

86

a

b

d

S

d

D

cos

In opening new territories, the dealer must not only have his own costs well in mind, but must also figure those of his competitor. In which territories can the competitor operate at less cost? On what items is his cost of sale and installation and servicing low enough to make your efforts there unprofitable? What are the cost variables between "classes" in the new territory?

The LP-Gas man is not a book-keeper—but he must become cost-conscious and expenditure-wise if he is to continue to operate at a profit. He can leave his "trial balances" to his bookkeeper, but if he doesn't know how much it costs him for each transaction he makes, he's in danger of pricing and spending himself out of business.

N what follows you are going to hear a lot about a word called "function." "Function" means: An act, such as the act of selling appliances; the act of installing a heater; or the act of delivering gas. Here are a few more: Storing and handling stock; advertising, granting credit; keeping accounts; making collections. In your business, you'll probably have some unusual angles. So you can probably think of a few more that are

important functions in your particular business. And right here is the nub of the whole thing: you need to know how much the cost of each of these acts or functions takes away from your profit!

pli-

an-

ing

ion

the

us-

of

ind

er-

in

to

h e wn

lso

In

tor

ms

on ke

en

k-

st-

he it.

to

n't

ch

er

ut

to

ed

n

p-

8

g

g

g,

3;

i-

ie

·e

WS

How to Find Distribution Costs

In finding distribution costs, you can go about it this way:

I. Find what functions are being performed.

II. Find what the performance costs are.

III. Find what unit of measure can be used in apportioning the cost as between products or territories or customers.

IV. Find what the cost per unit

V. Find how many units of effort or service are required for each territory, customer, or product, etc.

Now let's go back to Number I— "Find what Functions Are Being Performed." Some of the broader functions performed by the LP-Gas distributors are selling, delivering, storing and stock handling, installing, advertising, granting credit, collecting and keeping accounts. Functions can be determined in many ways, depending on the type of business. Functions can be broad or narrow. If the former, a few costs will be found, while if the latter, many costs will be found. Also many sub-functions can be set up within any broad functional activity. Naturally, the greater the breakdown of the whole function of distribution into smaller and still smaller functions, the greater the degree of control and the greater the amount of valuable information that will be obtained.

For example—the function of selling can be divided into such sub-functions as salesmen's calls on prospects, salesmen's travel, salesmen's telephoning, salesmen's equipment, etc. The function delivering can be divided into such sub-functions as loading truck,



driving truck, unloading truck, etc. The point to which the sub-functioning of distribution should be carried depends on (1) the need for the information, (2) the cost of obtaining the information, and (3) the question of whether the cost is justified in the light of the need.

Next, let's take Number II—
"What Does Performance of The
Function Cost?" Use a columnar
sheet with as many columns as
there are functions to be analyzed.
Write the name of each function
at the top of each column. From a
list of expenditures such as the
cash disbursement record, or cancelled checks, study each expenditure in terms of the function to

which each expenditure may apply. For those expenditures which can be directly related to a function, the amount should be placed in the column for such function. Those expenditures which can't be applied in whole to a function should be allocated on some rational, or, if necessary, on some arbitrary basis, and under some circumstances might be best eliminated entirely, permitting only the direct functional costs to be entered.

After the amount of all expenditures for the period selected, (one month, three months or a year) have been entered in the columns under the name of the function to which they apply, add each column. The result will show the cost of performing each function for the period chosen.

Must Select Right Unit

Now let's discuss Number III above—"What Unit of Measure Can Be Used?" The proper selection of this service unit is very important. It must be such that it will lead to a practical distinction between costs for various classes of business, and it must relate to some factor which actually influences costs in the same way. It therefore is necessary either to select the factor which influences the greatest number of expenses, or the largest expenses, or to use a combination of factors.

Some units of measure suitable for measuring selling expense, for example, are the salesman's call on prospects, or order, the sales transactions, etc. Those for delivering could be the miles traveled, the gallons delivered, the order, etc.

amr

tota

in '

the

by 1

call

of

\$30

ter

7

for

nat

the

uni

app

eff

aid

I'n

ke

Y

bo

co

to

m

a

fe

pi

D

The next step to consider is Number IV-"What Is The Cost Per Unit?" Divide the total cost of the function, as shown on the columnar sheet, by the number of the units of measure involved for the period in which the expenditures were made. For example, if the salesman's call is chosen as a unit of measure, and there were 50 calls made during the period and the total cost of the function called salesmen's call on prospects was \$300, divide \$300, the cost of salesmen's calls by 50, the number of calls made. The result will be the cost per unit or \$6 for making each call.

Determine Manner of Distribution

The finding of the cost per unit opens the way for the establishment of standard unit costs and the control of the costs by comparing actual costs with such standards.

Step Number V is-"How Many Units of Measure Or Effort Are Required?" The cost per unit not only serves as a control device, but makes possible the finding of costs by manner of distribution. Thus, if it is desired to find how much it has cost to sell in a particular territory or route, it is necessary only to determine the number of sales transactions in that territory and multiply this number by the cost per unit for this function to determine the share of the functional cost applicable to that particular territory.

For example: Using the cost per unit for salesmen's calls of \$6, arrived at in the preceding example, and assuming that 20 of the total number of 50 calls were made in the territory in question, then the number of calls (20) multiplied by the cost per unit of making each call (\$6) gives \$120, or the share of the total salesmen's call cost of \$300 applicable to the particular territory.

etc.

r is

Cost

cost

the

er of

for

endi-

e, if

as a

e 50

and

alled

Was

ales-

r of

the

each

on

unit

ish-

the

ring

rds.

any

Are

not

but

osts

nus,

h it

ter-

nly

ales

and

eost

de-

nal

ılar

per

\$6,

ex-

ews

The finding of the cost per unit for any function reveals only the nature and extent of the cost of the functions. Extending these per unit costs according to manner of application of the distribution effort gives information which will aid in the direction of that effort.

Now let's get one thing straight. I'm not trying to make a book-



keeper or an accountant out of you. You don't have to balance a set of books to learn how to study your costs. You don't have to figure out to the exact penny what each salesman costs you each month. You are a business executive, shooting only at enough information to give you a reasonably close idea of what different functions of selling are costing you.

So you write down all the items of any size you can check. Suppose you get a figure that you know is probably 80% of what you spent in total for selling. Most of the time

that'll be close enough Next you figure your costs for each little function according to the figures you have entered on the sheet of paper. When you add up the figures under each column, tack on about one-fourth to each one before you start using your measuring stick. You'll come out awfully close to the exact costs—plenty close enough. You are an important business man keeping tab on his costs; you let your bookkeeper worry about trial balances and things like that.

As a matter of fact, your bookkeeper or accountant will probably throw up his hands in horror at the way you split up the money you spent. He may tell you that your system is contrary to all principles of accounting. The answer to that is, let him keep the books according to the principles of accounting, since the income tax officials want it that way. But if his way of keeping books gave you the kind of business information you need, you wouldn't be reading this. You are an executive and you need some practical business information on your costs so that you can make more profits. You can get it the way I'm showing you-you can't get it from ordinary bookkeeping records.

Kinds of Costs You Ought To Know About

Now I described just how you would go about finding one kind of costs, and in considerable detail. You know there isn't time or space here to take up each item of your business and describe it in that much detail. So—here is a suggested list of things you can think

about, and then fix up sheets of paper and work them out to suit your own needs.

Any man in the distribution business (you're in three kinds, remember) needs to know something about the following kinds of costs:

- 1. By sales areas. Either salesmen's territories; business centers around and including the town limits; by counties; by routes; or by any other scheme of dividing up the country that makes sense in your case.
- 2. By kinds of merchandise. In your case, whether appliances or LP-Gas. On appliances, you'll want to know by types, such as refrigerators, hot water heaters, etc.
- 3. By how the sale was made. Whether by salesmen, truck driver, salesmen's phone calls, direct mail, stores, etc. Use your judgment; you know your business and what facts you need.
- 4. By size of order. You can see this ties in with dividing up costs among appliances, gas, class of customer, and sales area.
- 5. By method of delivery. Scheduled deliveries on regular routes, or special trips on request.
- By when you get paid. Cash short term credit—or long term credit.

Can You Afford to Figure Your Costs This Way?

We might as well get down to brass tacks again. After looking at that list, you've been asking yourself how in the world anyone could afford to go into all that kind of cost figuring. So, here's the answer. If your business is big enough so that you have to use even the part time service of one bookkeeper, the answer is that you can afford it, In fact, you can't afford not to figure your costs that way.

the

or I

exe

You

kno

sto

lea

COL

the

kn

dis

ers

pr

do

to

W

a

al

de

D

You're not going to do a book-keeping job. You're going to do what any executive does when he wants to find out something important about his business. You are the one who will decide just how many of these things are worth while to you. You are the one who will decide just how much detail you need. I doubt if you'll do any more work than you figure is absolutely necessary. After all, you're the boss.

Figure Steps One By One

So, like any sensible business executive, you'll try it out a little at a time. You'll work on just one function (the one that has you worried the most right now). You'll get that one function worked out so that you get enough information on costs to tell you where your money goes—why it goes—and whether it is bringing you back a profit.

After you've got one function worked out, so that with the least amount of work on your part you know exactly what everything costs you, you'll probably decide to work on another one. By that time you can probably turn the keeping up of the first job over to the book-keeper, after showing him exactly how you want it done—and never mind about his principles of accounting. He may gripe, but you're

the boss and he'll do it your way—
or else.

ver.

80

part

the

it.

to

ok-

do

he

im-

Cou

ust

are

the

ich

u'll

are

all,

229

tle

ne

ou

ı'll

out

la-

ur

nd

a

on ast ou sts

rk ou up kly er cre If you are like most business executives, one thing is pretty sure. You won't be satisfied until you know enough about your costs to stop the four most common profit leaks, and push the three most common profit boosters. Here are the profit leaks you will want to know about:

- 1. Selling unprofitable merchandise.
- 2. Selling to unprofitable customers.
 - 3. Selling in unprofitable areas.
 - 4. Paying unprofitable salesmen.

Here are the three most common profit boosters you will like to pin down:


- 1. What products are profitable to push hard.
- 2. What kind of customers and which areas are worth putting on a lot of sales effort.
- What size orders are profitable to deliver: (a) on scheduled deliveries; (b) on special calls.

You operate on a margin be-


tween the cost of merchandise you buy and the price you get after you distribute it. For most items, most of the time, there isn't a thing you can do about your gross margin. You can't jack up your prices whenever you feel like it. You have to pay your supplier his price for the merchandise you buy—at least most of the time. So there you are—cost fixed on one side, selling price fixed on the other side. Your profit is what you can squeeze out of that fixed margin.

Most of the time, the one thing—and the only thing—that you can do anything about is your cost. Unless you can control your costs, you can't control your profits. You can't control your costs unless you understand them and know everything that is important—to you—about them.

Why stick in this LP-Gas business if you can't do something about controlling your profits? You're not in it for your health—you're in it to make profits. Why not start controlling your costs now and see how soon you'll hit the jackpot in profits.



"TO ALL ARCHITECTA



DEC

ind contractors"

A pioneer in bulk delivery, William L. English, reports to BUTANE-PROPANE News on a feature his company has used to excellent advantage in Arizona—a portfolio of information on LP-Gas and gas appliances for distribution to architects and contractors.

Mr. English is well-qualified to report news of the industry. He entered the LP-Gas field in 1936 as a salesman of Shellane bottles for the Shell Oil Co. Later. he started his own business -the William L. English Butane Corp., of Tucson and Lowell, Ariz. In 1948, this firm was merged with the Butane Corp., Phoenix, and became "company" instead of "corporation." Mr. English is presently vice president of Butane Corp. and general manager of the southern division (Lowell and Tucson).

By TED SHIELDS

BECAUSE they are the point of origin for new building construction, architects and builders will do a sales job for LP-Gas when given the facts about butane and propane.

Thus reasoned William L. English, vice president of Butane Corp., of Phoenix, and a veteran of 14 years in the liquefied petroleum gas business in Arizona. The result, after long delays in receiving manufacturers' specification sheets.

Wm. L. English Butane Co. bulk storage facilities.





With an assist from a "Towmotor" lift. another consumer tank is loaded at the Wm. L. English Co. yard.

was a handsome, 60-page portfolio for the information of architects and contractors containing suggestions from the company, drawings and tables on the capacities and dimensions of Butane Corp. tanks, technical data, and complete descriptions of products by their manufacturers.

During his years of appliance, system, and gas sales, Mr. English received hundreds of calls from architects and contractors who wanted specific information about LP-Gases. Their questions included many requests for technical information-characteristics of LP-Gas as compared with natural gas. relative costs, insurance under-

WM. L. ENGLISH



writers' safety requirements in regard to distances of installations from buildings, tank sizes and gas appliance specifications.

con

era

and hea

siz

in

her

rec

and

of

tic

ter

ane

val

501

to

ap

bil

an

me

tri

fol

ru

En

an

cel

inc

Co

ga

me

inc

wh

sal

th

To

the

ce

DE

1

In addition, the William L. English Butane Co. (a division of Butane Corp.) had frequently consulted with architects on central heating design-and understood that the LP-Gas dealer knows better than the designer how much room is necessary for initial installation of furnaces and water heaters, and how much additional space will be needed for servicing in later years.

The William L. English Butane Co. portfolio is the product of this background. It is divided into subjects of particular interest to builders:

1. Butane - propane cylindrical and spherical tank specifications.

2. Insurance underwriters' safety requirements.

3. General information about LP-Gas and Butane Corp. policies ("We do not install tanks in unsafe locations.") .

4. Information concerning suspended, forced-air, unit heaters and their proper and improper application.

5. Specifications, information, and literature concerning furnaces and console heaters and their application.

6. Specifications, information, and literature concerning "Gassteam" radiators and their application.

7. Specifications, information, and literature concerning wall heaters, unvented console heaters, unvented radiant heaters, and vented sheet iron box type gas heaters.

8. Information and literature concerning gas ranges and refrigerators.

re-

ons

gas

ng-

Bu-

ult-

eat-

hat

tter

om

ion

and

be

ars.

ane

his

ub-

ild-

ical

ife-

out

cies

afe

us-

ers

ap-

on,

ces

ap-

on,

as-

ica-

on,

eat-

un-

ted

lews

š.

9. Information, specifications, and literature concerning gas water heaters and proper types and sizing.

The company pulled no punches in its portfolio. It did a comprehensive, detailed job. It listed its recommendations by brand names and by models. It told which types of appliances were the most practical for different uses, which system installations were the safest and most efficient. It mentioned advantages and disadvantages of some types of heating equipment.

This straightforward approach to the description of LP-Gas and appliances, giving both the capabilities and limitations of both fuel and products, made a hit with the men to whom the portfolio was distributed. It accomplished a threefold purpose: (1) It "sold" the rules for safe operation, which Mr. English considers its most important contribution: (2) it was an excellent public relations job for the industry in general and the Butane Corp. in particular; and (3) it gave a tangible, workable tool to men who must work with LP-Gas, indirectly, much of the time-men who could easily become unofficial salesmen for butane and propane throughout the years.

W. K. Warren Heads Group To Study LP-Gas Situation

Walter S. Hallanan, chairman of the National Petroleum Council, recently announced the appointment of the committee on liquefied petroleum gas (1949-1950), in response to a request by the Department of the Interior for a study on the present liquefied petroleum gas situation, including the production and transportation of this fuel.


The committee's study will be submitted to the council with such recommendations as may be deemed appropriate. This report will supplement the one made to the council in 1948.

W. K. Warren, Warren Petroleum Corp., Tulsa, has been designated as chairman and the following as members: Fayette B. Dow, National Petroleum Assn., Washington, D. C.; C. F. Dowd, Tide Water Associated Oil Co., New York; J. W. Foley, The Texas Co,. New York; J. H. Forrester, Stanolind Oil and Gas Co., Tulsa; B. C. Graves, Union Tank Car Co., Chicago; W. E. Huston, Republic Oil Refining Co., Pittsburgh; Arthur C. Kreutzer, Liquefied Petroleum Gas Assn., Inc., Chicago; John F. Lynch, LaGloria Corp., Corpus Christi, Tex.; Joseph Miller, Humble Oil and Refining Co., Houston; J. R. Parten, Woodley Petroleum Co., Houston; K. W. Rugh, Phillips Petroleum Co., Bartlesville, Oklahoma; A. R. Thomas, Shell Oil Co., Inc., New York; and J. W. Vaiden, Skelly Oil Co., Tulsa.

Esso Building New Plant For LP-Gas in Virginia

Esso Standard Oil Co. will build a new \$1,100,000 oil terminal and bottled gas plant on the James River, E. T. Lemmon, district manager, announces.

The \$80,000 gas plant will be built first, with the rest of the installation following in two or three years. When completed, the new bottled gas plant will handle distribution around Richmond and areas to the north and south.



T hittli

the art tr

di ni m Oi bi fu fr

be with a use it it it.

it ti bl oj w go m

Op Sali

"Wet" Products Get Dry Treatment In LP-Gas Dehydration Systems

THE walnut industry—one of California's liveliest enterprises—has a major headache that plagues it every season. Big growers, like the Salinas Walnut Orchards (Salinas, Calif.), know that solving the worries of dehydration of 130 annual tons of fruits from its 7000 trees is a major determinant of profit or loss.

Green, wet walnuts require 40 hours drying time and correct temperature control. Too much dehydration—too much heat—turns walnuts rancid; 110°F is the maximum heat limit. Salinas Walnut Orchards dehydrates in 2¼ ton bins, drying approximately a binful daily. The dehydration season from mid-September until November 1, calls for plenty of LP-Gas, which is stored in the grower's 1000-gal. capacity tank. Within a single 10-day period the farm uses as many as 750 gallons.

Since 1937 it has had to change its burner, a BUS-8 Forster, suction-fanned by a turbine multiblade unit, only once. Chad Frew, operator of the orchard, says his walnut operation uses about 3500 gallons of LP-Gas yearly. Five men are kept busy during season just working the dehydration bins.

By JAMES JOSEPH

P-Gas is coming in for an increasing share of the dehydration business, especially in California and the Southern states where seasonal rainfall requires extensive drying.

Wet crop industries, like rice, long have found the need for dehydration. Cotton and walnuts have fallen into line. Now artificial drying processes, many of them present or potential LP-Gas users, extend into many industrial and agricultural fields.

One of the nation's top LP-Gas engineering firms, Ransome Co., Emeryville, Calif., has developed several types of burners geared to dehydration principles.

The heavy drain of liquid fuel in most dehydration plants caused Ransome to search for special burners and newer techniques—among these automatic controls. Dehydration calls for high velocity air streams past the burners—and in any case, for an operating pilot that can maintain stable flame,

Opposite Page: Chad Frew, operator of the Salinas Walnut Orchards, Salinas, Calif., sorts through a 21/4-ton bin of walnuts to test their dryness.

whether high velocity blowers are operating or not.

There are essentially two types of dehydration burners, and Ransome has made important modifications in both. There are the vapor burners and the liquid-type burners. In each, there are two types of heads: bushy flame and long flame. The bushy-type head for either vapor or liquid-type burners is also called a flare-head. The long-flamed head goes under another name also -torch-type. Both basic types of burners—vapor or liquid—and both models of heads, either bushy or long-flamed, have their special uses in dehydration plants.

The installation depends on the kind of flame wanted, the amount of heat desired, and the placement of the burner. The vapor-type

52

burner receives its gas from a tank situated some distance from the dehydration plant. It receives vapor from this tank, via a vaporizing unit of the conventional type and of various capacities.


The liquid-type burner is a selfvaporizing type. It does not use the conventional vaporizer, for the burner unit, itself, acts as a vaporizer. It is this special self-vaporizing burner upon which Ransome has worked most, and which it recommends in many cases for dehydration. There is no hard and fast rule as to which burner should be recommended for dehydration. But the self - vaporizing, liquid - type burner, either with bushy-type flame or using the longer, torchtype flame, has some special advantages in dehydration work.



With 1000-gal, storage tank in rear, a worker hauls odd lots of walnuts to the dehydrator at Salinas Walnut Orchards,

Frew points to temperature control housed next to the blower and BUS-8 Forster burner. Note that this is a suction type unit—obvious from lint on protector screen. This is a typical medium to large sized walnut installation.

Eight-burner torch type head vapor burners at gravel dehydration plant run by Ransome Co., Emeryville, California.




type orchvan-

tank deapor zing and selfthe the pororizome recehyfast d be But type

lrator News In the first place, the liquid-type, self-vaporizing burner needs no conventional vaporizer. By receiving liquid LP-Gas at the burner, itself, (not vapor) it eliminates the possibility of condensation in the fuel lines. This condensation, which tends toward irregular and undependable burner service, is caused by long fuel lines susceptible to low atmospheric temperatures and line pressures.

From the viewpoint of condensation-less lines, the self-vaporizing unit has its advantage. Now, we might take a glance at the method by which this burner accomplishes the self-vaporization of LP-Gas as used in many dehydration plants.

Ransome produces two capacity heads in self-vaporizing burners—one of 8-in. diameter, the other 12-in. Self-vaporizing burners provide self-generation, high capacity, eliminating the need for additional vaporizing equipment. The typical self-vaporizing (liquid type) burn-



Producers' Cotton Oil Co.'s gin installation (dehydration) at Hanford, Calif.



Three liquid-type burners in a rice dehydrator run by Vanderford, Gridley, Calif. This is a sacked-rice dehydration installation: rice is dried in the sack, not in bulk.

stre

the

solv

fluc

sup

str

san

to

ter

18

has

bui

DE

er has a built-in jacketed vaporizing unit, venturi, pilot, and manifold. Liquid butane inlets at the bottom of the jacket where it is vaporized by the conducted heat from the burner head. Vapor then passes through regulating valves to two sets of control solenoids, one set at maximum flame, the other at minimum. Some units have only one solenoid set at maximum. From these control solenoids, the vapor moves through a closed venturi.

It is this closed venturi which has special application in dehydration plants.

Explanation of this closed, sealed venturi is important. Older models used an open-ended venturi. The venturi in these older models was the chief source of primary air. But dehydration plant burner installations oftentimes call for burners installed directly in the path of high velocity fans. This would mean, in the conventional open-end type venturi, an abnormal supply of air—so much, in fact, that com-

bustion could not be supported. Any downstream orifice for primary air would be necessarily unstable because the air velocities in fan-type dehydration installations are enormous.

The newer model regulates the amount of primary air that the venturi receives through an upstream nipple which supplies air to the closed-end venturi. The upstream nipple, facing away from the origin of the fan velocity, solves the problem of unstable and fluctuating venturi primary air supply, simply because the upstream nipple takes in about the same amount of air and feeds this to the closed-end venturi, no matter how great the air supply. This is one of the developments which has helped in dehydration plant burner design.

ydra-This

ation:

oriz-

ani-

the

it is

heat

then

es to

one er at only rom apor hich draaled dels The was air. inurnh of ould -end pply

com-

News

ulk.


The closed-end venturi is adapt-

able to any type of burner and to any type of LP-Gas supply. It can be used for either the self-vaporizing (liquid) or the vaporizing-type unit.

In choosing the type of burner head—either bushy-flame or torch-flame type for dehydration—three factors determine the kind to be selected.

- 1. The size of burner needed—amount of circulated air and the maximum temperature needed in that air stream.
- 2. Construction features of the dehydration plant itself.
- 3. Whether a vaporizing type or self-vaporizing type (liquid) burner will be used.

The size of the burner and the construction features of the particular dehydration unit is something for the individual installer



A 2-MMcf per hour burner with liquid manifold, self-vaporizing with automatic controls. A Ransome burner with two solenoids (on top), closed venturi.

to determine. There are so many variable factors, one for each dehydration plant, that no specific recommendations can be made in this article.

However, if the self-vaporizing burner has been selected because of its minimum line loss features through condensation, it might be well to describe further various features of this burner, to see how design has made it a flexible and reliable dehydration unit.

Has High Safety Attributes

It might be said here that the self-vaporizing burner, coupled with remote-control shutoff and turn-on mechanism, is one of the safest developments in the LP-Gas dehydration field.

If the husky-flame, flame-type head is used on a self-vaporizing unit in a high velocity air-stream. very likely the burner would be unstable. To remedy this, a cupshaped grid serves as a baffle in the path of the combustible air-gas mixtures. Thus, velocity of the air stream to the grid is reduced, allowing the gas and air to become rather uniformly mixed before passing through the grid openings. The several jets of gas-air issuing from the grid produce individual plumes of flame which enable secondary air at the grid entrance to become effectively mixed with these jets, the plumes coalescing into a hot, uniform flame.

In the liquid-type, self-vaporizing burner, the upper ports in the grid have been sealed—so that the vapors do not overheat. Over-heat-

ed vapors might injure the solenoids. But most important, the selfvaporizing unit works because linuid LP-Gas in the lower section of the head is heated, and vaporizedthe vapor rising to the upper sections of the head and then through control solenoids. If the entire head were heated, not only would the LP-Gas (still in liquid state) be heated, but the rising gas in the upper portions would also be heated. This heating of the vapors wastes heat. Two methods have been devised which heat the gas in the bottom of the head, yet do not warm the vapor which has risen to the upper sections.

troll

burr

norr

with

close

and

bur

mus

tor

and

flow

rela

air

line

pilo

blo

ing

Th

the

val

lin

hy

-

de

un

po

pi

th

tr

st

16 8

lis

el

ai

SI

ta

n

0

F

A

One method, described above, is to blank off some of the ports in the upper section of the head. A second method is to cut a notch in the upper section of the head—which acts as an insulation between the head and burner. With an air insulation space created in the upper sections of the head by the notch, heat is conducted and directed toward the liquid LP-Gas in the lower section.

Remote control operation of any dehydration unit—no matter what type burner is used—is of great importance, not only for safety, but for more uniform operation than can be obtained by manual controls at the burner. Safety is a big remote-control talking point.

The automatic control is an electronic device which provides 100% safety shutoff in case of pilot outage or current failure. Upon failure of either pilot or electric current (which powers the dehydration blower fans) the solenoid con-

trolling the gas supply to the main burner immediately closes and if normal service does not resume within 45 seconds the pilot solenoid closes also, giving 100% shutoff. Before the solenoids will reopen and permit gas to pass to the burners, a manual reset button must be pressed. Thus, an operator is always informed of a failure, and the hazards of premature gas flow is automatically precluded.

sole-

self-

liq-

n of

ed-

sec-

ough

tire

ould

ate)

the

eat-

pors

ave

s in

not

n to

, is

in

. A

d-

een

air

up-

the di-

in

any

hat

eat

ety,

ion ual

s a

ec-

)%

ut-

ail-

ur-

ra-

n-

ews

Here's how the modern protector relay works:

A vane-switch is mounted in the air stream. This vane is across the line to all gas supplies, for both the pilot and the main gas line. If the blower fan is not on, or fails during operation, the vane closes. Thus, if electric current operating the blower is shut off or fails, the vane automatically closes the gas lines feeding the burner. Since dehydration plants are usually closed—such as the tunnel type—safety devices which prevent collection of unburnt gas vapors are very important.

The vane opens the lines to both pilot and main gas burners when the fan is on. From a remote control station outside the burner installation, the operator pushes a "start stop" button. This establishes the pilot in 45 seconds. An electric ignitor is used, which gives a more stable flame in high velocity air streams for various gas pressures. Once the pilot has been established, the solenoids allow the main gas to flow.

The automatic control system and control solenoids give uniform temperature, which in turn guarantees a consistent finished product. Too much heat, a fault common to manually operated dehydration units, (especially in the cotton industry) can dry out the cotton excessively, causing loss of weight, and subsequent loss of value. Too much heat can also scorch cotton, down grading its quality.

LP-Gas Best for Cotton

In cotton alone, LP-Gas has special advantage. The old-fashioned oil burners sometimes used as dehydration mediums, couldn't be fired directly into the plant; the dirt from oil fires ruined cotton. Instead, oil dehydration plants used a steam-plant system. Cotton was merely passed over a series of steam pipes. However, heat loss in indirectly fired steam systems is great; its efficiency worse; long steam pipes lose heat, and heat from steam pipes has difficulty in penetrating cotton uniformly.

LP-Gas-fired burners in cotton dehydration plants can be regulated according to the cotton being processed. Wet cotton needs more heat, obviously; drier cotton, less. By regulating burner output firing directly into cotton dehydration blowers, a uniform output is achieved. Cotton producers also say that LP-Gas heat has a desirable bleaching effect.

All in all, the automatic control system, the self-vaporizing burner, with either type of head—torch or flame-type—is paving the way toward a new era for safety and control in dehydration installations, whether they are walnuts, cotton, rice, or fruit.

Safe Handling of LP-Gases

Properties

Static Electricity

Transfer

By E. O. MATTOCKS

Technical Representative, Chemical Engineering Department Phillips Petroleum Co., Bartlesville, Okla.

In Two Parts-Part 1

THE safety requirements for handling liquefied petroleum gases,* are based to a great ex-

tent on a general understanding of the basic properties of the material. In this presentation a brief review of the most important characteristics of this product will be given together with a more detailed discussion of two fac-



E. O. MATTOCKS

tors which are not always fully understood, namely: (a) the use of air to transfer liquefied petroleum gas from one location to another and, (b) the need for protection against static charges.

Liquefied petroleum gases are referred to as LP-Gas or LPG, generally. The term is a general designation of a mixture of several hydrocarbons and very seldom, if ever, indicating a single compound. While LP-Gas is frequently referred to as propane or butane, very seldom if ever does this designation actually mean the single hydrocarbon named, but rather reference is made to a group of hydrocarbons.

Liquefied petroleum gases come from two major sources, namely: natural sources which include natural gasoline plants and cycling plants and from refinery sources. As the name indicates the material produced from the natural sources is separated from the natural gas and oil recovered from the ground. In the case of refinery source material liquefied petroleum gases are obtained as a result of the refining of crude oil. The major difference between the hydrocarbons existing in natural source and refinery source materials is presented in Figure 1. Methane and ethane are the major constituents of commercial natural gas while pentanes and heavier are the major constituents of gasoline. The hydrocarbons that exist between commercial natural gas and gasoline while existing as a gas at normal atmospheric tem-

Presented Before the 37th National Safety Council at Chicago, Oct. 26, 1949

The Same "Silent Passenger" Rides in Each Vehicle







In every shipment of SINCLAIR LP-GASES a very important "silent passenger" rides. He is called Hidden Ingredients—and is made up of such things as INTEGRITY, REPUTATION, RESPONSIBILITY, PERFORMANCE AND REAL SERVICE.

That's why you benefit when you buy Sinclair LP-Gases. You get a product of the highest heating value and so expertly refined that all the moisture and impurities are removed.



SINCLAIR OIL & GAS COMPANY

LIQUEFIED PETROLEUM GAS DIVISION . SINCLAIR BUILDING, TULSA, OKLAHOMA

DECEMBER - 1949

fer

hyver, and. reane, sig-

hyferdroome ely:

ing

ces. rial ces gas

nd. ma-

are

ing

nce

ing

ery

in


are

erand nts hat ral

as m-

ews

59



peratures and pressures can be liquefied by application of moderate pressures. These hydrocarbons are known as liquefied petroleum gases. In commercial products there is present generally small amounts of one or more of the following: ethane, ethylene, normal pentanes, isopentane, and amylenes.

Properties of LP-Gas

One of the most important factors to remember about liquefied petroleum gas is that the pressure of the product is directly dependent upon its temperature. This relationship is shown in Figure 2, where the vapor pressure corresponding to various temperatures for the various pure hydrocarbons existing in liquefied petroleum

gases is plotted. The pressures given on this plot are in pounds per square inch absolute, so it is necessary to substract 15 pounds to obtain gauge pressure. For example, propane at a temperature of 25 F would have a corresponding vapor pressure of 46 pounds per square inch gauge (psig). If this product was heated to 100 F it would have a vapor pressure of 174 psig.

uct

feet

iner

mus

spac crea

the

bilit

othe

1 is

clud

The

min

whi


DE

In addition to increasing the vapor pressure with temperature there is an increase in the volume of liquid with increasing temperature. In Figure 3 is shown the change in liquid specific volume of pure LP-Gases with temperatures. For example, in the case of propane at 25 F every pound of liquid would occupy 0.03 cubic feet. If this prod-

uct is heated to 100 F the liquid will occupy a volume of 0.034 cubic feet per pound. This represents an increase in the liquid volume of 13.3 per cent. Obviously, provision must be made in filling an LP-Gas container so as to provide sufficient space for this expansion with increase in temperature.

Frequently reference is made to the greater explosibility or flammability of LP-Gas as compared to other commercial gases. In Table 1 is given the limits of flammability in air of various gases including average commercial gases. The lower limit is defined as the minimum percentage of gas in air which will support combustion while the higher limit is defined as the maximum per cent of gas in air which will support combustion.

It will be noted in Table 1 that the minimum lower limit for any gas is 1.4 per cent for benzene. The next lower limit is 1.7 per cent which is for butylenes, some of the hydrocarbons found in from refinery sources. The maximum higher limit is 74.2 per cent which is for both carbon monoxide and hydrogen, major components in carburetted water gas which is distributed extensively by utilities. On the other hand, the maximum higher limit for any hydrocarbon existing in LP-Gas is 11.1 per cent which is for propylene. The maxi-



per cesobple, 5 F

are

uct

ave

va-

ure

the of res.

uld od-

lews

TABLE I. LIMITS OF FLAMMABILITY IN AIR (4)

	Per Cent Gas in Air								
Gas	Lower Limit	Higher Limit							
Methane	5.00	15.00							
Ethylene	2.75	28.00							
Ethane	3.22	12.45							
Propylene	2.00	11.10							
Propane	2.37	9.50							
Butylenes	1.70	9.00							
Isobutane	1.80	8.44							
n-Butane	1.86	8.41							
Natural Gas	4.80	14.60							
Coal Gas	5.00	30.8							
Carburetted Water Gas	6.40	37.70							
Carbon Monoxide	12.50	74.20							
Hydrogen	4.00	74.20							
Benzene	1.41	6.75							

mum spread between the lower and higher limit for any LP-Gas is 9.1 per cent gas in air which is for propylene.

In the case of natural gas the lower limit is 4.8 per cent of gas in air and the higher limit is 14.6 per cent of gas in air which represents a spread of 9.8 per cent. Similarly the lower limit for carburetted water gas is 6.4 per cent gas in air and the higher limit is 37.7 per cent gas in air which represents the spread of 31.3 per cent.

From the above data it is seen that the limits of flammability for LP-Gas are less than for other commercial fuel gases. It is true, however, that the lower limit for LP-Gas may be lower in some cases than for other commercial fuel gases. This means that it may require less LP-Gas in air to reach the flammable range than for some commercial fuel gases.

Frequently reference to explosibility limit or range of a gas means the region where the maximum rate of flame propagation occurs. In Figure 4 is shown a graph of flame speeds for several gases. The first curve shown is for pentane which is a major constituent of motor gasoline. The second and third are respectively butane and propane. It will be noted that the maximum speed for these three hydrocarbons is approximately the same. Likewise, the range in per cent of gas in air where the rate of propagation is the greatest is not very large, being in the order of approximately a ½ of 1 per cent.

On the other hand, the fourth curve represents methane, the major constituent of natural gas. The maximum speed for this gas is slightly lower than that for the LP-Gas and has a range considerably wider at the maximum rate of burning than for LP-Gases.

The last curve shows a mixture of 25 per cent water gases and 75 per cent coal gas. This mixture has a rate of burning of approximately twice that for the LP-Gas. Likewise, the range of percentage of gas in air at this maximum rate of speed is greater than for any of the other gases shown.


From the data presented on the rate of flame propagation it is seen that LP-Gas burns at a speed slightly in excess of that of natural gas and less than the maixmum speed of burning for manufactured gas. Likewise, the range of gas-air mixtures at maximum rate of burning is less for LP-Gas than for natural or manufactured gas. It would



DECEMBER - 1949

65

Fig 3 LIQUID SPECIFIC VOLUMES OF PURE LIQUEFIED PETROLEUM GASES



appear, therefore, from a combustibility standpoint LP-Gas is similar to other commercial gases and certainly does not exhibit any tendency to be more hazardous. In fact, the data indicates that LP-Gas might be considered to be less hazardous than most commercial gases.

Laboratories Conducted Experiments

Experiments were conducted by the Factory Mutual Laboratories (1) where various gases were premixed with the proper proportion of air and placed in various size pipes. The mixture was ignited and the resulting pressures measured. Under certain conditions detonation


TABLE II. BOILING POINTS (4)

Gas	_	_	_	_					_			_		1	B	0	ili	ng	1	Point	-F
Methane														٠				_	-2	58.9	
Ethylene		۰								۰	٠		۰					_	-1	54.9	
Ethane																		_	-1	28.2	
Propylene								۰	٠	٠										53.8	
Propane																		-	-	43.7	
Isobutylene	е																	+	-	19.2	
Isobutane																		+	_	10.9	
n-Butane																		+	-	31.1	
Carbon M	01	n	o	x	i	di	е											_	-8	313.6	
Hydrogen									۰									_	-4	22.9	

DEC

IVES YOU NEW HOUSING WITH...

Hood is solf-supporting whom litted to vertical position. Rosts firmly on flanges provided.




MAXIMUM COVERAGE ON ALL REGULATOR OUTFITS FROM

SMALLEST TO LARGEST


RUST-PROOF, LONG-LASTING ALL-ALUMINUM HOOD

CHOICE OF BASES: CONCRETE OR PRE-FABRICATED

PLUS THIS NEW HINGE



he bress ple blage is rigidly riveted to the bood.




Hinge is entirely protected from the weather. Continued easy, free action.

ETTER HOUSINGS DAVENPORT, IOWA

EASTERN SALES OFFICE AT 572-546 AVE. HEW YORK

and red. tion

News



occurred with commercial utility gases and very high pressures were measured. However, detonation could not be secured with liquefied petroleum gases.

The boiling point of a number of gases is shown in Table II. The significance of the boiling point is that at atmospheric pressure the product exists as a gas above this temperature and as a liquid below this temperature. These data are very important when considering the temperature at which a gas may condense in a pipe line when distributing the product from one point to another.

Part 2 Will Appear Next Month

BIBLIOGRAPHY

- (1) Explosion Pressures in Industrial Piping System by J. B. Smith. Factory Mutual Laboratories, Associated, Factory Mutual Fire Inurance Companies, Boston, Mass. Presented before International Acetylene Association, Pittsburgh, Pa., April 25, 1949.
- (2) Underwriters' Laboratories Report on Compressed Gas System for Industrial and Central Station Installations. Miscellaneous Hazard No. 2601, Application No. 34C362, March 1, 1935, and Report on Liquefied Petroleum Gas Systems Type "Y" Miscellaneous Hazard 2601 Application No. 40 C1372, October 24, 1940.
- (3) National Fire Protection Association Standards for the Design, Installation and Construction of Containers and Pertinent Equipment for the Storage and Handling of Liquefied Petroleum Gas. National Fire Codes, Vol. I, p. 141, 1948, published by National Fire Protection Association.
- (4) Thermodynamic Properties of Saturated Propylene, Propane, Isobutane, Isobutylene, and Normal Butane, by George H. Hansen, Transactions of the American Institute of Chemical Engineers, Oct.-Dec., 1946.

DE

RECULATOR designed for

your needs /

"MR" is a single-stage multiple regulator which reduces high pressures to more efficient use by a secondary regulator. It will draw automatically on both cylinders when peak load is required, reverting to the service cylinder alone as the load decreases. This regulator is especially recommended for pilot light equipment and continuous burner service.





ping abo-

In-

nted

tion.

on

and

eous

362, etro-

eous

eto-

tion

and nent of odes, onal

ated

ene.

sen,

ews

"DBP" is a two-stage regulator designed for duplex service. In the first regulation stage varying service cylinder pressures are reduced to 15 pounds; in the second stage this 15 pounds is reduced to a uniform 11 inches water column pressure at the outlet. When the service cylinder is empty, the reserve cylinder automatically cuts in, the indicator hand moving from service to reserve to indicate the cylinder in operation.

"BKR" is designed as a primary or secondary unit equipped with internal relief valve which can be set to relieve at pressures from 25 to 35 inches water column. Normal outlet pressure of 11" water column is maintained. The valve mechanism is easily accessible through the inspection plug.





"BP" is designed for smaller capacities than the "BKR." It is a convenient and economical regulator for the low-volume consumer, and provides precision control of outlet pressures.

AMERICAN METERS



1000 MERIDIAN AVENUE, ALHAMBRA, CALIFORNIA

Proves Heating with Propane Feasible in Alberta

N a country where most types of fuel—coal, oil, wood, and natural gas—are comparatively in good supply, Canadian Propane Ltd. boasts an enviable record. For, in central Alberta, this two-year-old company counts upon the heating load as one of its important sources of revenue.

Because it is a valuable load, Canadian Propane's policy is to watch the heating operation carefully. Only homes of proper construction and with adequate insulation are offered the heating service, and careful inspections and double-checks are the rule. This policy, according to Albert V. Youell, secretary-treasurer, has paid off in control by the company of all the propane consumption for heating in the territory.

Canadian Propane was organized in the summer of 1947, and had completed its bulk plant, bottling house, and other buildings, and received its first tankcar of propane by January, 1948. The company is located in Camrose, central Alberta; its equipment includes a 30,000-gal. storage

tank, a 1200-gal. propane delivery truck, a service truck, heavy winch truck, and two salesmen's cars, in addition to the buildings (including a warehouse and display building) mentioned above.

Introducing propane into Alberta was a real pioneering job, according to Mr. Youell. Canadian Propane has, however, through careful attention to customer record-keeping and a determination to keep appliance and installation services at a high standard, expanded its operation to the point where it now has 62 dealers for its where it now has 62 dealers for its product in the towns and villages surrounding the Camrose area. Current plans include two more bulk plants to be built in Alberta, which will be in operation next year, and an appliance display store in downtown Camrose.

Canadian Propane at present maintains a staff of six employes, including Gordon McLean, manager; Clinton R. Johnson, assistant manager; Mr. Youell, Almon D. Scott, service manager, and two salesmen, Walderman Terry and Harold A. Stidolph.

The Camrose, Alberta, bulk plant of Canadian Propane.



Play it SAFE!

very

rinch s. in

ding

ling)

perta


ding

has.

on to

oh.

Don't take chances with LP-Gas



SPECIFY Rochester Criterion Gauges

- The only gauge with a forged brass dial chamber. Does not crack or corrode with age.
- Built entirely of corrosion-resistant materials-lifetime service.
- Individually calibrated by hand for accuracy.
- There is a Rochester gauge for every type of LP-Gas installation.


ROCHESTER MANUFACTURING CO., INC. 17 Rockwood St., Rochester 10, N. Y.

SALES OFFICES

1355 Market St., San Francisco; Gas Equipment Co., P.O. Box 566, Dallas; Gas Equipment Supply Co., 127 Ellis St., N.E., Atlanta



ENGINEERED INSTRUMENTS ACCURACY Liquid Level, Temperature & Pressure Gauges



APPLIANCES

The circular distributed at the show by the Arkansas Butane Dealers Assn. was a virtual copy of the fire rules published by the National Fire Protection Assn. Thousands of visitors to the show received copies.

ALL FLAMMABLE

FLUIDS

operating agencies that made the Arkansas fire prevention show possible are pictured above. They are (left to right): Ray Elrod, Dixie Liquid Fertilizer Co.; Carl Smalley, NFPA and Arkansas Inspection & Rating Bureau; Amos David, David Sales & Service Co. (Caraway, Ark.); Mr. & Mrs. Duke Sweeney, Beals Creative Printers; Cy Carney, president, ABDA: Marion Castleberry, ABDA office secretary; Mrs. Ray Biggadike, ABDA office assistant; John Knox Smith, LPGA, and A. W. Porter, ABDA executive secretary. All acted as hosts in the exhibit tents. Note the torch flare at right (top). long of But ASS T got to dire ly,

sas

stoc

was

Roc

At

of

Fir

Ass

the

sho

dur

for

cut

thr

the

sho

ope

wh

Fir

Bo

wr

age

ing

of

Ca

and

in

gra

tri

ter DE

1

Demonstrates Safety to Underwriters

A stronger and closer relation with fire prevention organizations and with the fire insurance industry has

long been the aim
of the Arkansas
Butane Dealers
Assn.

The association got a fine chance to move in that direction recently, in the Arkansas state livestock show, which was held in Little Rock, Oct. 3-12. At the invitation of the Arkansas Fire Protection

CO-

that

pre-

are

are

rod,

Co.;

and

Rat-

avid,

Co.

. &

Beals

Car-

DA;

BDA

Ray

e as-

nith,

rter,

tary.

the

the

op).

News



A. W. PORTER

Assn., ABDA took an active part in the former group's fire prevention show, which drew 20,000 spectators during the livestock exhibit. In return for outside display torch-flares (see cut), the butane association was given three large spaces for exhibit within the huge fire prevention tent at the show.

Most important feature of the cooperative fire prevention exhibit, which enjoyed support of the National Fire Protection Assn., the National Board of Fire Underwriters, Underwriter's Laboratories, and general agents of insurance companies operating within the state, was, in the minds of John Knox Smith (LPGA) and Cy Carney and Amos David (president and director of ABDA, respectively), in its value as a public relations program.

Thousands of circulars were distributed and hundreds of personal interviews with spectators did an effecBy A. W. PORTER

Executive Secretary, Arkansas Butane Dealers Assn., Little Rock

tive job of telling the visitors to the exhibit just what LP-Gas dealers in Arkansas are doing about fire prevention and that they are sincerely in search of new methods and equipment to aid them in this regard.

In the show itself, there was a wide range of products, specifically designed for fire prevention. Among exhibitors were the Fire Appliance & Supply Co., Independent Protection Co., Arkansas Power & Light Co., Greater Little Rock Chamber of Commerce, Little Rock fire department, Automatic Sprinkler systems, and the Keep Arkansas Green Assn.

State safety officials, Mr. Smith (who is the LPGA safety engineer), and LP-Gas company representatives, joined Carl S. Smalley, executive secretary of NFPA, in welcoming visitors to the fire prevention exhibit. Mr. Smalley has been prominent in Arkansas fire prevention work for several years. He has worked through local fire departments and has participated in fire prevention meetings organized by LP-Gas dealers. He has conducted numerous public demonstrations of prevention methods, at which attendance has been as high as 3500.

The circulars (see cut) distributed under ADBA auspices at the livestock show were furnished by B. T. Harris, of Butane Wholesale Gas Co., who also set up the torch flares that were used.



LOOKING FOR ANSWERS TO INSURANCE PROBLEMS?

By PAUL W. HOWER, JR. Charles, Ryan & Rivers, Inc., Los Angeles

Illustrations by the author

N OT long ago the LP-Gas industry was a very young and adventure-some business—and it became quite a problem child insurancewise. Today it is a well established enterprise with an almost unlimited future—and it possesses a wealth of its own.

If it lacks any one thing that would forestall its progress, it's not unlikely that it would be cooperation—the sort of selfish jealousy that prevents it from presenting a united front towards the solution of any of its many problems. If you find this a harsh viewpoint suppose we study the problem for a moment.


Regardless of how you feel about insurance, remember that you, and only you, can provide the experience upon which insurance is based. Experience takes time, so we'll go back a few years to the period when there was no particular problem. This was the time when insurance rates were low—at least unobtrusive. As losses increased the loss ratio represented an increasingly unprofitable experience.

Insurors met this by reducing first the amount of liability they would assume, then by excluding the major hazard of fire and explosion and finally, when forced to do so, by refusing to write insurance on LP-Gas dealers under any but the most favorable circumstances.

Concurrently, the adverse experience was demanding rate increases and these appeared regularly. It is apparent then that the current rates reflect the period when the LP-Gas industry was making its poorest showing, when equipment was warborn and inexperienced dealers were abundant.

While it is a mistake to presume companies will now reduce the rates, feeling that "the worst is over," it is encouraging to observe many indications that the insurance "depres-

DE





PAUL HOWER, JR.

sion" is disappearing. What this means to you individually may be quite different from what it does to your neighbor—or to a dealer in another part of the country. It should mean that the road which your industry has traveled insurancewise is now easier to travel and that this is the time to make the most of the improved condition. The advantage which you should now exploit is to be found in the most worthwhile insurance program. This program should offer you, in the order of their importance to you:

1. Adequate Coverage. The nature of your product exposes you to serious loss, quite apt to exceed your assets. If you are a good businessman you recognize your obligation to the organization you have built and to your employes. You also possess a compelling obligation to your consumer-to protect him against the hazards of your product and to do so without gambling with your future. The liberal damage judgments being awarded today are tangible evidence that the risk is too great to be ignored and that adequate liability insurance is an absolute necessity, regardless of the cost.

2. Safety and Engineering. Your industry has made commendable progress in safety consciousness and in equipment since V-J Day. These have combined to balance the frequency of accidents with the increased number of distributors and have made your industry much more attractive to the insuror. Any insurance program that will be of lasting benefit to you must work with you to preserve the necessary margin of safety—allowing you more time to devote to business.

An insurance engineer must have a thorough knowledge of your industry, its many problems and its personalities in addition to the methods of handling and the characteristics of LP-Gas. He must also know insurance. He is not a substitute for the professional engineer whose services are merchantable. His value to you is measured by his ability to detect for you the hazards which he knows from experience produce accidents and to select from the industry the dealer who is qualified for insurance. Only by this selection can any insurance program succeed on the basis of sound underwriting or be expected to produce a loss ratio that is representative of the insurable portion of the industry.

3. Reasonable Cost. Rates are based on loss ratios and these require a long period of time to establish. As we have already mentioned, the LP-Gas industry is still very young insurancewise, and since the earlier years produced many very serious losses the rates are understandably high. Bear in mind, however, that the rates represent the entire industry, good dealer and bad, during a period when safety wasn't always the most important factor and equipment was neither always properly made nor installed. It should be obvious

DE



Your progand in the have necy of tumber to the must necesing your to the must necester ne

ethods tics of

insuror the ervices

you is ect for

s from

and to

dealer

. Only

urance

sound

o pro-

esenta-

of the

e based

uire a

sh. As ne LPing inearlier serious

ndably

r, that indusring a

ays the

ipment

bvious

IE News

made

INTRODUCES NEW L. P. G. TRUCK PUMP

Attention: L. P. G. Dealers

The pumping of Liquified Petroleum Gas is not a romantic thing even if everything goes well, but it can be a heartache when trouble develops.

The LMC (Lubbock Machine Company) pump was not designed with the idea of it ever becoming a world beater, but it is a good pump that will do your pumping job economically because it doesn't cost too much and it is economical to repair.

The extra close tolerances give you good volumes, high pressure and long life. The chrome-plated shaft gives you good packing performance.

Our one-day rebuilding service saves you money and customers.

Give one of these LMC pumps a try and you, like hundreds of others, will agree that it is the answer to your Liquified Petroleum Gas pumping problems.

Sincerely,

T. A. Rogers, President Lubbock Machine Co., Inc.

LUBBOCK MACHINE CO., INC. Box 1138 Ph. 6006

Lubbock, Texas

Oh, to have the insurance agent on the block for just once, gloats the dealer.



to any dealer that if he supports a worth while program he will be in a group that can be expected to produce a loss ratio reflecting every advantage possible. That program today may not necessarily be the least expensive but any additional cost now may be an investment which will pay welcome dividends by reduced rates later on. If you feel that this

support is for your neighbor and not for you, remember that no program is going to succeed without adequate support—and the more support the sooner the result.

It becomes apparent that the LP-Gas industry has everything to gain and very little to lose if it cooperates with the insurance fraternity on its most promising program.

Mississippi Conference Considers Weights, Measures

Methods of measuring LP-Gas were included in the agenda of the Southern Weights and Measures Conference which met in Biloxi, Miss., early in November.

Among those attending was W. S. Lander, president of Rulane Gas Co., Charlotte, N. C.

During the fall, there were various conferences between representatives of the North Carolina Liquefied Petroleum Gas Assn. and the North Carolina authorities.

A proposed Regulation No. 25 for North Carolina was submitted. Several changes were made in this proposed regulation, but the final regulation has not been made public.

AGA Names New President

At the Oct. 17-20 annual convention of the American Gas Assn. in Chicago the following officers were elected for 1949-1950:

President: Hugh H. Cuthrell, The Brooklyn Union Gas Co., Brooklyn, N. Y.

First vice president: D. A. Hulcy, Lone Star Gas Co., Dallas.

Second vice president: George F. Mitchell, The Peoples Gas Light & Coke Co., Chicago.

Treasurer: Edward F. Barrett, Long Island Lighting Co., Mineola, N. Y.

LP-GAS FITTINGS

There's a Complete Line From Which To Choose The Correct Fittings For Every Installation

The photograph shows but a few of the more than one hundred miscellaneous LP-Gas fittings in the complete RegO line.


Progressive, safety-minded distributors, realizing that it is important to always use the correct type of fitting, specify RegO to meet all of their requirements—whether in large quantities for standard installations or in small lots for special installations and replacements.

All materials used in RegO LP-Gas fittings are carefully inspected, with thread specifications and tolerances rigidly controlled to assure trouble-free, long-life installations.

Don't Gamble When You Install a Fitting— Make Sure That It's Right For The Job!

How Many of These Standard REGO Fittings Can You Identify?

1 Expansion Coil • 2 Adapters (male pipe and male acme threads) • 3 Coupling (male acme and male acme threads) • 5 POL Swivel Hose Coupling • 6 POL Swivel Coupling (with ½" male pipe threads) • 7 POL Swivel Coupling (with 90° elbow) • 8 45° Elbow • 9 Adapter (female POL and female pipe threads) • 10 Loop Pigtail • 11 "S" Pigtail 12. POL Plug • 13 POL Cap • 14 Acme Plug • 15 Swivel Adapter (female POL and female No. 968 threads) 16 Swivel Adapter (male POL and male No. 968 threads) 17 Straight Pigtail • 18 Gauge Adapter • 19 Low Pressure Hose Assembly • 20 Cylinder Filling Connector • 21 Filling Hose Adapter for Cash and Carry Cylinders



ONEER AND LEADER IN THE
USON AND MANUFACTURE OF
RECISION EQUIPMENT FOR USING

d not

gram

t the

LP-

gain

n its

egula-

ent

ention

nicago

ed for

, The

oklyn.

Hulcy.

ge F.
ght &

News

LP CAS EQUIPMENT

See Section Section

Gas EQUIPMENT CO.

Color, Text Co.

CAS SQUIPMENT CO.

CAS SQUIPMENT CO.

CAS SQUIPMENT SUPPLY CO.

WISTERN CAS SQUIPMENT CO.

WISTERN CAS SQUIPMENT CO.

A C. PRING, S. A., Renne, D. F.

BUFFEZ BLAGE SPG. CO., LTD.

The BASTIAN - BLESSING

1201 W. Peterson Ave., Chicago 30, Illinois

ASSOCIATIONS



G. M. McCLELLAN

G. McClellan Named President Kansas LP-Gas Assn.

Of prime interest at the Nov. 7 meeting of the Kansas LP-Gas Assn. in Wichita was the election of George McClellan to the presidency and the decision to join the "State Association Integration Plan" of the LPGA, and "accordingly support said program to the fullest extent."

At the luncheon meeting, Arthur Kreutzer, managing director, LPGA, addressed the 120 dealers in attendance. He outlined the various activities of the national association, emphasizing the importance of carrying out a national program embodying promotion and protection for the welfare of the industry.

Information on the nationwide publicity and advertising program, to be inaugurated in 1950, was presented together with details of the state integration program which will bring about a closer unity between state groups and the LPGA.

sent of d a l staf

the

the

act

ing

Professor G. H. Larson, agricultural engineer from Kansas State Agricultural College, reported on the results of an industry survey among users that he is now conducting. However, all questionnaires have not been received. When the study is completed, it will be available to dealers.

In addition to Mr. McClellan, the following officers were elected: A. C. Ferrell, Atchison, vice president, and Sam Boothe, Wichita, secretary.

Directors include: A. C. Ferrell, F. N. Havens, G. M. McClellan, Frank Groves, Rex Wheeler, Si Darling, Jim Pratt, W. B. Hettic, and Sam Boothe.

At the Friendship Party, which followed the afternoon session, R. H. Mahnke, who has served the Kansas Association as executive vice presi-



F. N. HAVENS



GLEN HUMBURG

D

dent for the last 3½ years, was presented a gold wrist watch by the board of directors. Mr. Mahnke has accepted a position on the national LPGA staff to serve as assistant director.

F. N. Havens, retiring president of the association, was unable to attend the meeting due to illness. Glen Humberg, immediate past vice president, acted as chairman during the meeting.

wide

ram.

pre-

the

will

ween icul-State the nong lowbeen comlers. the . C. and rell, rank ling, Sam hich . H. nsas resi-

More Industry Groups Join National Promotion Program

The Natural Gasoline Assn. of America and Gas Appliance Manufacturers Assn. have voted their approval and support of the nation-wide promotional program for the LP-Gas industry, according to an announcement from John C. Pankow, chairman for the National Commitee



LP-Gas industry leaders representing all branches of the business helped "kick off" national promotion at meeting in Chicago Nov. 3-4. Left to right: Lyle Harvey; A. B. Cameron; M. L. Trotter (holding ball), vice chairman of national committee for LP-Gas promotion; John C. Pankow (kicking), committee chairman; Ernest Fannin; Howard E. Felt; J. Richard Verkamp; and Ellsworth L. Mills. Committee expects to raise between \$500,000 to \$1,000,000 for first year of advertising, publicity, employe training and public relations program.

DECEMBER - 1949

RG

Vews



for inst Gas in T iner dus dra

will

ing

add abo

an

Ne

Pe Be

26

D

for LP-Gas Promotion. The plan was instigated by the Liquefied Petroleum Gas Assn. board of directors, meeting in Denver in September.

The committee, consisting of prominent men in every phase of the industry, met in Chicago Nov. 3-4 to draft plans for the campaign which will cover national advertising and publicity campaigns, employe training and special public relations activities.

Other associations which are expected to support the plan are, in addition to the three mentioned above: National Butane-Propane Assn. and California Natural Gasoline Assn.

New Jersey

A total of 150 persons attended the meeting of the New Jersey Liquefied Petroleum Gas Assn. at the Hotel Berkeley-Carteret, Asbury Park, Oct. 26th.



E. A. KEIBLE



W. HOAGLAND

At this meeting the association tried with great success the idea of an all-afternoon and evening gathering, with top-notch speakers and an excellent program.

The meeting brought out a large number from the industry in southern New Jersey, and this was gratifying, since it had been remarked at previous meetings that more attendance



Newly elected officers of Kentucky LP-Gas Assn. (left to right, first row): C. L. Shaffer, vice president; Frances L. Holliday, president; C. G. Keesy, executive secretary-treasurer. Second row (board of directors): J. M. F. Hays, R. B. Green, R. B. Jones, Elmer B. Roll, Raymond Rains, R. N. Short, S. R. Harvey.

from that part of the state was desired.

Edward A. Keible, president of the association, introduced Walter Hoagland, of Fisher Governor Co., as chairman of the meeting.

Following registration in the "Palm Court" of the hotel, the association members attended a luncheon-banquet in the "Crystal Terrace," addressed by Clayton Rand, nationally known after-dinner speaker from Gulfport, Miss.

Asking, "Is London Bridge Falling Down?" Mr. Rand took up the question of the money being sent overseas, and other topics.

Ralph Engstrom, of The Bastian-Blessing Co., gave an important talk on "The Correlation of LP-Gas Regulators and House Piping."

Arthur Kreutzer, managing director of the national staff of LPGA, took up New Jersey legislative matters and related them to the national picture.

Through the courtesy of Caloric Stove Co., an old fashioned cooking school was held at the end of the afternoon. The demonstration held the crowd spellbound for two and a half hours. Those in the rear were standing on their chairs to see and hear.

Last but not least, there were cocktails at five o'clock, through the courtesy of associate members, suppliers and manufacturers.

Then came dinner in the "Crystal Terrace," with a girl accordionist keeping things lively. Charles Copeland, of Charles Copeland and Son, Denville, marketers of "Copane" gas, led in extemporaneous singing.

Much credit is due to those who put over this biggest New Jersey meeting, including L. H. "Red" Mc-Guire of Suburban Propane Gas Corp., Whippany, N. J., who sent out the announcements; also, to the artist who drew them.

In addition to Mr. Keible, of Ledgewood, president, other officers of the association include Manny Gale, of Keyport, vice president, and Guy Richdale, Sr., of Somerville, secretary-treasurer. Mr. Hoagland was chairman of the committee on arrangements, which included Dan W. Quail, eastern manager, Stampings, Inc., Davenport, Iowa, and Mr. McGuire.

Minnesota

All officers of the Minnesota Petroleum Gas Association were reelected on Nov. 7 at the association's annual meeting in Hotel Lowry, St. Paul.

Renamed for the coming year are L. H. Dow, Duluth, president; M. G. Ostgaard, Tracy, vice president; John L. Locke, St. Paul, secretary, and A. W. Kyndberg, Minneapolis, treasurer.

NBPA

The board of directors of the National Butane-Propane Assn. go to Dallas, Texas, for their first 1950 meeting. Headquarters will be at the Baker hotel and the dates are Jan. 27-28.

All of the sessions of the directors will be open to any industry members who are interested in attending. There will be no registration fee and no organized entertainment.

The directors of the Texas Butane Dealers Assn. will meet at the same hotel on Jan. 26. On the evening of that day they will be hosts to the NBPA directors and their wives at a social function.

On Friday evening, Jan. 27, NBPA directors and their wives will attend Fort Worth's Fat Stock Show.

E

edgef the e, of Guy taryhair-

artist

hairingeluail, Inc., re.

ected inual il. are I. G. John and reas-

etro-

Nato 1950 the Jan.

tors bers here

tane ame f of the at

BPA end

lews

ws DECEMBER — 1949



The newest member of the Delta LPG vessel product family is the new LIGHTWEIGHT. High tensile, low alloy steel gives this sturdy cylinder strength where you need it—strength where it counts.

The LIGHTWEIGHT is a money-maker for you, because unusual strength with light weight means lower handling costs for you.

NOW IN PRODUCTION— WRITE FOR COMPLETE DETAILS.

ELTA TANK MANUFACTURING CO. INC.

P.O. BOX 1449, BATON ROUGE, LA. 9 P.O. BOX 1691, MACON, GA. Espert Office: Suite 118, International Trace Marth, New Orleans, U. S. A. MANUFACTURERS OF LPG PRESSURE TANKS AND I.C.C. CYLINDERS



Sawmill of Wm. Southwick & Sons, Willits, Calif.

BY CARL ABELL

POWER

th

Th

0

P the Redwood Highway, about four miles north of Willits, Calif., we rolled over the summit of a wooded hill and looked down into a little valley of breathtaking beauty. We slowed down to enjoy it for a moment, and over the sound of our car came a noise like a P-38 coming in to land. It couldn't be! There would be no landing field in this tiny valley. The sound came from down in the hollow.

Suddenly the noise of the exhaust became a little less chesty, and the scream like the wind on the fuselage was stilled. For a mo-

ment only. Just as we swung around the curve the exhaust again broke into a roar, and the high pitched scream returned. Unmistakably the sound came from a little sawmill that had just come into view.

As we rolled on down the hill, a whiff of fragrant fir smoke came to our nostrils from the slabs and scraps burning under the cupola. There between the mill shed and the pond, gleaming with fresh aluminum paint, was a big LP-Gas tank. An aviation engine running a sawmill on butane!

As we turned in the driveway a big logging truck, outbound with its dolly on its back, made the boulevard stop before pulling onto the highway. The driver supplied he name of the mill owner—Southwick. We parked and walked across to the mill.

Sawing logs is teamwork. If one man stops, or lags in his work, it upsets the schedule for every other man on the job. I looked around for he boss, but every man in sight was working. I shouted above the noise of the saws and the rattle of he conveyor to the man at the end of the line, "Where's Mr. Southwick?"

He cut a pitch pocket off the end of a board, and flipped the plank on an escalator to the loading dock. "We're all Southwicks," he replied. "See the man who pulls the logs out of the pond. He has more time to talk than anyone else."

I picked my way along the edge of the pond past what seemed like a great many Mr. Southwicks, to the one who was feeding logs into the other end of the mill. I waited while he hoisted a 20-foot-length of fir log out of the pond and scaled it for board feet. Keeping an eye on operations around him, breaking the conversation as needed to keep a log always ready for the feed carriage, he told me the story of the Wm. Southwick & Sons mill and its unique power plant. Over the roar of the exhaust and the whine of the saws, the following facts came out:

William Southwick grew up in his father's sawmill at Ogden, Utah. He worked there while his own family of seven sons and one daughter were growing up. A year and a half ago, accompanied by six of his sons and a nephew, he set up the mill near Willits. It is not large as sawmills go. It requires a working crew of eight men. Quite conveniently, there were just enough of the Southwicks available to do all the work.

The mill is laid out along very efficient lines, but it is not quite completely mechanized. There is no machine to pick up the sawdust and scraps of bark from the floor.

The entire personnel of Wm. Southwick & Sons lumber mill (left to right): William Southwick and sons, Earl, Lee, Harold, Verlon, Raymond; and nephew Darwin.



wung again high

nmis-

News

Signals are given by hand and received by eye. But from the time a log is raised from the pond until the boards are dumped on the shipping dock, no man lifts a bit of lumber.

In picking out a power plant for the main drive of the new mill, the choice narrowed down to an engine operating on diesel oil, or one able

to utilize LP-Gas.

Southwick-Allison engine The works the equivalent of five days a week. It has required absolutely no repairs - not even a new set of spark plugs. They say it runs better now than when it was new. The head-rig with its two big circular saws tearing into a four foot log takes a lot of power.

Sometimes everything else is added at once-lifter picking another great log out of the pondfeed carriage pushing the log against the saws-rollers carrying the planks through the edgers and finally to the end man and up the escalator to the loading dock. The only separately driven units in the mill are the cut-off saws and the waste conveyor, which are electrically driven.

The final choice was an Allison (P-38) engine which was convert-

ed to operate on butane.

The engine, minus supercharger and airplane carburetor and with a few modifications, powers the saws which cut 3000 board feet per hour. For sawmill uses, the 400-hp engine is run at 1200 rpm -and uses 41/4 gals. of butane per 1000 board feet, or about 13 gals. per hour.

The engine was bought in a government surplus sale for \$300-a

vast saving over what a new diesel or gasoline engine would have cost. To convert it for butane use, Mr. Southwick first discarded the huge, original carburetor and the supercharger, added a new manifold adapter on which to mount a butane carburetor. The adapter, welded of seamless steel tubing in the shape of an inverted Y, proved to be a problem.


Since the Allison had been designed for supercharging, it was desirable to make the manifold long enough to utilize the inertia effect of a long column of moving fuel. This would partly compensate for the lack of positive pressure, for which the valve action had been designed. Since there were no restrictions of space above the engine for this operation, the manifold could be made long.

James G. Strickland, manager of the Pro-Flame Gas Co., Willets, helped with this design, and agreed that an Ensign 400 hp carburetor was the best choice for carburetion of the engine. In present use, the carburetor sits some three feet above the cylinders.

The engine did not peform satisfactorily until the valve tappet clearances were widened. At 1200 rpm, clearances of .060 in, were found to give best results. A D-8 Caterpillar tractor clutch, adapted for the sawmill job, was selected and is giving satisfactory service.

The engine was hard to start on

Opposite Page (top): Power begins at the LP-Gas tank for the Wm. Southwick & Sons mill. (Bottom): Allison engine operating sawmill, showing Ensign regulator and carburetor for LP-Gas.



esel ost. Mr. ige, per-fold bu-eld-the

was fold rtia ing ate ire, een reine fold

de-

of ets, eed tor ion the

tispet 200 ere D-8 ted ted ee.

the Sons sawetor

ews



Every DIX

is Designed for the Engine for which it's Sold

When you order a DIX LP-Gas Carburetor you select a unit designed to fit your motor. Every DIX comes from the factory ready for installation on the engine for which it is sold.

Another DIX feature you can't afford to overlook

Dix Manufacturing Co.

Export: 301 Clay St., San Francisco 3447 E. Pico Blvd, Los Angeles 23, Calif.

FOR BETTER CONVERSIONS



Make every conversion a better installation by using an Ellis Manifold designed especially for LP-Gas. Your customers will find they get more power and mileage . . . and you will get more customers.

Ellis "Bu-Power" Manifolds have been tested and proven by hundreds of successful installations.

ELLIS MANIFOLD CO.

1708 S. Soto St. Los Angeles 23, Calif.

LP-Gas. This difficulty has been overcome by adding a gasoline primer to the fuel system. This is a very simple arrangement. Fine brass tubes-the kind ordinarily called "hollow wire"-were inserted in the two forks of the Y manifold, sloping downward. The tubes were connected to a small plunger pump about the size of a veterinarian's hypodermic needle. The gasoline supply tank is small. A quart is sufficient to start the engine for weeks. One push of the primer plunger, and the engine takes off. It is then turned on LP-Gas, and operated normally without further choking or warming up.

The mill has been in operation for about 18 months. It has always run on butane and apparently always will, for the Southwicks have bought another Allison engine, have converted it for butane use, and are ready to put it to work as soon as the original engine shows signs

of weakening.

Dix Starts Production On New Carburetor

The Dix Manufacturing Co., Los Angeles, has designed a new model LP-Gas carburetor for International Harvester tractors, according to an announcement by Dick Adair, head of the organization.

This new model will fit all International tractors and power units. Mr. Adair states that production on the new model will begin in December. It will be ready for dealers early in January.

Mr. Adair also announces that Dix window decals are now available for all Dix dealers that desire them. They will be sent upon request.

DE

NEW PROFITS FOR L-P GAS DEALERS IN 1950!

-A PLAN TO INCREASE—

- **V** L-P GAS SALES EVERY MONTH of the YEAR
- **V** PROFITS FROM NEW INSTALLATIONS
- V ADD NEW YEAR 'ROUND CUSTOMERS

ARE YOU OVERLOOKING

a new and profitable market right in your own territory? Dealers everywhere are finding that they can increase their immediate profits with new, easy-to-install ALGAS conversion units. And then increase their fuel sales month after month! ALGAS L-P Gas Carburetion helps you add these two-way profits to your present operations. ALGAS carburetion is backed by years of know-

how that actually brings new customers into your place of business. Without obligation you can obtain information on L-P Gas Conversions for truck, bus, tractor and stationary engines that will help you add profits in your own territory. Mail the coupon or write



Mail this coupon now, or write

---AMERICAN LIQUID GAS CORP.---

CARBURETION DEPT.

1109 SOUTH SANTA FE AVE., LOS ANGELES 21, CALIF.

Please send full details about ALGAS Carburetion Equipment.

Dealer Name

Street City State (List type customers served)

DECEMBER - 1949

95

arily sertaniabes nger naraso-

been

oline is is Fine

for mer off. and

tion yays alave ave and

gns

Los odel onal an

ma-Mr. the ber. in

for em.

lews

Adjusting LP-Gas Carburetors

This is Part 3 of the series entitled "Most Carburetor Trouble is Somewhere Else," first appearing in the October issue.

Part 2, "Adjusting LP-Gas Carburetors," was published in November. It detailed adjustments on "Algas" and Century LP-Gas carburetors.

DIX CARBURETOR

Set throttle screw so engine will idle faster than normal, and let it run until it is warmed up.

Idle Adjustment. Gradually reduce throttle opening, adjusting idle mixture (7), to keep engine

By H. P. GOSS

running reasonably well until it is down to normal idling speed. Move adjustment screw in and out until you are sure that you have the fastest idle speed for that throttle opening.

Part Load Adjustment. Open throttle to cruising range, equal to road speed of about 40 miles per hour in passenger car engine, or approximately same engine speed for trucks or tractors. Do not move throttle during the rest of this test. Adjust part throttle screw (5) until you get the highest speed for that throttle opening, then back screw out, counterclockwise, until the engine just begins to lose speed. This is approximate setting for



The Dix mixer in position.

ph yo si

al

li, ste B

Humphrey L-P LAMPS

... light the way to REAL profit!



ALL-SEASON sellers, smart Humphrey Gas Lamps will help swell your profits year after year. Designed to operate on all types of L-P gases, these handsome, dependable lamps are ideal for regular lighting service in homes, cabins, stores and countless other places. Backed by over fifty years manufacturing experience.

Humphrey Gas Lamps are available in wall bracket types for wall mounting and in pendant fixture styles for suspension from the ceil-

ing. Installation is simple and inexpensive. Write for literature and prices covering Humphrey lamps.



GENERAL GAS LIGHT COMPANY

KALAMAZOO, MICHIGAN

nixer

economy. Now recheck idle, which is influenced by partload setting. Set idle for smoothest and best operation, or for highest vacuum if using a gauge.

Power Adjustment. Push throttle open suddenly (gun the engine). If engine accelerates without hesitation, turn power adjustment screw (9) IN until engine just begins to lose pick-up when gunned. Then back screw (9) out (richer) half a turn at a time until engine is again giving full acceleration.

All jobs should be given a final road test, whether they have been set with instruments or not. All engines have individual variations, just like people, and it takes individual treatment to bring out the best in each

best in each.

After finishing adjustments, tighten lock screws on each.

ENSIGN CARBURETORS

The idling adjustment for all Ensign carburetors is at the outlet of the regulating unit, not on the carburetor. The adjustment screw looks just like the idle adjustment of a gasoline carburetor—knurled head with spiral lock spring. It is located at the regulator end of the idling tube which connects with the throttle-body of the carburetor.

Ensign Model A

This carburetor is generally used on stationary engines. It does not have an economizer. There is only one adjustment on the carburetor.

Idle Adjustment. Set throttle stop screw for fast idle. Adjust idle screw on regulator for smooth operation.

Load Adjustment. With engine



up to

posi

com

IN 1

spee

gine

thro

gov

idle

scre

nor

ing

fast

est

abo

twe

tle.

eng

pu

ga

an

for

clo

Th

re

op

id

ju

uj

OF

is

11

SI

0

0

tl

t

E

E

F

Ensign Model A

pulling its load, turn adjustment screw IN (lean) until engine just begins to lose speed, and then OUT ¹/₄ turn. Recheck idle, bringing engine down to normal idling speed and setting idle adjustment screw for fastest and smoothest operation.

Ensign Model Dg

Starting Adjustment. To start engine, close choke completely. This puts into effect a separate set of gas and air orifices. Start engine, and set starting adjustment for best operation with choke closed. Then open choke completely. There is no intermediate choking required.

Idle Adjustment. With choke open, set throttle stop screw for fast idle, and make temporary idle adjustment for smooth idle.

Load Adjustment. Bring engine up to speed, holding throttle in one position until this adjustment is complete. Screw load adjustment IN until engine just begins to lose speed, then OUT ½ turn. On engines equipped with governor, the throttle should be held under the governed speed.

Final Idle Adjustment. Return to idle position. Back throttle stop screw out to take engine back to normal idle speed. Set idle adjusting screw (on regulator) to give fastest and smoothest idle, or highest vacuum.

Exhaust gas readings should be about 12.8 for full load, and between 13.8 and 14.2 for part throttle.

Ensign Model Cg

ent

ust

UT

en-

eed

rew

ra-

art

his

of

ne,

for

ed.

ere

re-

ke

or

lle

ws

Starting Adjustment. To start engine, close choke completely. This puts into effect a separate set of gas and air orifices. Start engine, and set starting adjustment screw for best operation with choke closed. Then open choke completely. There is no intermediate choking required.

Idle Adjustment. With choke open, set throttle stop for fast idle, and make temporary idle adjustment for smooth operation.

Load Adjustment. Bring engine up to speed, holding throttle in one position until this adjustment is complete. Screw load adjustment IN until engine just begins to lose speed, then screw OUT ½ turn. On engines equipped with governor, the throttle should be held under the governed speed.

Final Idle Adjustment. Return to idle position. Back throttle stop




Ensign Model Dg

screw out to take engine back to normal idle speed. Set idle adjusting screw (on regulator) to give fastest and smoothest idle, or highest vacuum.

IF EQUIPPED WITH ECONO-MIZER (small vacuum diaphragm unit mounted in place of the regular load adjustment): Proceed as above, substituting the following for the "Load Adjustment" instructions.

Load Adjustment. With economizer adjusting screw backed out as far as it will go, and the vacuum line between the economizer and the intake manifold disconnected, set the load adjustment by turning the entire economizer unit, just as you would the regular load adjustment screw. Follow procedure given above for load adjustment. It is necessary that the load adjustment be set correctly before further adjustments or connections are made.



Economizer Adjustment. Reconnect the vacuum operating line between economizer and intake manifold. With the throttle set for very fast idle, turn the economizer adjusting screw (in center of economizer diaphragm cover) clockwise (IN) until the engine slows down SLIGHTLY. It is neither necessary nor desirable to cause a large change of speed of the engine in making this adjustment. The maximum economy will not be obtained if this adjustment is set too lean.

If exhaust analyzer is used, set economizer screw to obtain mixture ratio of about 14:1 at cruising speed with throttle approximately one-half open. Be sure to disconnect the vacuum line if it becomes necessary to reset the load adjust-

ment, and to connect it up again before the vehicle goes into service. IN I

spee turn unde max equi

visa

government set and lato

idle

aft

adj ful

14.

F

Ensign Model Kgl

Starting Adjustment. Close choke completely. This puts into effect a separate set of gas and air orifices. Start engine and adjust gas starting screw for best running with choke closed. Then open choke completely for normal engine operation. There is no intermediate position when choking on dry gas.

Idle Adjustment. With the choke open, and throttle stop screw set for fast idle, set idle adjustment screw (on regulator) for smooth idle.

Load Adjustment. Bring engine up to speed, and leave throttle in this position for the rest of this test. Screw load adjustment screw IN until engine just begins to lose speed, then screw it back OUT ½ turn. Check adjustment on road or under full power to see that it gives maximum power. (With engines equipped with governor it is advisable to set throttle just under governor speed for this test.) Reset throttle for correct idling speed, and adjust idling screw (on regulator) for fastest and smoothest idle, or highest vacuum.

Exhaust gas analyzer readings after carburetor has been properly adjusted should be about 12.8 for full load, and between 13.8 and 14.2 for part throttle.



LOAD ADJUSTMENT

Ensign Model Kgl

ADJUSTMENT



Roadmaster Carburetor

ROADMASTER CARBURETOR

This is the simplest LP-Gas carburetor made, having only one adjustment, which takes care of everything.

It should be adjusted while under full load, making the setting as lean as possible for full power. Screw adjustment IN until engine just begins to lose speed, then screw it back OUT until you are sure that full power has been regained.

If full load conditions cannot be applied, an exhaust analyzer can be used at no-load very fast idle. Set adjustment to give approximately 14:1. This is the reading of the economy range, and the other adjustments will be in the proper proportions.

ASME Elects President

The election of James Dalton Cunningham, president of Republic Flow Meters Co., of Chicago, as the national president of The American Society of Mechanical Engineers for 1950, was announced Oct. 5 at the society's headquarters in New York.

Mr. Cunningham will succeed James M. Todd, consultant engineer of New Orleans, as president of the ASME.

ain

ice.

oke

t a

es.

rt-

ith

ke

p-qc

ıte

as.

ke et

nt

th

10

in

is

w

YS

If You Have "Depreciation" Coming Put It in Your Income Tax

CONSIDERABLE confusion still exists in the minds of many dealers as to how to treat depreciation in their income tax returns. Not a few are still ignoring depreciation entirely on certain depreciable assets with the result that their taxes are increased greatly. Some have set up, and are continuing to set up, depreciation schedules which do not conform to the rules laid down by the Internal Revenue Bureau. In such cases, tables of depreciation are frequently challenged at later dates by bureau auditors.

Inventories Pay Off

One commonly held misconception is that if depreciation is not taken from the outset of acquisition of a depreciable asset, the taxpayer may not start taking such depreciation as a later time. The taxpayer may take such depreciation in a current return, even though he has overlooked it in previous returns. This points up the wisdom of taking a physical inventory of depreciable assets with the view of uncovering assets not now in depreciation tables.

Another misconception is that depreciation of an asset starts at the time the taxpayer tardily elects to take previously overlooked depreciation. Actually, depreciation starts running from the time the asset was acquired — whether such depreciation has been taken in previous tax returns or not. That is, if an asset was acquired Jan. 1, 1948 with, let's say, a five-year useful life, and it did

BY HAROLD J. ASHE Tax Counselor

prod

erty thou taxa

tuat precequi the leas

shar

a ci

ing

the

tua

nes

duc

1

pre

is t

cha

pr

be

ma

mer

w

ye

diffe

not appear in the 1948 depreciation schedule, the first year's (1948) depreciation cannot be written off in the 1949 income tax return in the hope of recovering the overlooked year's depreciation. The 1948 depreciation is gone, even though not taken in 1948. The taxpayer can recover in 1949 only the 1949 (second year's) depreciation on such an asset, and the remaining three years depreciation spread over 1950, 1951 and 1952.

Some taxpayers who have not previously taken depreciation on certain assets, even though it was "allowable" in previous income tax returns, ignore "date of acquisition" and "cost or other basis." They misconstrue "other basis" as an invitation to value such assets at what their present new replacement value would be, a figure usually higher than the actual asset cost at time of acquisition. Actual cost is the only figure permissible.

What is Depreciation

As relates to Federal income taxes, depreciation is an allowance for exhaustion, wear and tear of property used in a trade or business, or of property held for the production of income. The purpose underlying allowance for depreciation is to permit the taxpayer to recover over the useful life of the property the capital invested therein. The terms "used in

trade or business" or "held for the production of income" includes property held for such purposes, even though actually not in use during the

taxable year.

Taxpayers should not confuse fluctuation in value of an asset with depreciation. For example, a piece of equipment becomes second-hand at the moment it is first used, and at least its re-sale value may drop sharply at that point. However, such a circumstance has no immediate bearing on depreciation. Only that part of the loss in value which is due to actual exhaustion, wear and tear in business use, during the year, may be deducted as depreciation.

Neither are "obsolescence" and "depreciation" synonymous. Obsolescence is the reduction in value resulting from changes in circumstances that make it desirable or imperative that the property be replaced before it has been worn out, such as advent of new machinery that is faster, better or more economical than the old machinery. Annual depreciation is the loss which takes place in the course of a

year.

ation

de-

1 the

e of

de-

n is .948.

only

tion

ning

over

pre-

tain

ole"

ore

or her

uch

re-

ure

set

ual

es,

X-

ty

of

of

ıl-

it

e-

n-

in

VS

Obsolescence Claim Allowed

If it can be clearly demonstrated that, because of economic or other conditions, property must be abandoned at a date prior to the end of its normal useful life, so that depreciation deductions alone are insufficient to return the cost or other basis, a reasonable deduction for obsolescence may be allowed in addition to depreciation.

"Complete exhaustion" does not necessarily mean the same thing as "useful life." If a piece of equipment, for instance, has a salvage or scrap value at the end of its useful life, this value must be taken into consideration in determining the depreciation

rate.

A further requirement in determining depreciation is that the property must have a limited and determinable useful life in the trade or business. Land, for example, upon which a building is erected, is not depreciable since it has no determinable life, and in setting up depreciation on real estate, the cost or other basis for the land must be segregated from the cost or other basis for the buildings. Thus, a building and land might represent an original cost at time of acquisition of \$20,000. If, however, a fair value for the land at time of acquisition was \$5000, then the building's value at time of acquisition would be \$15,-000, and the depreciation schedule would be based on the \$15,000 figure.

Life of Property Varies

The length of useful life of a property is often difficult to determine. It depends upon particular circumstances, including the character of the property and its use. A well-built brick building may have a useful life of 50 years, and a frame building 25 years, a piece of machinery 5 or 10 years, a truck 3 to 5 or 8 years, but in a particular business the useful life may vary considerably.

Alterations made by the taxpayer to business quarters which he rents for his business use may be depreciated over the period his lease has to run from the time such alterations were made, or the useful life of such alterations, or whichever is the lesser

period of time.

Cars used partly in business and partly for private use may be depreciated with that part of such depreciation chargeable to business use deductible, the personal part not being deductible.

In depreciation deductions, the amount claimed must be supported by the data called for in the depreciation schedule. Taxpayers may not safely - as many now do - merely show the amount of depreciation being taken without showing how they arrive at such an annual writeoff. This information must include: the kind of property being depreciated, the date acquired, the cost or other basis used in computing depreciation, the depreciated value at the end of the year, the depreciation allowed or allowable in prior years (even though not previously taken), and the remaining cost or other basis to be recovered, as well as the estimated life used in accumulating depreciation, and the estimated remaining life at the beginning of the tax year being reported.

Any recognized method of accounting practice may be used in computing depreciation, provided the method is used consistently. Once the method is elected it may not be changed except with the permission of the Commissioner of Internal Revenue. Nor may depreciation for one year be taken in another year. Each year's depreciation must stand by itself, and be taken in the year in which such depreciation actually occurs.

CALENDAR

All associations are invited to send in dates of their special and annual meetings for this calendar.

Dec. 8-9—LPGA Board of Directors. Netherlands-Plaza Hotel. Cincinnati.

Dec. 9-NGAA Regional meeting. Herring Hotel. Amarillo. Texas.

1950

Jan. 27-28—National Butane-Propane Assn. Board of Directors Meeting. Baker Hotel. Dallas, Texas.

April 12-14—National Petroleum Assn. Hotel Cleveland. Cleveland, Ohio.

April 24-26 — Natural Gasoline Assn. of America Annual Convention. Texas Hotel. Ft. Worth, Texas.

May 8-11 — Liquefied Petroleum Gas Assn. Annual Convention & Trade Show, Palmer House. Chicago.

May 11-12—Missouri LP-Gas Assn. Hotel President. Kansas City.

May 28-30—Gas Appliance Manufacturers Assn. Annual Meeting. The Greenbrier, White Sulphur Springs, W. Va.

June 22-24—Texas Butane Dealers Assn. Blackstone and Texas Hotels. Fort Worth. Sept. 13-15—National Petroleum Assn.

Hotel Traymore, Atlantic City, N. J.

Sept. 18-20 — National Butane-Propane Assn. Congress Hotel. Chicago. Oct. 2-6 — American Gas Assn. Annual

Oct. 2-6 — American Gas Assn. Annual Convention. Atlantic City, N. J.



Be sure to see the new 1950 FLORENCE Regency GAS RANGES

5 NEW MODELS PRICED TO SELL" from \$8995 (space-saver model) to \$14495 (custom deluxe model)

lethring

ssn.

ten.

8 8 W.

tel rs

er.

n.


h. n. ne

al

EXCLUSIVE... Only Florence has the amazing new

Cooks Faster - Cleans Easier - Saves Gas

EXCLUSIVE...can be dismontled in less than I minute! No other gas range is so easy to service




Sells for less, feature for feature, than any other Gas Range

THE NEW Florence Regency LP-Gas Range Line was designed to sell fast in today's market ... at a good profit for you!

It cuts service expense to the minimum-because the new Florence Regency Line is by far the easiest to service.

It out-performs other leading ranges . . . offers the sensational VITA-FLAME Burner which is found on no other range, at any price. Get full details from your Florence representative or PHONE, WRITE or WIRE the Division Office nearest you,

LP.GAS RANGES



Tests prove Florence more efficient

12" more efficient than Range E 11.5% more efficient than Range D 11% more efficient than Range C

10.5% more efficient than Range B

10% more efficient than Range A

In our laboratory tests, conducted under A. G. A. standards, the Florence Vita-Flame Burner and 5 other leading brands were compared for efficiency. Tests proved conclusively that:

*Depending on transportation costs.

FLORENCE STOVE COMPANY . . . General Sales Offices and Plant: Gardner, Mass. Mid-Western Plant: Kankake. Ill. Southern Plant: Lewisburg, Tenn. Other Sales Offices: One Park Avenue, N. Y.; 1462A Merchandise Mart, Chicago; 419 Western Merchandise Mart, San Francisco, Cal.; 3 Alabama St., S. W., Adanta; 301 No. Market St., Dallas.

PRODUCTS

Truck Pump

Lubbock Machine Co., Lubbock, Texas.

Model: LMC Truck Pump.

Application: Built specifically for the LP-Gas industry.

Description: The truck pump features gear-within-a-gear construction, assuring extra close tolerances which result in good volumes and high pressure.

Long life, despite rough daily use required, is made possible by the sturdy construction which includes a chrome-plated shaft.

One-day rebuilding service and a satisfaction guarantee are extra features offered by Lubbock on its new pump.



Gravity Furnace

L. J. Mueller Furnace Co., 2005 W. Oklahoma Ave., Milwaukee.

Model: Type 111 Climatrol.

Description: Outstanding in this new unit is its compact size: 25½ in. wide, 51 in, high, and 26½ in, deep.



elimi

The proverse ration

San

true

live

bod

AP

sig

des

Or

in

ty

na

T

g

ta

1

B

f

I

M

It has a heavy, welded-steel heat exchanger with a square radiator uniquely connected to eliminate expansion and contraction strain or noise.

Products of combustion are diverted up and down through the use of free floating corner baffles in the radiator. This produces a whirling action and provides greater heat extraction. The square radiator in a square unit casing is said to insure even distribution of heat and eliminate any cold corners. The Type 111 is updraft design.

A circular burner is used to follow the contour of the heat exchanger drum. The burner manifold, with controls, is external to the unit but compactly arranged adjacent to the unit.

The furnace is shipped pre-assembled in two packages—one with a burner and trim and the other with assembled heat exchanger and casing. A solid base with leveling screws

eliminates the necessity of a concrete setting or grouting.

This new "Climatrol" has been approved by the AGA for all fuels and for high altitude installation at full rating.

Delivery Truck

Charles Emory Corp., 617 Fruit St., Santa Ana, Calif.

Model: F 100.

ex-

tor

ex-

or

ted

ree

or. nd

he

IS-

on orn. wer nnit.

18

Application: Consumer delivery truck.

Description: A production built delivery truck designed for consumer delivery. It has modern, streamlined body with all compartments housed.

The two twin tanks are 250-lb., API-ASME, 642 gross gals. each. Designed to haul butane or propane as desired.

Rear doors house all equipment. Open up to allow easy operation. All controls available from rear. These include: Smith pump, 50-gal. capacity; Neptune meter, with vapor eliminator and back pressure regulator; Taylor float type gauges; pressure gauges; outage for propane or butane; vapor return, ¾ in.; filler valve, 1¼ in.; vapor eliminator valves; Bohnhardt internal valves.

Total weight is 9750 lbs. (est.). Water capacity is 1283 gals. Truck is fully equipped and ready for service

when it leaves shop. Production line models all built on Ford V-8's. Other makes available at extra cost.

Three type pumping operations are available: (1) Load tank truck. (2) Unload truck. (3) As auxiliary for unloading tank cars or transports into storage tank. In this case, fuel does not go through truck.

Twin tanks allow low center of gravity. Can haul two types of fuel at once. All valves are recessed and cannot break off in case of accident.

Forge Furnaces

Eclipse Fuel Engineering Co., 791 N. Main St., Rockford, Ill.

Model: Eclipse Gas-Fired Forge Furnace.

Application: Suitable for heavy duty and continuous operation at usual forging temperatures of 2200°F.

Description: Furnace shell is constructed of heavy angle framework with sides and back of steel plate, electrically welded to structural steel legs. Heat loss through the walls is reduced to a minimum by the use of first quality insulating firebrick. This type of wall construction is said to cut down fuel consumption.

Burners are of the semi-nozzle mixing McKee entrainment type, and are located so as to prevent flame impingement on the pieces being heated



and to give uniform heat distribution. A McKee Zero governor gives automatic, efficient control of the air-gas ratio.

Fuel burners are designed to use low pressure gas, 3 to 10 in. w.c. and 16 ounces air, but high pressure burners are also available.

The operator is protected by a curtain of air, for safety and comfort, which carries the heat away from him and behind the specially designed refractory-lined heat shield.






American Meter Co., 60 E. 42nd St., New York, N. Y.

Model: Series A-88.

Application: For transmitting and controlling flow, pressure and liquid level.

Description: With the cooperation of many operating instrument engineers, problems of maintenance and service have been simplified by reducing the number of pivot points and moving parts. Numerous features requested by process industries have been incorporated.

By unitizing sub-assemblies and



sim

field

res

tim

per

wit

era

wil

and


by

be on ju

Proportional re-set controller-receiver.

standardizing parts, a high degree of interchangeability has been achieved, making the instruments readily convertible to changing conditions and applications.

Other new additions in the Series A-88 include: a positioning device



Pneumatic transmitter.

simplifying linkage alignment in the field; a spring-closing, bellows-sealed reset valve calibrated according to time; and a nezzle assembly which permits adjustment of the nozzle without breaking tubing connections.

A damping device for smooth operation is included and is equipped with a self-cleaning primary orifice and a by-pass arrangement which permits changing to manual control by turning one screw. The instruments are arranged so that they can be reversed by shifting one end of one link without disturbing other adjustments.

Pipe joints, bolts and studs can be drawn tighter than is normally possible, due to lubricating qualities in this compound, and then easily unscrewed, even after long service.

It is reported that the compound will not harden or dry out in time, and is not affected by vibration. As Thread-Tite is used, the stick may be pushed forward in its case, allowing efficient application until material is completely used. Each stick is supplied with metal cap to prevent compound from getting dirty or rubbing off on clothing.



of

red.

on-

and

ies

ice

Flaring Tool Kit

Penn Brass & Copper Co., Erie, Pa.

Model: Papco "Form-a-Gage."

Application: This flaring tool kit contains the No. 400 flaring tool; No. 500 cutting tool; and the new Papco "Form-a-Gage."

Description: This new height gauge with double flare plate—five sizes in one—assures better double flares. The tube flaring tool selects the right size for all hand tool flaring jobs. Each part is specially hardened, assuring long life and smooth handling. Only the pressure pad is of soft metal.


Thread Sealing Compound

Armite Laboratories, 6609 Broad St., Los Angeles.

Model: "Thread-Tite."

Application: Designed to be carried in either pocket or tool kit, this new thread sealing compound provides a positive seal against gases, brine, acids, water, steam and ammonia at high and low pressures and temperatures. It may be applied to steel, aluminum, iron, brass, plastic, copper, and threads in any other type of material.

Description: In addition to providing a positive seal, Thread-Tite protects threads from seizing or galling.



Unit Heater

Automatic Gas Equipment Co., 301 Brushton Ave., Pittsburgh 21, Pa.

Model: Pittsburgh Blower Unit Series "CB."

Application: This unit has been designed for installations which require heated air at greater velocities and against greater static pressure.


Description: Featuring a squirrel cage fan, the new unit is basically the same as standard Pittsburgh gas unit heaters and is equipped with cast iron heat exchanger and combustion chamber. It is supplied in five sizes, with the following Btu outputs: 172,000, 136,000, 112,000, 84,000 and 68,000 per hour.

The combustion chamber and heat exchanger are cast in one piece and



the extended heating surface fins on the heat exchanger are cast integral. A built-in draft hood absorbs all excessive chimney action, thereby conserving heat.

Literature of this blower type heater will be mailed to inquiring dealers upon request to the manufacturer.



Trailer Range

Coleman Co., Inc., Wichita, Kan.

Model: No. 398C.

Application: Built specifically for installation in trailer coaches.

Description: This range has three large high-speed burners, with instant regulation. The large oven takes family-sized baking pans. Automatic oven heat control is furnished.

Stove top folds down to give extra working space. Dimensions: 25% in. wide, 18 in. deep, 21 in. high. The range fits over the wheel housing of the trailer.

It is finished in white enamel, with black enamel burner grates.

LEC

lati

Steel Housing

Petroleum Engineering Corp., 122 S. Michigan Ave., Chicago.

Model: Erect-O-House.

Application: Suitable for use as housing for tools, pumping equipment, valves, cylinder filling operations, meters, fire equipment, etc.

Description: Patented method of assembly combines light weight with rugged strength. Construction utilizes

TOUGH INSTALLATION PROBLEM? PANELRAY F CHECK PANT HEAT ANYWHERE

STUCK with an installation problem yet want Panelray radiant heat? PANELRAY "F" is the answer. With two sizes 9,200 and 16,500 B.T.U. both occupying only a 9 inch circle of floor space, PANELRAY "F" installs anywhere and gives you the same healthful, infra-red heat as the standard Wall Type PANELRAY. Type "F" mounts on the floor and directs its millions of rays at body height. You substitute warm floors for hot ceilings. "Cold spots" are eliminated and the entire area becomes speedily warm. But that's not all. Heat from Panelray, by re-radiation and natural circulation heats adjacent rooms just like any centrally located warm air heater. The direct, body height heat in the living zone, is the bonus that you get only with Panelray. Prospects for PANELRAY "F" are everywhere. Line up with the trend. Sell PANELRAY "F." In satisfaction and in sales, you, too, will find it - "The Line of Least Resistance."



"The Line of Least Resistance"

CLIP AND MAIL!

Day & Night Division — Affiliated Gas Equipment, Inc., Monrovia, Calif.

Please send literature on

☐ PANELRAY "F" ☐ LECTRO-GLO WALL HEATER

...........

NAME....

ADDRESS

ZONE STATE

LECTRO-GLO WALL HEATER 3 way heat - Radiant, Reflected, Circulating. Non-vented, low in cost. A small unit doing a big job. Automatic PANELRAY "F" vented or non-vented DAY & NIGHT DIVISION Affiliated Gas Equipment, Inc.,

or

ee.

nt

m-

en

ra n.


he

of th

2

f

Monrovia, Calif.



light sheet metal. Easily assembled or disassembled, skilled help is not required for erection.

Inasmuch as the houses are of sectional design, length can be increased. Doors and windows are furnished as required. The panels come in two sizes: 3 ft. by 6 ft. and 4 ft. by 9 ft.

Tunnel Burner

Bryant Industrial Div., Affiliated Gas Equipment Inc., 1020 London Rd., Cleveland, Ohio.

Model: Pyronic Tunnel Burners.

Application: The burners, burning

any combustible mixture of gas over a wide range of mixture pressures, simplify problems of furnace design, fuel changeover and standby operation.

Description: Available in capacities of from 6000 to 1,600,000 Btu/Hr., the new burners are designed to operate efficiently without special adjustment anywhere in the 450-2100 Btu gas range.

Mixture pressures used may run from 0.1 in. W.C. to 24 oz. or more making possible low turn-down and high pressure operation for high tem-


perature operation.

The burner's long annular port tends to eliminate backfire and turbulence at the port, making for easy lighting. They may be lighted from outside the furnace, either manually or by spark plug blast pilot furnished for push-button ignition.

Squibb-Taylor Catalog

A complete, new catalog of LP-Gas equipment and specialty items is just off the press and is being placed in the mails by Squibb-Taylor, Inc., of Dallas.

Squibb-Taylor is national distributor of Taylor visible gauges, manu-





...BUILD YOUR OWN BULK PLANT

Why share the wealth of profits in today's big LP-Gas market? Call on PGC and within 45 to 60 days your own bulk plant can be ready. PGC's engineers, experienced in hundreds of installations, will design, construct, equip and fuel your complete plant. Then you can go after that waiting new business. Then you can forget those middlemen... the costly trucking and handling charges. Pacific Propane is always available for spot shipment or contract and PGC tank cars are ready to deliver any place in the nation. For information about a PGC distributorship write today to your nearest PGC office.



PGC SERVES FROM COAST TO COAST

- Standby
- Peak Shaving
- 100% Town Supply
- Vaporizers
- Skid Tanks

PACIFIC FINANCE PLAN available to acceptable Dealers and Bulk Plant Operators

Pacific (as Corporation SPECIALISTS IN LP-GAS AND EQUIPMENT Reductellar Conter, 630 Fifth Avenue, New York 20, N. Y. 20 M. Wester Drive 315 Oll & Gos 24dg. 582 Market Street Manuface, Terms. 650 Francisco Collisions

over ires, iign, eraities the rate ient gas

ore and emort curasy om

hed

Jas

ust

in

of

bu-

nu-

RE

WS

factured by the J. Y. Taylor Co., Garland, Texas. One section of the catalog is devoted to these precision-made liquid level gauges, including the "Junior," "Senior" and "Master" models. All are illustrated along with mounting diagrams. Complete size and price schedules are given.

A second illustrated section of the catalog is given over to pressure control equipment manufactured by Fisher Governor Co. of Marshalltown, Iowa. Squibb-Taylor is exclusive sales representative of Fisher Governor Co. in Southern and Southwestern states.

A third division covers the LP-Gas products designed and manufactured by Selwyn-Landers Co., of Los Angeles. Among the items included are valves and fittings, safety hose nozzles, adaptors and couplings. Squibb-Taylor represents Selwyn-Landers Co. in 11 states of the Southern-Southwestern area.

The entire catalog has been arranged for convenient reference and simplicity in ordering. According to Cecil E. Squibb, president of the corporation, those who have not received the catalog may have a copy by addressing their request to Squibb-Taylor, Inc., 1213 South Akard St., Dallas, Texas.

A. O. Smith Book Tells How

The A. O. Smith Corp., Milwaukee, Wis., has recently started a promotional campaign directed to consumers using Smithway gas systems. Here is how it operates:

When the manufacturer receives the guarantee registration card, indicating a sale by a dealer, a letter and informational booklet are sent to the customer. The booklet lists all domestic uses of LP-Gas—cooking, water heating, refrigeration, house heating. It also tells about various farm uses of the fuel—truck

and tractor installations, chicken brooding, irrigation pumping, etc. No

By

ern

Coa

bea

lan

pas

agg

sale

nle

Ne

Co.

LP

au

1

Several safety pointers regarding protection of the system are given. These are stated simply and are directed right to the consumer.

Posey Iron Bulletin

A new, 10-page color bulletin has just been issued by Posey Iron Works, Inc., Lancaster, Pa., describing in detail the varied operations of the company. The many divisions of the company include steel plate, brick machinery, foundry, Iroquois, heating and Mayo steel form. The company also operates a shipbuilding division in Perryville, Md.

Detailed descriptions are given both of the materials produced and the plants which produce them. Prominent among Posey's products are storage tanks for the LP-Gas industry.

Appliance Regulator Catalog

A revised catalog, No. 1036, has been issued by Pittsburgh Equitable Meter Division, Rockwell Manufacturing Co., describing the company's line of gas appliance regulators and allied equipment.

The bulletin has been divided into three sections, these including: (1) aluminum body regulators, ½ in through 1¼ in.; (2) double valve, iron body regulators, 1½ in through 3 in., also complete specifications, cut-away views showing construction details and performance curves; (3) Rockwell-Emco flow indicating meters used to clock flow rates when installing appliances, and safety vent cap for small regulators.

This bulletin is available from the company at 400 N. Lexington Ave., Pittsburgh, Pa.

Novel Sales Plan Executed By Petrolane Gas Co.

ken

ing

ren.

di-

has

ks.

de-

m-

m-

in-

nd

Iso

in

th he ni-

le

d (0) 1. e, h

Scores of LP-Gas users in southern Louisiana, the Mississippi Gulf Coast area and northern Louisiana have become the proud possessors of beautiful new automatic 1950 Petrolane-Tappan gas ranges within the past few months, as a result of an aggressive, enterprising and novel sales promotional campaign just completed by the Petrolane Gas Co., of New Orleans.

In early June, the Petrolane Gas Co. took over the distributorship of LP-Gas Tappan ranges.

Shortly thereafter the company inaugurated a vast advertising, radio and sales promotion campaign to introduce the new Petrolane-Tappan range in its territory. To tell the story of the many exclusive advantages of Tappan, Petrolane ran a series of large advertisements in every country newspaper, supplementing this with news stories and news pictures. The campaign proved successful, as ranges began to move out from the company's warehouses into cross-road and by-way homes and stores.

Following up this initial campaign, Petrolane immediately inaugurated a novel contest to determine the oldest butane-propane ranges in its territory. A number of new 1950 Petrolane-Tappan CP ranges valued at



Louis Abramson, Jr., right, president, Petrolane Gas Co., introduces Coach Henry Frnka, of Tulane (center) at the company's employes dinner party in honor of the completion of a successful Tappan promotion contest. At the left is Don Sharp, general sales manager of the Tappan Stove Co.

\$3000 were offered as prizes to the owners of the oldest LP-Gas ranges.

To make it easy to win and to further introduce the new Petrolane-Tappan range, the company offered one range for each of its district offices and one additional range for the very oldest butane stove of all those entered. And as a further inducement to get its customers and prospective customers to register their old ranges, Petrolane added 23 additional prizes to those entering the old stove round-up regardless of the age of their ranges. These additional prizes included one Petrolane-Tappan range, one 20-gallon water heater installed free, and 21 space heaters.

Thousands of attractive entry blanks were distributed by mail, company drivers and salesmen. The contest got under way Aug. 15 and ended at midnight Sept. 15. In addition to liberal advertising space, news stories, and its well established "Petrolane Pete" daily radio program over a New Orleans station, the company bought time over three additional country radio stations.

As an incentive to its own salesmen, Petrolane offered cash prizes to the two top salesmen selling the most Tappan ranges during the period.

Entries were so numerous it took a large office staff more than two weeks to check the winners of the oldest ranges.

To celebrate the completion of the successful campaign, Petrolane threw a big "T" party for its more than 150 employes on Oct. 1. Executives of the Tappan Stove Co. from Mansfield, Ohio, were honored guests.

Louis Abramson, Jr., president of Petrolane, was toastmaster of the successful employe-morale builder dinner party.



Rustic log buildings at Ross' Teal Lake Lodge, where Wisconsin LP-Gas Assn. held its unique summer convention.



Economy.

BUTANE - PROPANE

Transport Tanks

TANKS BY BANKS

Made in many sizes and types, Economy Transport Tanks combine modern design with maximum utility. Each and every one manufactured in strict accordance with the A.S.M.E. Code . . . built to customers' specifications.

Write for information and prices.

stotroover any onal less to nost ook two the

of eld.

ucin-

5

DALLAS TANK COMPANY, INC.

201-5 W. Commerce Street + P. O. Box 5387 DALLAS, TEXAS

DECEMBER - 1949

127



J. H. Lewis (center) accepting citation from Otto Kettleson, San Diego Gas & Electric Co. At left, Clifford Johnstone, PGGA, and R. H. MacMahon, Southern California Gas Co. At far right is Louis Wollenberger, Coast Counties Gas Co.

J. H. Lewis Given Recognition For Service to Gas Industry

At the annual convention of the Pacific Coast Gas Assn. in Santa Barbara in September, J. H. Lewis, for many years identified with the gas industry, received an award in recognition of his long service and important contributions to the industry. The citation was presented by the commercial cooking division of the association.

Mr. Lewis retired recently as sales manager of Grayson Controls Division, Robertshaw-Fulton Controls Co., Lynwood, Calif., after 17 years with the company. Prior to the affiliation of Grayson with Robertshaw he was district manager of Robertshaw and had been specially active in committee work for the Pacific Coast Gas

Assn. in its campaign, and that of the utilities for expanded commercial cooking development as a load builder.

NBPA Issues 1949 Supplement To State Law Compilation

The National Butane - Propane Assn. has recently completed publication of Supplement No. 8 to its compilation of state laws and regulations covering the LP-Gas industry in the United States. This is the third supplement issued during the current year and includes revised regulations issued in Arkansas, California, Kansas, Minnesota, North Carolina, Rhode Island, and Texas.

According to E. E. Hadlick, executive vice president of the association, a few copies of the complete state law compilation are available at \$25 per copy.

Stanley Hobson Heads GAMA

Installed as president of the Gas Appliance Manufacturers Assn. in October was Stanley H. Hobson, president of the Geo. D. Roper Corp., Rockford, Ill. He also was elected director of the American Gas

al

d



Assn., after having served in several official capacities in GAMA and AGA.

Division chairman named by Mr. Hobson include:

Controls and related accessories: J. F. Ray. Direct heating equipment: L. O. Reese. Domestic gas range: W. H. Muhlbach. "CP" manufacturers group: H. E. Jalass. Clothes dryer: C. H. Rippe, Jr. House heating and air conditioning equipment: I. E. Seith. Air conditioning: John K. Knighton, Boiler: H. C. Day. Conversion burner: J. V. Rerucha. Furnace: Russell M. Cook. Floor furnace: Lee A. Brand. Incinerator: J. W. Hebert. Meter and regulator: Floyd Gaunt. Refrigerator: Louis Ruthenburg. Valve: Philip S. Harper. Water heater: Leland M. Feigel. Hotel, restaurant and commercial gas equipment: E. J. Horton. Industrial gas equipment: Alvin M. Stock.

New Minnesota Regulations **Become Effective**

The new rules and regulations for the storage, handling and transportation of liquefied petroleum gas in the state of Minnesota were approved recently by the attorney general's office, as set forth by Leonard Lund, state fire marshal. The rules became effective Sept. 16.

Realizing the necessity of everyone in the industry having a copy of these rules and regulations, John L. Locke, secretary of the Minnesota Petroleum Gas Assn., has asked industry members to contribute to a fund for printing costs. According to Mr. Locke, response to this request has been gratifying. The desire of the industry to have the rules and regulations is illustrated by C. J. Chrisopher, manager of Minnesota Retail Hardware Assn., who has ordered 1200 copies for distribution to the membership of his group.

NBFU Pamphlet No. 58, with minor changes, was used as the guide

in formulating the orders.

"Maingas" Holds Service School for Distributors

A two-day service school and convention, Oct. 26-27, sponsored by Maine Gas & Appliances, Inc., Portland, Me., distributors of "Maingas" in Maine and New Hampshire, was attended by more than 75 dealers and their servicemen. The school was the first of four similar technical sessions planned for every six months, said C. C. Turner, Maine Gas vice president.

Dealers and servicemen heard sales and service engineers from top manufacturers serving the bottled gas field point up servicing problems and their solutions. Written tests were given those attending the school, and service proficiency cards received by those who passed the test.

Bottled Gas Displays Create High Interest at Saginaw Fair

Just about the biggest thing in the implement show at the Saginaw, Mich., county fair, held recently, was the display of a Minneapolis-Moline tractor equipped for use with LP-Gas, according to Guy Speaker, Bay Bottled Gas Co.

And the Saginaw fair, said to be the second largest county fair in the U.S., is especially important to LP-Gas dealers, because it is a predominantly rural affair. The farmers and fringe-area families were the ones at whom the tractor display was aimed—and they are the ones who made it a success. Mr. Speaker said that they crowded around the display during all hours that the fair was open, and that attendants were hard-pressed to keep up with all the questions

The tractor fuel lines also fed an LP-Gas range on which was placed a whistling teakettle—which caused amazement among the crowd because of novelty of cooking with the same fuel that fires the tractor.

In addition to the tractor display, Bay Bottled Gas also maintained an exhibit in the manufacturers' section of the fair, featuring a complete line of gas ranges, water heaters, space heaters, boilers, and cylinder and tank systems. A big crowd-pleaser was a Ford V-8 engine, set up in the booth to run on LP-Gas. Mr. Speaker said that representatives of trucking firms at the fair were impressed by the exhibit to the extent that several are now considering switching over to LP-Gas.

Green's Fuel Honors Employe's Twentieth Business Anniversary

A testimonial dinner honoring Miss Sarah A. Jackman, secretary and treasurer of J. B. Green Plumbing & Equipment, Inc., Green's Fuel, Inc. and Green's Fuel of Florida, Inc., was given on October 14 in commemora-



Miss Sarah A. Jackman and J. B. Green.

tion of her twentieth anniversary as an employe of the organizations.

The dinner was held at the Swiss Chalet, Sarasota, Fla., and J. B. Green, founder and president of Green's Fuel, Inc., made the presentation of the gifts.

Seventy-five employes and family members were present for this occasion. Miss Jackman, one of the pioneers in the LP-Gas industry, has witnessed the growth and development of not only the Green organization but that of the industry as a whole.

L. V. Winther, Carburetor Expert, Dies in Fresno, Calif.

L. V. Winther, of Winther Brothers, Fresno, Calif., passed away Oct. 13 in Fresno. He died of a heart attack at the age of 50.

Mr. Winther was one of the pioneers in the development of LP-Gas for use in internal combustion engines in tractors and trucks. He began this work in the early 30's as an Ensign distributor.

Mr. Winther's brother Clarence died two years ago of a similar heart ailment. The two boys were partners throughout their business experience. Both of them were approximately the same age at death.

THE TRADE

Rolland J. Hamilton, who has been an important executive figure in the heating and plumbing industry for more than 40 years, has retired as vice president of the American Radiator & Standard Sanitary Corp.

His retirement, according to Theodore E. Mueller, president, will be in accordance with the company's retirement plan. Although relieved of his duties as vice president, Mr. Ham-

as

ilton will continue to serve the corporation on its board of directors and on the executive committee.

Thomas Hannah, Jr., manager of the Washington sales office of the American Radiator & Standard Sanitary Corp., has been made manager of the corporation's central business contact department, according to Mr. Mueller.

Mr. Hannah takes up his new du-



During the past five months, more than 15,000 people have been entertained by "Dri-Gas" dealers and have witnessed cooking demonstrations on the Roper range using Dri-Gas. Forty Roper ranges have been given away during these events and hundreds of real live prospects developed.

Another MODERN HEATMAKER



The BRILLIANT FIRE Lowboy CIRCULATOR

Fully enclosed and vented, this console model is a high efficiency Heatmaker. Delivers heat forward in living zone. No sweating. Baffled radiator, built-in draft diverter, Pilot and non-clog burner are features. Sturdy cabinet has baked finish, durable, washable. 3 sizes . . . 20,000 Btu up. Automatic controls optional.

WRITE FOR CATALOG 49



The OHIO FOUNDRY & MFG. CO. Engineers Manufacturers Designers STEUBENVILLE OHIO · U.S.A.

ties in Pittsburgh. He has been associated with American-Standard for the past 22 years, joining the company after receiving his bachelor of science degree from Princeton.

Robert W. Reniers has been appointed national sales manager for Compressed Gas Cylinders, Inc., Los



ROBT. RENIERS


Angeles, Calif.
Mr. Reniers
will make his
headquarters in
the Los Angeles
office. He is at
the present time
on a national
tour that will
take him to all
sections of the
country.

Before joining Compressed Gas Cylinders Mr. Reniers was with

Kaiser Steel Corp. He was formerly connected with the Jones-Laughlin Steel Corp.

Robert W. Wolcott, president of Lukens Steel Co. since 1925, was named chairman of the board, and Charles Lukens Huston, Jr., vice president and executive assistant to the president since February 1948, was elected president of the company by action of the board of directors Oct. 25. The promotions became effective Oct. 30, which marked the beginning of the company's 140th year in the business of iron and steelmaking and fabricating.

Mr. Wolcott, a native of Sewickley, Pa., has been associated with Lukens since 1922, serving first as manager of its warehouse and fabricating division in New Orleans. He became president of the company in 1925 and has held that position ever since.



As the LP-Gas industry grows by leaps and bounds, the trend toward metering is increasing. The customer likes evidence of value received.

Wherever meters are used, remember there's nothing to compare with VULCAN Diaphragms for helping to keep meters accurate. The LP-Gases dry out and cause failure of leather diaphragms. VULCAN Diaphragms remain soft and flexible, do not dry out and stiffen. Yet VULCAN Diaphragms require no oiling or other attention.

Join the trend to metering — and insist on VULCAN Diaphragms in your meters.

VULCAN DIAPHRAGMS ARE IDEAL ALSO FOR REGULATORS AND CONTROLS Write for new informative literature





VULCAN PROOFING COMPANY

FIRST AVENUE & 58th STREET . BROOKLYN 20. NEW YORK

for of

ap-

for los

is in less at me all ill all he mg as Ir. th

of

18

ıd

to

8.

y

s f-

h

s r

Liquefied Petroleum Gas Cities Service Oil Co.

A DEPENDABLE SOURCE
UNIFORM PRODUCTS
A CAPABLE SUPPLIER
TWENTY YEARS' EXPERIENCE

IN LP GAS ALSO

MEANS
GOOD SERVICE

OIL CO. (Del.)

> BARTLESVILLE, OKLA. CHICAGO, ILL.

Other Sales Offices

Cleveland Kansas City
St. Paul Toronto





SUE GIBBONS

W. W. BANKS

At a special meeting of stock holders of Dallas Tank Co., Inc., held Oct. 27, it was voted to take \$100,000 from surplus and raise capital stock from \$400,000 to \$500,000.

The stock holders declared a 25% stock dividend to stock holders, issuing one share of common stock for each four presently held.

Officers of the company are W. W. Banks, president; Mrs. Jewell Marie Banks, vice president, and Mrs. Sue Gibbons, secretary-treasurer.

Kenneth W. Cole, 49, manager of the Chicago branch of Pressed Steel Tank Co., died suddenly of a heart attack Oct. 24, in Jeffersonville, Ind., while on a business trip.

Mr. Cole was born in 1900 and originally lived in Avon, N. Y. He was a graduate in mechanical engineering from Cornell University 1922. He came to Pressed Steel Tank Co. in June, 1931, and has been Chicago branch manager since that time.

Lester L. Buzzard, sales manager, Hays Manufacturing Co., Erie, Pa., reports that their 1949 sales conference, held at Honey Harbor, Georgian Bay, Ontario, was most successful. Mornings were devoted to Pi ei u ke fe e M a v H

American-Standard

First in heating ... first in plumbing

Now...A TOP QUALITY GAS FIRED

Winter Air Conditioner
especially designed for smaller size homes
and individual apartments

S

oldheld ,000 tock 25%

for W.

irie

Sue

of eel art

ıd..

nd

He

gi-

ty,

nk

hi-

ne.

er.

a.,

er-

r-

to

WS



The CHIPPEWA

so compact it can be
installed in a closet
factory assembled and pre-wired

■ The CHIPPEWA is just the winter air conditioner for your small home prospects. Of the "high boy" type, this efficient unit is ideal for installation in utility rooms, closets or other first floor locations, and in small basements. Its features include the cast iron heating element and burner found in the larger Mohawk. And its blower and motor are also the finest. Available in one size, with a capacity of 48,000 Btu at bonnet. For specifications of the Chippewa Winter Air Conditioner from the Sunbeam line, and other heating equipment by American-Standard, contact your Wholesale Distributor. American Radiator & Standard Sanitary Corporation, P. O. Box 1226, Pittsburgh 30, Pa.

The BUDGET Automatic Storage Water Heater

Has fuel-saving cast iron blue flame burner and safety controls. Correctly baffled center flue insures quick recovery. Rockwool blanket insulation between heavy galvanized steel tank and trim jacket prevents heat loss, increases efficiency. Comes in 3 sizes—20, 30 and 40 gallon capacities.





Serving home and industry

Trandable anterian blower - Chilech Seats - DETROIT LIBBICATOR - XENANEE BOILER - BOSSCHEATER - TONAWANDA

Ceerless GAS UNIT HEATERS

SUSPENDED FAN TYPE



Styled for Beauty Built for Duty

The smart styling of Peerless Unit Heaters blends perfectly with modern interiors of shops and stores everywhere. . . The sturdy battle-ship construction and super heating capacities adapts them ideally for rugged industrial and commercial installations. Peerless Unit Heaters are a complete unit — in one package . . . no loose parts to waste time in installation. All controls are rigidly mounted on the heater at the factory, ready for hanging and connecting to gas and power supply. A.G.A. Approved for all Gases.

Write today for complete descriptive literature.

Ceerless

MANUFACTURING CORPORATION
LOUISVILLE, KENTUCKY

presentation of new products, sales problems and plans. Afternoons and evenings were held open for recreation—especially fishing.

Those attending the conference were: Wm. H. Forster, Jr.; John D. Clemens, Kenneth Root, W. R. Johnson, J. G. Bradbury, Wm. J. Boyle, Gene L. Brister, M. L. LeJeal, Irvin Frazier, R. L. Hutchings, J. C. McCarthy, H. S. Peterson, Wm. E. Scott, A. W. Turner, L. L. Buzzard.

El Roy L. Payne, former president of the Payne Furnace Co., Beverly Hills, Calif., has joined Empire Stove Co., Belleville, Ill., as regional manager for southern California.



ELROY PAYNE

Lee A. Brand, Empire vice president, in announc-

ing the appointment, gave 9242 Beverly Blvd. as Mr. Payne's new regional headquarters.

At the same time, Mr. Brand announced that the Beverly Heating Supply Co., 9242 Beverly Blvd., Beverly Hills, Calif., had been appointed a distributor of Empire gas appliances.

Reflecting confidence in the rapidly expanding Canadian market for automatic gas water heaters, the Ruud Manufacturing Co., of Pittsburgh, Pa., has purchased a new factory in Mimico, a suburb of Toronto, Ont. Announcement is made by R. H. Lewis, Ruud president.

Floor space is double that of the present Toronto factory, which has been in continuous operation for over

gas valves fittings and accessories **SUPERIOR**

SUPERIUR
manufactures a complete line of LP-Gas

products to match the most exacting demands

Various types of cylinder valves listed as standard and for re-examination service by Underwriters' Laboratories, with safety devices tested and on file with the Bureau of Explosives. Nuts, nipples, plugs, pigtails and appliance connectors, in accordance with industry standards.

Complete line of S.A.E. flare fittings listed as standard and for re-examination service by Underwriters' Laboratories.

ASK FOR A COPY OF CATALOG LP-9

Superior Valve and Fittings Co.



DECEMBER - 1949

sales and ecrearence in D. John-Boyle, Irvin Mc-Scott.

evnal aning

evted oli-

lly

u-

ud

h,

in it.

H.

ne

er

48

For SALES and SERVICE on Viking Rotary Pumps

Call Your Nearest

VIKING Representative

The Viking Pump Company is represented by a nation-wide sales and service organization in key cities from coast to coast... from Canada Do you have a pump maintenance problem? Do you have a pump maintenance problem? Do you have a new pumping application? Write or call the Viking representative nearest your plant for service.

CHICAGO 6 C. W. DENNIS 549 W. Washington Phone State 2-0819 n Blvd. PLENELAND IN INDIANAPOLIS 25 C. D. SADLER 407 Madison Avenue Phone Lincoln 4788 RANSAS CITY 8 F. J. PINNEY 1827 Grand Avenue Phone Harrison 8033 MILWAUKEE 3 C. F. MULLENS 610 West Michigan Street Phone Daly 8 0807 Phone Daly 8 0807
MEW YORK 18
HERBERT FUHRER
634 W, Forty fourth St.
Phone Longace 3-3816
BAITHOOR! 1
WALLACE STEBBINS CO.
Charles and Lombard Sts.
BEMINGAME 1
PUMP SHOP, INC. 1015 7th Ave. THE OLSON MFG. CO. P. O. Box 1487 HOSTON 18 HAYES PUMP & MACHY, CO 125 Purchase St. ROOT, NEAL & COMPANY CHARLOTTE, H. C. SOUTHERN PUMP & TANK €O. 1730 No. Tryon St. CINCINNATI 2 WM. T. JOHNSTON CO. 214 Vine Street DECATUR, ILL. VAN PRAAG EQUIP. & MFG.

CO., INC. Rt. 48, Half Mile E. Rt. 51 DEHYER 14
EATON METAL PROD. CO.
4800 York Street
Also Albuquerque, Casper,
Billings and Omaha DENVER 17 HENDRIE-BOLTHOFF CO. BETROIT 24 KERR MACHINERY CO. Kerr Building EVANSVILLE E, IMB. SHOUSE-BRILL MACHINERY CO. 222 Court Bldg. 222 Court sour. HOSSS, N. M. UNION SUPPLY CO., INC. Also Artesis, New Mesice UNION SUPPLY CO., IP Also Artesia, New Mesice HOUSTON 1 SOUTHERN ENGINE & PUMP COMPANY 900 St. Charles Street Also Dallas, San Anto 900 St. Charles Street
Also Dallas, San Antonio,
Edinburg and Kilgore
LOS ANGELES 11
E. E. BURTON
4432 Long Beach Avenue LOUISVILLE 3 NEILL LA VIELLE SUPPLY CO. 505 W. Main Street I. E. Dilworth 347 South Fro MINNEAPOLIS 14 LEON C. GADBOIS 2524 University Ave. S.E. MEW OPLIANS 12 MENGE PUMP & MACHINERY CO. 549 Dryades Street PHILADELPHIA 39 WALTER H. EAGAN CO., INC. 2336-38 Fairmount Ave. PITTSBURGH 21 POWER EQUIPMENT CO. RICHMOND
O'NEILL PUMP &
ENGINEERING CO.
601 East Franklin St. SALT LARE CITY 1 UTILITY ENGINEERS.



40 years. The new factory will have three times the production capacity of the old plant. All models now made in the U.S. plants in Kalamazoo, Mich. and Santa Cruz, Calif., will be made in Toronto and for all gases—natural, manufactured, and LP-Gas.

In charge of the new factory will be A. J. Strain, Canadian general manager.



vision of Warren Petroleum Corp., Tulsa, Okla., has opened a Southe a stern district marketing headquarters in the Alcoa Bldg., 108 St. Anthony St., Mobile, Ala.

The liquefied petroleum gas di-

A. E. MOORE The new head-quarters, operat-

ing in conjunction with Warren's large LP-Gas terminal on Blakeley Island, near Mobile; will serve the territory comprised of Alabama, Florida, Georgia and Mississippi. The office will be in charge of A. E. Moore, who has been Warren's representative in that territory for several months.

Thomas A. Roberts, vice president in charge of sales of M. M. Hedges Manufacturing Co., of Chattanooga, Tenn., has announced that he will start study for the ministry early in 1950. He has long been an active lay leader in the Episcopal church.

Almost a year ago he decided that his life work should be devoted entirely to the church. Mutual cooperation over this period has enabled Mr. Hedges to make plans and train personnel to permit smooth transfer of Mr. Roberts' many responsibilities.

NOW READY!

12 DIFFERENT BOOKLETS

A Collection of the Best Articles from Ten Years of BUTANE-PROPANE News Reprinted by Subject in Handy Booklets for Instruction or Reference

No. 1 PROBLEMS OF MANAGEMENT Establishing Price Schedules — Installation Charges and Retail Prices — Figuring Costs — Business Records that Pay Off — Good Credit Risks — Insurance.

No. 2 BULK PLANTS

have city

zoo, l be

Gas.

will

eral

fied

di-

ren rp.,

has

th-

ict

he

.08

št.,

id-

's

ev

ne

a,

1e

6-

t

١,

Building a Bulk Plant for Speed and Safety
—Accurate Metering—Transfer of LP-Gases—
Pump Hook-Ups — Engine in Place of Electric
Motor for Transfer — Measuring Liquid in
Tanks — Safety Recommendations.

No. 3 FUEL LOADING AND UN-LOADING WITH PUMPS AND COMPRESSORS

Unloading Tank Cars—Tank Truck Installations — Bulk Plant Design — Important Installation Features — Four Services with One Pump — Determining Vapors in Tank Cars — Compressor Fundamentals.

No. 4 SERVICING DOMESTIC APPLI-ANCES

General Principles of Gas Utilization— Range Servicing—Water Heater, Space Heating Servicing—Meters, Regulators and Related Pipe Fithings—Gas Refrigeration—Appliance Changeovers.

NO. 5 BULK CONSUMER SYSTEMS

Regulator Freeze-Ups, Causes and Remedies

Regulator Operation — Vaporization — Line
Testing — Determining Proper Storage — Tank
Installations — Regulating Pressure — Pipe Lines

— Testing Procedure.

No. 6 SELLING
13 Ways to Win Customers—Small Dealer
Advertising—Who's Afraid of the REA.—Ali-Year Loads—Four Essentials for Profit—Many
Uses for LP-Gases—Willity-Dealer Cooperation.

No. 7 COMMERCIAL APPLICATIONS
Commercial Cooking — Cooking Time and
Temperature — Selling the Chef — The Tailor
Needs Gas—Challenge of Commercial Load
—Key to Profit in Commercial Cooking—Gas
Heater for Potato Cars.

BUTANE-PROPANE NEWS

198 South Alvarado Street Los Angeles 4, California No. 8 INDUSTRIAL APPLICATIONS
Torches and Furnaces — Flexible Heat Treating — The Railroad Load Potential — Fusing
Plastics — "Infra Red" Paint Drying — Silver
Brazing — Steam Cleaning — High Pressure
LP-Gas Lines.

No. 9 FARM APPLICATIONS
Dehydration Helps Delivery of Farm Products — Processing Alfalfa — Mechanical Dehydration—Drying Peanuts—Drying Rice—Tobacco Curing — Sweet Potato Curing — Dairying — Weed Burning — Brooding — Engines.

No. 10 POULTRY BROODING AND INCUBATING

Market Analysis — Greater Brooder Profits with Gas — Our Place in the Turkey Business Economics of Gas Brooding — Hazards Reduced by Yaporizer — Butane Underwrites Turkey Profits.

No. 11 POWER

ABC's of Butane-Propane for Engine Use — Advantages and Disadvantages — Safe Practices — Tractor Conversions — Diesel Conversions — Converted Engines Need Cold Manifolds — Light Plant Conversions — Adapting Natural Gas Engines.

No. 12 TOWN PLANTS

Isolated Systems — Copper Mains — Central Plants—Safe Design and Operation—Serving Fringe" Areas—More Heat for Less Money — Selling Beyond Mains—Converting to Propane-Air.

\$540 per set of twelve

Single Copies: Order by number. 50c per Copy, 10% discount on orders for ten or more.

In California add 3% sales tax.

Headquarters for LP-Gas Information Since 1931



Yes... and it's that Security Quality that has made so many water heater prospects SECURITY owners! Finest materials and skilled workmanship mean dependable performance. These big HEAVY DUTY heaters are smartly styled. And thousands of owners are amazed at their efficiency, economy and long life.

Built to burn ALL GASES. Now is the time to as-

Built to burn ALL GASES. Now is the time to assure yourself a steady . . . and satisfied . . . flow of customers. Build your sales on SECURITY . . . and profit!

SECURITY MFG. CO. 1630-48 Oakland Ave., Kansas City 3, Mo.



Trageser Copper Works, of Maspeth, Long Island, makers of Trageser LP-Gas cylinders, has appointed Wasserlein & Co., Inc., 419 Florida Power Bldg., St. Petersburg, Fla., as sales and service representative for Trageser cylinders. The Wasserlein Co. will handle the states of Florida, Georgia, Alabama, Louisiana, and Mississippi.

27

st

ye

th

u

Henry G. Wasserlein, president, has previously been associated with the East Ohio Gas Co., of Cleveland, the Minneapolis-Honeywell Regulator Co.,

and General Controls Co.

Hammel-Dahl Co., Providence, R. I., manufacturers of automatic control valves, announces that its control valves are now manufactured in England by the firm of J. Blakeborough & Sons, Ltd., located at Brighouse, Yorks, England.

Blakeborough are valve specialists and have been in business approximately 140 years. They employ over 1200 people. Their plant and machinery have been rebuilt since the war and their organization is well staffed from the research, engineering and manufacturing viewpoint.

John C. Pankow, director of sales, Detroit-Michigan Stove Co., Detroit, Michigan, has announced the addition of J. M. Clarke, Jr., to the company's sales staff.

Mr. Clarke will contact customers in North and South Carolina and eastern Tennessee and will work under the supervision of F. F. Hamilton, the Southeastern division manager.

Robert H. Ewing, the district sales manager for the Empire Stove Co. and Morley Manufacturing Co., in the western Pennsylvania, Ohio and West Virginia areas, has now established his headquarters at 812 12th St., N.W., Canton, Ohio.

Moody Brothers Celebrate Anniversary in Fort Myers, Fla.

as-

ra-

ap-

119

rg, ta-

as-

of

na,

as

he

he

0.,

I.,

ol.

ol

g-

zh

ts:i-er a-ne

s, t, ie Moody Brothers, Green's Fuel distributors in Fort Myers, Fla., held a big anniversary celebration Sept. 27. It was the 10th birthday of the company in its modern Fort Myers store, and observance of the 16 years that the firm has been serving the community.

More than 800 persons attended the open house, and were served with refreshments and given kitchen utensils as prizes. A Caloric Green's Fuel gas range and a Bryant automatic water heater were given as door prizes during the all-day reception.

Moody Brothers is owned in part-

nership by Gerald, Walter, and Thelma Moody. The company has a bulk storage capacity for the area of 186,-000 gals.

NGAA Meeting Dec. 9

The third annual NGAA regional meeting for the Panhandle Plains area will be held in the Herring Hotel, Amarillo, December 9, 1949, according to a recent announcement from the association office in Tulsa.

General Chairman Harry Wheeldon, The Shamrock Oil and Gas Corp., Amarillo, states the program will be largely concerned with discussions of operating problems and will feature a symposium on plant cooling.

The one day meeting will have both morning and afternoon sessions



YOUR CUSTOMERS WILL WARM UP TO



When your customers see this new Premier Vented Heater, you'll start making sales! It is now available in two profit-building models . . with either 24,000 B.T.U. or 36,000 B.T.U. ratings. Efficient cast iron hunger is easily removed for

Efficient cast iron burner is easily removed for cleaning if necessary—acclusive with Premier! Raised burner borts provide better combustion—more heat at less cost. Heater is beautifully finished in brown porcelain enamel with chrome trim.

Order the fast-selling 24V and 36V Premier Vented Heaters today.

Premier

STOVE COMPANY

100 South Sixteenth Street Belleville, Illinois

which will be followed by a social hour sponsored by the Natural Gasoline Supply Men's Assn. A banquet and entertainment is scheduled for the evening.

Gasair Associates to Build Propane-Air Plant for PG&E

The Pacific Gas and Electric Co. has named Gasair Associates, of San Francisco, as the successful bidder for the construction of a propane-air gas plant to be installed at Colusa, Calif. Construction was scheduled to start the latter part of October.

Automatic Gasair equipment with a capacity of 25,000 cubic feet per hour will be installed, supplying an interchangeable propane-air gas with natural gas as a supplemental supply during peak demand periods.

The new Colusa installation is the fourth Gasair plant to be ordered by the Pacific Gas and Electric Co. Three other plants, replacing manufactured gas for complete town service, are in operation at Redding, Red Bluff and Grass Valley, Calif.

Record Attendance Set At Minnesota Service School

The largest group ever registered for a school of the type—276 students—attended the University of Minnesota liquefied petroleum gas service school, held Sept. 6-8 at the university's farm. St. Paul.

Students came to the school from 10 states and Canada to hear industry and educational experts discuss operation and servicing of gas ranges, space heaters, water heaters, gas refrigerators, and pressure regulators.

Introducing the three-day session was J. O. Christianson, Minnesota professor and director of the univerButane & Propane E

Producers of high quality
Liquefied Petroleum Gases Since 1931
Wholesale Only

THE CARTER OIL COMPANY

QUALITY PRESSURE VESSELS



COMPLETE FACILITIES FOR FABRICATING
PROPANE & ANHYDROUS AMMONIA TANKS
STANDARD AND SPECIAL TANKS
PLATE WORK OF ALL TYPES
THREE PLANTS

BIRMINGHAM TANK CO.
MAIN OFFICE: BIRMINGHAM, ALA.

Sales Offices at New York, Chicago, Pittsburgh, New Orleans

FABRICATING PLANTS AT PITTSBURGH, BIRMINGHAM, NORTH BIRMINGHAM AND PASCAGOULA, MISS.

DECEMBER - 1949

cial

uet for

an for as if.

a

ur raly ne

d n d

145

sity's agriculture short courses. Directing the school, was C. H. Christopherson, chairman of the committee on arrangements for the school. Cooperating organizations in the planning of the short course included the National Butane-Propane Assn.; the Liquefied Petroleum Gas Assn.; the Minnesota Petroleum Gas Assn., and LP-Gas appliance manufacturers.

Students attended both large, general meetings and smaller, specialized seminars on the various topics treated. Lecturers included C. M. Stroup, training supervisor of Skelly Oil Co.; H. Emerson Thomas, president of H. Emerson Thomas and Associates; Leonard Lund, Minnesota state fire marshal; E. H. Kahler, American Stove Co.; C. E. Blume, Williams Wallace Co.; H. B. Kivlan, Ruud Manufacturing Co.; Prof. N. H. Ceaglske, University of Minnesota; R. H. Engstrom, The Bastian-Bless-

An Efficient Specialized
Service
For the

LP-Gas Industry

Country

Country

Country

Copper Tubing

Tools for Tubing

Valves and Cocks

Orifices and Kits

Copper Tubing

Valves and Cocks

Orifices and

ing Co.; Barney Swanson, and T. C. Carson, Minneapolis Gas Co.; D. D. Buttolph, Phillips Petroleum Co.; Walter Miller, Dri-Gas Corp.; L. H. Dow, Minnesota Petroleum Gas Assn.; K. T. Davis, Bryant Heater Co.; E. Carl Sorby, Geo. D. Roper Corp.

Texas Operator Sells Retail Business to Employes

W. G. Ellis, of Houston, widely known as one of the largest independent operators in the Southwest, has

announced the sale of all of his retail operations.

His business in the past has been divided into retail operations, wholesale appliance and equipment business, and wholesale fuel operations. He will now devote his entire efforts to wnolesale operations



m

e

PAUL AUTEN

only. The greater part of his retail operations has been sold to long-time employes of the Ellis companies.

Paul Auten, for years general sales manager of the Ellis operations, has taken over the retail properties in the immediate Houston area.

J. D. Sloane, formerly an area sales supervisor for the Ellis organization, has taken over the company's operations at Sealy, Katy and Wallis, Texas.

Maurice Lloyd, a former employe, has taken over the company's operations at Waller, Texas.

C. T. Hause, formerly the manager of the Cleveland-Conroe area for Ellis, has taken over the operations at Cleveland and Conroe.

MISCELLANEOUS-Continued

D.

11-

rl

1-

FOR SALE: 1000 METERS FOR LP-GAS. Perfect condition. Price \$7.50 F.O.B. Mobile. Delaney's, Mobile, Alabama.

148 EACH NO. 4755-A BASTIAN-BLESSING manifold gas regulators. Full lot price \$12 cach. Smaller quantities \$12.50 f.ob. Louisville, Kentucky, subject to prior sale. Send check with order to Cooperative Seed & Farm Supply Service. Inc., 1111 East Washington Street, Louisville, Kentucky.

FOR SALE: 2—L124 VIKING TRUCK pumps. Used. 1—Corken model 60 transfer pump—used less than 4 months. 1—Viking KK-253 pump with 1½ hp class 1 group D motor complete on base. Used approximately 1 month. All four pumps \$375 f.o.b. Marshall, Minnesota. Lyco Gas Co., Inc., Marshall, Minnesota.

FOR SALE: THREE CENTURY STRAIGHT butane-propane carburetors and Model M converters with solenoid primers \$40 each. Simonsen Mill-Rendering Plant, Quimby, Iowa.

PROFESSIONAL SERVICES

BUILDING A BULK PLANT? LET US serve you as we have so many others. H. Emerson Thomas & Associates, Westfield, N. J. Telephone 2-2800.

FLOYD F. CAMPBELL, MANAGEMENT and sales consultant. 1495 Forest View Drive, Warson Woods, St. Louis County, Missouri.

LP-GAS SCHOOLS-TRAINING

THE BEST-PAYING BUTANE - PROPANE business is the one that is best-served by high-type, competent installation and servicemen, and salesmen. Undoubtedly, your firm has one or more men who could be worth much more to you if they would avail themselves now of the opportunity of studying the latest, safest, most improved methods of handling, servicing and selling LP-Gas and the pertinent equipment and appliances. as provided by the National L-P Gas Institute on its 30-day and 4-months resident courses, or its home study (correspondence) course. And, these courses might be worth your consideration, Mr. Employee—they are approved under the "G. I. Bill of Rights."
Write us for full particulars, and be sure to mention this magazine. National L-P Gas Institute, 1105 South Main Street, Tulsa 3, Oklahoma-A year 'round institution devoted exclusively to the service of the LP-Gas distribution industry.



Bigger, Better, General Controls Catalog now ready—reserve your copy today.

104 pages covering the complete General Controls line of Automatic Pressure, Temperature, Level and Flow controls. It charts, tabulates and details, capacities, pressures, dimensions and specifications of hundreds of controls. Whatever the product or process—in heating, refrigeration, aircraft or industry, there's a better General Control for the job. General Controls do more and cost less. The new Catalog tells how and why. Send for your copy today.

GENERAL CONTROLS Glendele 1, Colif.

Automatic Pressure, Temperature, Lovel and FACTORY BRANCHES Ballimare (5), Birmingham (3), Boston (18), Buffalo (3), Chicago (5), Cincinnati (2), Cleveland (15), Dallos (1), Denver (4), Detroji (8), Glendale (1), Houston (6), Kanias City (2), New York (17), Minneagolis (2), Philodelphia (4), Pittsburgh (22), San Francisco (7), Seattle (1), St. Louis (12), Mind (6), DISTRIBUTORS IN PRINCIPAL CITIES.

NEED HELP?

- SCARCE EQUIPMENT
- . A NEW PLANT
- · A BUYER
- BUSINESS OPPORTUNITIES

A Classified Ad in Butane-Propane News will get fast action at only 15c per word.

Closing Date — 10th previous month

BUTANE-PROPANE News

198 So. Alvarado, Los Angeles 4, Calif.

BUTANE-PROPANE News

Index to Volume XI

January Through December, 1949

Jenkins Publications, Inc., Publisher

198 South Alvarado St., Los Angeles 4, California

Agricultural Uses	Page	Authors—Continued	P	age
Building Soil Fertility with Anhydrous Ammonia, by L. M. RobertsFeb.	52	Creighton, Gene, Gas Appliance Best, Says Colorado Hardwar	re Mer-	
Butane Solves Farmers' Problems of Drying and Storing RiceApril		Creighton, Gene C., Personal	Contact.	86
Chickens and Turkeys=Arkansas Prof-		Store Demonstration, Give Gas		
its, by Craig EspySept. "Wet" Products get Dry Treatment in LP-Gas Dehydration Systems, by	1	Edge on Competition Creighton, Gene, "Prefabricated" ing System Solves Ski Lodg	" Heat-	145
James Joseph		Job	April	68
Appliances		Creighton, Gene C., Step-by-Step ning Builds Live Market	p Plan-	49
AGA Appliance Directory Will Appear		Creighton, Gene, Summer Selli		40
Semi-AnnuallyJan.	79	Winter Heating	Feb.	132
Domestic Appliance Demand Greater in		Darling, Si, Sell the Tractor Los	id Dec.	35
1948 Than in 1947		Duncan, J. C., Remote Oregon		
Good Appliance Market Exists in Bar-		Camp Finds LP-Gas Suppl		00
ranquilla, Colombia Sept.	68	Needs	Aug.	38
Scottish Suppliers Insist Upon Specially Designed AppliancesSept.		Dunston, Rodger, Making an		48
Velocity Reducing Hood Orifices for		Cylinder Eggert, W. C., Cyclone Makes		40
Controlling Primary Air, by P. A.		Attack on LP-Gas Plant	Mar.	55
RayFeb.		Ellis, S. W., "Trade-Ins" Help	Dealer	-
Authors		Build Prosperous Appliance	Volume	~-
Abell, Carl, Butane Spray Rigs Fight		Espy, Craig, Chickens and Tu	Aug.	75
Agricultural PestsMar.	126	Arkansas Profits		82
Ashe, Harold J., If You Have "Depre-	120	Espy, Craig, Farmer Has the	Coch	04
ciation" Coming, Put it in Your		Texas Dealers Told	Aug.	114
Income TaxDec.		Espy, Craig, Money in the Bank	Sept.	51
Baer, Joe, Pay Incentive Plan Boosts		Espy, Craige, Plan Ahead	Mar.	65
Appliance SalesOct.	112	Espy, Craig, "Safety" and "Bett	ter Sell-	
Bell, C. E., Gas-Minded Canadians Wel-		ing" Stressed at Arkansas	Annual	
comed Propane Dealer's Services. Aug.		Meeting	July	93
Brand, Lee A., Do Your Salesmen Know		Espy, Craig, Two - Way Radio		
How to Sell? April		Money and Speed Up Service.		41
Brand, Lee A., Intensive Employe Train- ing Is One Key to Better Selling. Nov.		Fair, Ernest W., Sales Slants: 1 to Make Small Ads Pay	o ways	80
Brand, Lee A., What Counts: Not What		Flynn, C. S., Michigan Found		00
Electric Industry Claims, but What		No "Down Time" After LP-0	Gas Re-	
Gas Can Actually DoFeb.	74	places Natural		47
Bravender, Alvin R., Where to Find		Foster, Feild, Making Safe Insta	llations	
New Customers and How to Look for		in Schools, Part 1		76
ProspectsMay	37	Foster, Feild-Making Safe Insta		
Burt, Fred M., Flame Cutting with Pro-		in Schools, Part 2	April	71
pane Precision Work in Quantity Pro-		Freese, Lloyd, Builds 20,000 C		-
ductionFeb.		Empire in 12 Years		39
Calhoun, Rita, Appliance Demonstrations		Fuller, Charles M., Eliminating		
Build Consumer AcceptanceApril Campbell, Floyd F., What's Needed to		aches in Measuring Butane as		104
Make Sales TodayJuly		pane, Part 1 Fuller, Charles M., Eliminating	Head	TOR
Coumbe, A. T., Regional Sales Break-	90	aches in Measuring Butane at		
down Sent		nane Part 2		79

uthors—Continued Page	Authors-Continued P	age
Goss, H. P., Most "Carburetor Trouble" Is Somewhere Else, Part 1Oct. 117	MacGlashan, C. B., LP-Gas Is Worrying Electrical Competitors Oct.	66
Goss, H. P., Adjusting LP-Gas Carburetors, Part 2	Electrical Competitors Oct. Massey, Marshall H., Can You Figure Your Costs? Dec.	39
Goss, H. P., Adjusting LP-Gas Carbure-	Mattocks, E. O., Industry Soars to New Heights with Sales of 2,600,000,000	-
tors, Part 3Dec. 96 Hall, O. D., Competition Outbid: LP- Gas Helps Give Tulsa Ample Water	GallonsJan.	39
Gas Helps Give Tulsa Ample Water	GallonsJan. Mattocks, E. O., Safe Handling of LP- Gases, Part 1Dec.	58
SupplyJan. 120 Hall, O. D., Electricity Is Decoy for	Nelson, J. A., The Gas RangeMay Phillips, Paul J., Training Courses Pro-	73
Hall, O. D., Five-Year Plan for Fuel	vided for Texas ServicemenJan. Porter, A. W., Demonstrates Safety	76
Sales	Porter, A. W., Demonstrates Safety to UnderwritersDec.	75
Greenhouse	Price, Edmund T., Responsibility of Management for SafetyFeb.	92
Harvesting AlfalfaFeb. 118	Prothero, W. B., How a Trailerite	
Hall, O. D., Kansas and Oklahoma Associations Will Operate as One UnitJuly 80	Views LP-Gas	67
Hall, O. D., Kansas Dealer Cashes In	Feb.	66
Hall, O. D., Skid Tank and Hand Pump	Roberts, L. M., Building Soil Fertility with Anhydrous Ammonia Feb.	52
Supply Gas to Storm-Bound Users 	Rugh, K. W., Industry Soars to New Heights with Sales of 2,600,000,000	
Hemingson, Ray, Merchandising Appli-	GallonsJan.	39
Hilderbrand, Myra, Missouri Dealer Gets	Scheihing, Frances, Montana Airplane Cylinder Deliveries	84
Best Prospects at Picnics and County FairsFeb. 130	Schlich, Victor A., Bottled Gas and Bombers	49
Hone, H. M., Delivering Gas by Tank	Bombers	
Hower, Paul W. Jr., Cylinder Room	Load	61
Hard to Find in Old Mining Camp	Safety in Handling LP-GasJan.	64
Hower, Paul W. Jr., Looking for Answers to Insurance Problems? Dec. 76	Sheppard, George B., Troubles of a Trouble ShooterSept.	86
Jarvis, Ed. Ingenious Shinning Method	Shields, Ted, Dealer Hires "Reddy" as	28
Jennings, Henri H., A Profit-Making	Shields, Ted, "To All Architects and Contractors"	44
Sideline Anhydrous AmmoniaAug. 52 Jensen, Mervell L., Keep Your Cylinders	Shiras, F. H., Arkansas Dealers Plan	46
DryFeb. 48 Johnson, Zoe, One Appliance Sale Can	Service SchoolsJan. Shyke, I New York Dealer Sells LP-	112
be wedge for an LF-Gas Rome. Oct. 58	Gas at Same Price for 20 Years L. Oct.	97
Johnson, Zoe, Persistent Selling Is Al- ways the Reason for SuccessMay 89	Sidenfaden, W. R., Two Ways to Bal- ance LoadMay	52
ways the Reason for SuccessMay 89 Joseph, James, Dealers Fight Big Odds in Opening New Areas in North-	Slawson, H. H., Safety Congress Hears	71
west	Spooner, Harry L., Trend to LP-Gas for House Heating Oct. Strother, J. R., Kokomo Standby Now Ready for Hard Winter	128
Joseph, James, Eight Hundred Plumbers Call MutualOct. 33	Strother, J. R., Kokomo Standby Now	140
Joseph, James, Every Home a Prospect 	Szitar, John, Domestic Installations—	81
Joseph, James, Portable Tar Pots Util-	Szitar, John, Domestic Installations— Seven Safe Steps, Part 1Sept.	71
ize PropaneSept. 112 Joseph, James, Well Surging Operator	Szitar, John, Domestic Installations— Seven Safe Steps, Part 2 Oct.	. 7
Thinks LP-Gas Best for PowerApril 130 Joseph, James, "Wet" Products Get Dry	Taylor, Frank M., Never Relax Safety Vigilance, Part 1	4
Treatment in LP-Gas Dehydration SystemsDec. 51	Vigilance, Part 2July	45
Kuehl, Esther, Rapid Thermogas Expands in WisconsinFeb. 54	Thompson, J. Arthur, It Takes LP-Gas	6
Lady, Paul, Beet Loading Machine Uses	for Good Mountain-Top Service Oct.	. 57
Two Types of CarburetionSept. 124 Lady, Paul, Colorado LP-Gas Men At-	Titus, Ed, Are You Missing an Indus- trial Bet?	. 50
tend Annual MeetingNov. 107 Lady, Paul, New Ways to Fight Com-	Titus, Ed, Beyond the Mains Titus, Ed, Carrying the Wonders of LP-	
petition Planned at LPGA Conven-	Gas to the Door Sells English House-	
tionJuly 56	wifeJan.	

9 2 5

5

Authors-Continued Page	Central and Standby Plants-Cont'd Page
Titus, Ed, Dwindling Natural Gas Sup-	Lowville, N. Y., Town Plant Bought by Household ServiceMar. 60 New Booklet Discusses Uses of LP-Gas
ply Augmented by LP-Gas in New BrunswickFeb. 114 Titus, Ed, Industry Men Will Seek Inte-	New Booklet Discusses Uses of LP-Gas
gration of State Associations and	for Central PlantsOct. 135 Propane-Air Will Serve Until Natural
LPGA May 154 Titus, Ed, North Eastern Group Turns	Gas AvailableJuly 97 Virginia Town Plant Begins Service. Jan. 46
	Commercial Installations
Titus, Ed, Unattended Central Offices of Telephone Company Have Auto-	Are You Missing an Industrial Bet?
matically Controlled Propage Heaters	by Ed TitusSept. 56 Bottled Gas Works Magic in Virginia
Titus, Ed, Ways to Defeat Electric Com-	Resort Hotel
petition Discussed at Atlanta LPGA Board MeetingApril 104	Colorado Mountain Resort Adds LP-Gas for Cooking and HeatingMar. 98
Warren, Minnette Lake, A Little Free Advice Brings in a Lot of Business	Commercial Cooking Load Is a Prize, by Ed Titus
	Eight Hundred Plumbers Call Mutual,
Wickstrom, Harold W., Fundamentals of Liquid Transfer Using LP-Gas Com-	by James JosephOct. 33 Flame Cutting with Propane Precision
pressors	Work in Quantity Production, by Fred
UpsFeb. 41	Gas-Fired Lobster Cooker May Build
UpsFeb. 41 Wickstrom, Harold W., There's a Right Regulator for Every JobMar. 43	New Commercial Load, by Victor A. Schlich
Woodring, F. K., The Heating Load. Nov. 55	Schlich
Balanced Load	Good Service Helps Good Fuel Build
It's Hard to Balance a Desert Load. Jan. 63 Sell the Tractor Load, by Si Darling	Michigan Foundry Has No "Down Time"
Two Ways to Balance Load, by W. R.	After LP-Gas Replaces Natural, by C. S. FlynnJan. 47
Sidenfaden	Portable Tar Pots Utilize Propane, by
What Uniform Monthly Deliveries Would Do to Balance LoadJan. 73	James JosephSept. 112 Fire Prevention
Bulk Plants, Filling Plants	(See Safety, Codes, and Regulations)
Additional Storage for Ohio LP-Gas Dealer	New Dry Chemical Extinguisher Dem- onstrated on Butane FireSept. 130
Dri-Gas Corp. Opens Bulk Plant in Ellettsville, IndOct. 135	Foreign Operations
Eastern Utility Will Install 900,000-Gal.	Carrying the Wonders of LP-Gas to the
Propane StorageSept. 136 Keep Your Cylinders Dry, by Mervell	Door Sells English Housewife, by Ed TitusJan. 53
Keep Your Cylinders Dry, by Mervell L. JensenFeb. 48 Minnesota Group Organizes Distribu-	6650 Filled Cylinders Take Passage for Brazil
tion Company	Heating and Venting
Storage	Distributor Picks Propage for Winter
StorageMar. 122 New Bulk Plant Will Serve Indiana and KentuckyMay 104	House HeatingNov. 76 Heating Loading, The, by F. K. Wood-
North Carolina Firm Installs 18,000-Gal.	ringNov. 55 Heating With Propane Feasible in
Plant at Kenly	Alberta, CanadaDec. 72
Plants at TerminalsAug. 100 Pyrofax Establishes Bulk Plant in Mas-	Trend to LP-Gas for House Heating, by Harry L. SpoonerOct. 128
sachusettsSept. 115	Insurance (See Safety)
Pyrofax Will Open New Minnesota Bulk PlantAug. 66	Demonstrates Safety to Underwriters,
Sumner Propane Plant Will Cost \$125,000	by A. W. PorterDec. 75 Looking for Answers to Insurance Prob- lems? by Paul W. Hower, JrDec. 76
U. S. Natural Gas Co. Opens Branch	lems? by Paul W. Hower, JrDec. 76
Plant in New YorkMar. 121	New Insurance Company Files Texas ApplicationJan. 130
Central and Standby Plants Buffalo, N. Y., Industrial Plants Install	Texas Dealers Insurance Firm Ready to Do BusinessFeb. 109
Standbys for WinterJan. 102	Liquefied Petroleum Gas Assn. and Districts
Butane-Air Plant Gives Way to Natural in Nogales, ArizAug. 72	Canadian Markets Grow Despite Appli-
Kokomo Standby Now Ready for a Hard	ance Shortage
Winter, by J. R. StrotherJan. 81 Lewisburg, Pa., Now Served LP-Gas	President Darling
Lewisburg, Pa., Now Served LP-Gas from Central PlantJuly 74	don Standards ConferenceMay 180

PGA & Districts—Continued	Page	Miscellaneous—Continued	Page
Gas-Electric Demonstration Gives		Espy, Craig, Again Represents B-P News	
		in SouthwestFeb.	
Gas Men New Sales Pointers Industry Men Will Seek Integration	of	Fetherston, Frank, Attends Conference	444
State Associations and LPGA, by	Ed	on StandardsJuly	45
Jacobsen LPGA West Coast Secret	May 154	on Standards	
Jacobsen LPGA West Coast Secret	Ary,	Bright, Says GAMAFeb. Gas-Minded Canadians Welcome Propane	110
McNary Joins Calor	NOV 102	Gas-Minded Canadians Welcome Propane	40
LPGA Appoints R. E. Borden Direct	etor	Dealer's Services, by C. E. Bell. Aug. Gas Powers a Heat PumpApril	40
of PublicityA	pril 102	Cuandina Winter Carross And	63.9
LPGA Convention and Trade Show V	Vill	Helping a Customer Will Help Your	02
Open May 9 in ChicagoA LPGA Directors Meet Nov. 29-30	pril 95	Business	33
LPGA Directors Meet Nov. 29-30	in	Helping a Customer Will Help Your Business May How a Trailerite Views LP-Gas, by W. B. Prothero May If You Have "Depreciation" Coming,	
Chicage LPGA Promotion Starts Mahnke, Rudy, Kansas Leader, J. LPGA Official Family	an. 107	W. B. ProtheroMay	67
Mahnke Rudy Kansas Leader Jo	ins	Put it in Your Income Tax, by	
LPGA Official Family	lov. 150	Harold J. AsheDec	106
New Ways to Fight Competition Plan	ned	Immense Natural Gas Reserves Help In-	
at LPGA Convention, by Paul L	ady	sure LP-Gas SupplyMar.	
North Fosters Comments Control	uly 56	Ingenieus Chinning Method Saves For-	
North Eastern Group Turns Out to H Live Program, by Ed Titus	ear	eign Company 40%, by Ed Jarvis. Aug.	69
North Pacific District, LPGA, Holds	Tto	Intensive Employe Training Is One Key	
Biggest Convention	May 122	to Better Selling, by Lee A. Brand	65
Seven Meetings in California Led	hw	It Takes I.P.Gas for Good Mountain-	
Don McNaryS	ept. 110	It Takes LP-Gas for Good Mountain- Top Service, by J. Arthur Thomp-	
Something Will Be Done on Natio	nal	son Oct	5.2
Don McNary Something Will Be Done on Natic Publicity, Says LPGA Noverkamp, Mrs. J. Richard, Named LP	ov. 151	Kansas Dealer Cashes In on Wartime Backlog of Orders, by O. D. Hall	1
Chairwoman	Inv 109	Backlog of Orders, by O. D. Hall	-
Chairwoman	tion	Feb.	68
Discussed at Atlanta LPGA Bo	ard	LPGA Issues Directory of Butane Fill- ing StationsFeb.	110
Meeting, by Ed TitusA	pril 104	LP-Gas Is Worrying Electrical Compe-	110
White, Howard, Resigns from Lique	fied	titors, by C. B. MacGlashan Oct.	66
Petroleum Gas Assn.	Oct. 100	titors, by C. B. MacGlashanOct. LP-Gas Warms Curio Shop in the Gar-	
Petroleum Gas Assn	Oct 100	den of the GodsAug. Little Free Advice Brings In a Lot of	84
	Jet. 100	Business, by Minnette Lake Warren	
Measurement of B-P Gases		Business, by Minnette Lake Warren	48
Eliminating Headaches in Measuring	Bu-	Louisiana LP-Gas Commission Is Held	26
tane and Propane, Part 1, by Cha	rles	ConstitutionalJuly	78
M. Fuller Eliminating Headaches in Measuring	Det. 104	ConstitutionalJuly Louisiana PSC Would Disqualify LP-	
tane and Propane, Part 2, by Cha	rles	Gas Commission	108
M. Fuller	lov. 79	Making an LP-Gas Cylinder, by Rodger	
Miscellaneous		DunstonAug. Minnesota Dealer Solves Tank Handling	
		ProblemApril	
Anton, Mark, Adds Flamex Corp.	Tob 194	Minnesota Operator Opens First Busi-	
Suburban Propane Holdings	nly 36	ness in New Industrial Center May	
Bottled Gas and Bombers, by Vi-	ctor	Montana Airplane Cylinder Deliveries,	
A. Schlich	lov. 49	by Frances ScheihingMay Murray, Wm. J., Named Head of Texas	
Builds 20,000 Customer Empire in	12	Railroad CommissionFeb.	112
Years, by Lloyd Freese	lov. 39	New Anhydrous Ammonia Supply Avail-	
Years, by Lloyd Freese	Dec. 39	able Next YearOct.	113
Compare LP-Gas with Fuel Oil	for	Once a Sideline, Now Big Business	
Heat	an. 149	Post Appliance	. 52
Competition Outbid: LP-Gas Helps (Give	Pay Incentive Plan Boosts Appliance Sales, by Joe BaerOct.	115
Tulsa Ample Water Supply, by O.		Profit-Making Sideline—Anhydrous Am-	
Hall		Profit-Making Sideline—Anhydrous Ammonia, by Henri H. JenningsAug.	. 52
Course in Retail Credit Attracts De		Rapid Thermogas Expands in Wisconsin.	
Group	an. 130	by Esther KuehlFeb. Remote Oregon Mining Camp Finds LP- Gas Supplies Its Needs, by J. C.	. 54
Cyclone Makes Futile Attack on LP- Plant, by W. C. Eggert	Gas 55	Remote Oregon Mining Camp Finds LP-	
Culinder Room Hard to Find in	far. 55	Ouncer And	38
Cylinder Room Hard to Find in Mining Camp, by Paul W. Hower,	Jr.	DuncanAug. Rice, Francis E., Wins 1949 Hanlon	
	an. 71	AwardJuly	7 4
Dealers Fight Big Odds in Opening 1	Vew	Safety Congress Hears About LP-Gas,	, _
Areas in Northwest, by James Jos	eph	by H. H. SlawsonJuly	7
*************************	luly 29	Skid Tank and Hand Pump Supply Gas	
Delivering Gas by Tank Truck, by H.	М.	to Storm-Bound Users, by O. D. Hali	1
Hone	Jan. 96	HallMay	1.0

Miscellaneous—Continued Pa	ge O		age
Snow Is No Problem HereJan. Special Problems Follow Conversions	75	Carolinas Hold Joint MeetingNov. Colorado LP-Gas Men Attend Annual	92
"Trade-Ins" Help Dealer Build Prosper-	84	Meeting, by Paul LadyNov. Dealers in Cape Cod Area Organize for	107
ous Appliance volume, by S. W.	75	Standardization	64
Troubles of a Trouble Shooter, by George	86	ber of State AssociationJan. Farmer Has the Cash, Texas Dealers	104
Two-Way Radios Save Money and Speed		Told, by Craig EspyAug.	114
Underground Propage Storage to Get	41	Fetherston, F. R., Reelected Secretary Compressed GasMar.	110
Undeveloped Markets Lie to the South	46	Florida Holds 5th Annual Convention	114
Warren Petroleum Corp. Buys Illinois	60	Illinois Group Elects Beske PresidentJuly	102
Bottled Gas Co Feb. 1 Water Heater Service Manual Revised	36	Indiana OrganizingNov. Kansas and Oklahoma Associations Will	92
by AGASept. 1	159	Function as One OrganizationFeb. Kansas and Oklahoma Associations Will	104
National Butane-Propane Association Fram, Forrest, Named President at		Operate as One Unit, by O. D.	80
NBPA St. Louis ConventionNov.	96	HallJuly Kansas LP-Gas Assn. Holds Accounting	
NBPA Adopts Safe Practices Code, May 1 NBPA Prepares for Fourth Annual	108	School for DealersJan. Kentuckians Retain Holliday for 1950	114
Meet in St. LouisSept. 1 NBPA Shortens Convention, Eliminates	102	Kentucky Dealer Group Awards Diplo-	94
Trade ExhibitAug. 1	102	mas to 30 ServicemenSept.	115
Natural Gasoline Plants		Kentucky Annual ConventionMay Louisiana Dealers Told of Contribution	114
General Petroleum Corp. Plans Refinery ExpansionOct.	37	to State ProgressSept. McClellan Heads Kansas AssnDec.	106
Great Britain May Produce Enough LP-		Michigan LP-Gas Assn. Annual Meeting	
Gas for Own UseSept. More Refinery Capacity Means More Bu-	68	Held in Grand RapidsApril Minnesota Petroleum Gas Assn. Meeting	100
tane for Scotland	129	Held Feb. 8 Mar.	101
Load DemandsAug.	72	NFPA Meets in San Francisco, May 16-19July NGAA Elects James E. Pew to Presi-	101
New Plant for Recovery of Butane and PropaneAug.	47	dencyJuly	100
Obituaries		NGAA Southern Meeting at Tyler, Tex- as, Oct. 14Oct.	100
Boice, Frank, Passes Away July Brogan, Daniel J., Passes Away Sent	78 176	New Jersey Group Discusses Legisla- tion	
Brogan, Daniel J., Passes Away. Sept. Hauck, Wm. L., Widely Known in In-	70	New Jersey Reelects Officers Dec.	. 87
dustry, Passes AwayJan. Lanning, Eugene, Passes on After 22	79	New Mexico Elects MartinNov. North Texas LP-Gas Dealers Form New	
Years in IndustryJan. Mooney, John F., Passes AwayNov.	55 124	Association	103
Murphy, Pat, Ransome Manager, Killed		Ohio LP-Gas Assn. Met May 25July	104
in Train AccidentAug. Nebraska Dealer Loses Life in January	47	Parker, L. C., Resigns from Louisians Butane Dealers Assn Feb.	117
Blizzard	60	Butane Dealers AssnFeb. Pennsylvania LP-Gas Men Meet with	102
dent, Dies SuddenlyNov.	164	Natural Gas GroupMar "Safety" and "Better Selling" Stressed at Arkansas Annual Meeting, by Crais	i
Thomas, James H., Dies of Polio While Traveling in FranceOct.	37	at Arkansas Annual Meeting, by Craig EspyJuly	93
Wickstrom, Harold, Prominent LP-Gas Engineer, Dies SuddenlyAug.	44	South Carolina Holds Annual ConventionJuly	-
Organizations	••	South Dakota Elects New Officers Aug	. 103
(See LPGA & NBPA)		Strong Trade Association Urged Upon Utah DealersJan	. 111
American Petroleum Institute Holds An- nual Conference Nov. 8-11Jan.	107	Taylor, J. B., Assumes Duties as CNGA PresidentSept	. 103
Arkansas Dealers Plan Service Schools, by F. H. ShirasJan.	112	Tennessee Holds Successful Meet July	107
Associations Formed for Long Island		Turner, Selwyn, Elected Alabama Presi dent	111
Butane-Propane Institute of Louisiana	103	Williams, E. O. N., Heads Virginia Association	n 118
Meeting Held March 4April	99	Wisconsin Holds Annual Meeting Nov	. 98
California Dealers Organize for Indus- try Advancement	136	Wyoming Dealers Discuss State Regula tionsJul	v 116
Canadians Weigh the Problems Ahead	115	Wyoming Group to Promote Fuel a	t

Power	Products—Continued Page
Adjusting LP-Gas Carburetors, Part 1:	Products—Continued Page Control System, Minneapolis-Honeywell
Most "Carburetor Trouble" Is Some-	Regulator CoSept. 139
where Else, by H. P. GossOct. 117	Cylinder, Compressed Gas Cylinders,
Adjusting LP-Gas Carburetors, Part 2,	Inc
by H. P. Goss	Inc. Jan 142
by H. P. Goss	Cutting Torch Attachment, Kinment
Beet Loading Machine Uses Two Types	Mig. Co., Inc
Butane Powered Equipment Moves 16	Cylinder, Propane, Harrisburg Steel
of Carburetion, by Paul LadySept. 124 Butane-Powered Equipment Moves 16,- 000,000 Cu. Yds. of Earth in 17	CorpJuly 141 Detector, Leak, Gas Appliance Stores,
YearsAug. 126 Butane Spray Rigs Fight Agricultural	IncApril 144
Butane Spray Rigs Fight Agricultural	Dish Washer, Kewanee Industrial Wash-
Pests, by Carl AbellMar. 126 Carburetion PrinciplesApril 118	er CorpJan. 139 Extinguisher, Fire, Ansul Chemical Co.
Dealers from Six States Attend Denver	April 147 Flaring Tool Kit, Penn Brass & Copper
Carburetion School	Flaring Tool Kit, Penn Brass & Copper
Late Model Trucks Nov 122	CoDec. 117 Furnace, End Heating, Gas Appliance
Engine Wear—Causes of Crankcase Oil	Service, IncSept. 146
Dilution	
Ensign Appoints Max Ellis Southern	July 133
Dilution May 128 Ensign Appoints Max Ellis Southern California Distributor Mar. 137 Fighter-Plane Engine Makes a Sawmill	Furnace, Floor, Viking Mfg. Corp. April 143 Furnace, Forge, Eclipse Fuel Engineer-
Run, by Carl Abell Dec. 90	ing Co Dec. 113
Five-Year Plan for Fuel Sales, by O. D.	ing Co
Hall	Co
Carburetion Units	Gas Combustion Assembly, Eclipse Fuel Engr. CoFeb. 149
Gas Plays Major Role in Harvesting	Generator, Infra-Red, Process Heating,
Gas Plays Major Role in Harvesting Alfalfa, by O. D. HallFeb. 118 Had to Prove Fuel in Early-Day Sell-	Inc
ingJan. 126	Heads, Tank, Buehler Tank & Welding
Highway Conversion Station Boosts	WorksOct. 141 Heater, Tennessee Enamel Mfg. CoJuly 132
Highway Conversion Station Boosts Summer Gas SalesSept. 126	Heater Circulating Chattanooga Imple-
Highway Station Installs Newest Park-	ment & Mfg. Co
hill-Wade Dispensing UnitMay 137 It Takes a Lot of Gas to Drill for	Heater, Circulating, Coleman Co., Inc.
Oil	Heater, Circulating, Spicer's Gas Heat-
Low Engine Maintenance Costs Keep	
Delivery Fleet on LP-GasMar. 132 New Dynamometer Can Test Engines	Heater, Circulator, Folsom CoAug. 141 Heater, Gas, Estate Stove CoAug. 144
of 500 HorsepowerJan. 125	Heater, Gas, Phillips & Buttorff Mfg.
New LP-Gas Carburgtion System Put	CoSept. 142
On Market by L. L. HughesMay 138 Simplified Engine Conversions Devel-	Heater, Overhead, Day & Night Div.
oped for TractorsAug. 132	Heater, Panel, Bryant Heater Div. July 142
Special Tank Mountings Made for 50	Heater, Radiant, Armstrong Products
Tractor Models	CorpSept. 128
Super-Service for Highway Trucks, April 136 Well Surging Operator Thinks LP-Gas	Heater, Stock Tank, Johnson Gas Ap-
Best for Power, by James Joseph. April 130	pliance Co
Products	Heater, Unit, Automatic Gas Equipment
Air Conditioner, Jones & Brown, Inc.	CoDec. 118
July 141	Heaters, Unit, Surface Combustion
Assemblies, Burner, Bryant Industrial Division Affiliated Gas Equipment	Corp
Division Affiliated Gas Equipment,	er CoJuly 135
Inc	Heater, Vented, Premier Stove Co. Oct. 138 Heater, Wall, Holly Mfg. CoJuly 136
Boiler, Steam, Alert Engr. Products	Heater, Wall, Chattanooga Implement
Co	& Mfg. CoFeb. 141
Burner, Conversion, Heatbath Appli-	& Mfg. CoFeb. 141 Heater, Wall Panel, Lennox Furnace
Burner, Tunnel, Bryant Industrial	CoJan. 144 Hose, Metal, Johnson Metal Hose, Inc.
DivDec. 120	Rose, Metal, Johnson Metal Hose, Inc.
Cap, Flue-Chimney Top, G. C. Breidert	Housing, Steel, Petroleum Engineering
Co	CorpApril 139
Carburetor, Ensign Carburetor Co Aug. 146 Cocks, Lubricated Service, Walworth	Incinerator, Bowser, IncSept. 150 Incinerator, Gas-Fired, Electrocap Mold
CoSept. 144	CoJan. 141
Compound, Thread Sealing, Armite	Joint, Packless Expansion, American
Laboratories	District Steam CoSept. 144

roducts—Continued Page	Products—Continued Page
Lubricant, Plug Valve, Rockwell Mfg.	Truck, Delivery, Charles Emory
CoNov. 143 Meter, Positive Displacement, Ralph N.	Corp Dec. 113 Tube Cutter, Imperial Brass Mfg. Co.
Brodie Co July 142	Tube Cutter, Imperial Brass Mig. Co.
Pneumatic Instruments, American Meter	Valve, Diaphragm Gas, General Controls
CoDec. 114 Pump, Stuffingboxless, Byron - Jackson	Co Mar. 140 Valve, Diaphragm, White-Rodger Elec-
Co	tric Company
CoMar. 141 Pump, Truck, Lubbock Machine Co.	Valves, Excess Flow Check, Selwyn-Lan-
Pyrometer, Oven, Assembly Products,	ders Co
Inc	CoOct. 138
Range, Combination Heater, Caloric	Co Oct. 138 Valves, Multiple Units, L. C. Roney,
Stove Corp	IncOct. 141 Valves, Safety, Eclipse Fuel Engr. Co.
IncJuly 136	valves, Safety, Ecopse Fuel Engr. Co.
Inc	Valves, Safety Relief, L. C. Roney, Inc. Sept. 153 Valve, Shutoff, Security Valve Co. Feb. 150
Range, Domestic, Brown Stove Works,	Valve Shutoff Security Valve Co. Feb. 150
Inc Inc Inc	valves. Cylinder. Selwyn - Landers Co.
Range, Domestic, Caloric Stove Corp.	Vise, Cylinder, Mutual Liquid Gas Equip.
Range, Domestic, Cribben & Sexton Co.	CoJuly 138
	Water Heater, Commercial, Pittsburg
Range, Domestic, Crown Stove WksFeb. 150 Range, Domestic, Detroit-Michigan Stove	water Heater CorpJan. 142
	Water Heater, Waldorf Heater CoFeb. 142 Withdrawal Fitting, McNamar Boiler &
CoAug. 138 Range, Domestic, Dixie Foundry Co. Nov. 138	Tank Co
Range, Domestic, Florence Stove Co. Feb. 140	Wrench, Internal Pipe, Kiener Machine
Range, Domestic, James Graham Mfg.	Products CoFeb. 142
Co	Regulations, Codes & Laws (See Fire Prevention and Regulations)
ance Co	Along the Legislative FrontMar. 93
Warner Corp	California Dealers Finally Freed from
Warner Corp	Tax Rebate SystemJuly 66
Ranga Domestic Perfection Stove Co.	California Requires Volumetric Test of
Warner Corp Oct. 139 Range, Domestic, Perfection Stove Co. July 133	Gas Dispensing UnitsMay 106 Colorado Assn. Members Uniting On
Range, Domestic, Prentiss Wabers Prod-	Safety CodeJuly 113
ucts CoFeb. 153 Range, Domestic, Geo. D. Roper Corp.	Interstate Commerce Commission Author-
Range, Domestic, J. Rose & Co., Inc.	izes Railroads to Increase Freight RatesOct. 127
Range, Domestic, J. Rose & Co., Inc.	LP-Gas Dealer Operation Not a Public
Range, Domestic, Supermatic Products	Utility, Rules Public Service Commis-
Corp	sion of IndianaFeb. 55 LP-Gas Operations Not in Utility Class.
Range, Domestic, Tappan Stove Co. Sept. 146	Rules Arizona Superior CourtApril 91
Range, Domestic, Utility Appliance CorpFeb. 149	LP-Gas Regulations Revised in Saskatch-
CorpFeb. 149 Range, Domestic, Western Stove Co.Jan. 139	ewan, CanadaJan. 71
Range, Dual Oven, Majestic Mfg. Co. Sept. 149	Liquefied Petroleum Gas Rate Advance Halted
Range-Heater, Cribben & Sexton Co	Louisiana Attorney General Sides with
Sept. 153	Louisiana Attorney General Sides with LP-Gas Industry
Range - Refrigerator Unit, General Air Conditioning CorpSept. 142	Making Safe Installations in Schools, Part 1, by Feild FosterMar. 76
Range, Trailer, Coleman Co., Inc. Dec. 118	Making Safe Installations in Schools.
Regulator, Fisher Governor CoFeb. 140	Making Safe Installations in Schools, Part 2, by Feild FosterApril 71
Sight Flow Indicator, Corken's, Inc. Oct. 139	Minnesota Group to Oppose Industrial
Spark Plug Adapter, Electro Products	Commission Rule
LaboratoriesAug. 144 Steel Housing, Petroleum Engineering	for Town Plants
CorpDec. 118	NGAA Drops LP-Gas Odorization Speci-
Switch Box, Shand & Jurs Co Nov. 139	fications
Switch, Snap, Electro Switch Corp April 143	New California Legislation Is Important to Dealers
Systems, LP-Gas, National Tube Co. Aug. 138	Pamphlet 58 Adopted for Minnesota
Thermostat, Timer, General Controls Co.	Operators
Torob Con Industrial Engineered Prod	Safe Practices Code AdoptedMay 108
Torch, Gas, Industrial Engineered Products, Inc	Tin Plate for Gas Meters Restored to Prewar Standard

Safety	Sales Promotion—Continued Page
Safety IssueJune	Plan Ahead, by Craig EspyMar. 65
Fire Loss Distribution Chart	Sales Slants: 18 Ways to Make Small Ads Pay, by Ernest W. FairAug. 80 Selling LP-Gas, by H. Emeron Thomas
To Keep Gas Safe	Mar. 68
The Flow of Fuel from Source to Con- sumer	Sideline, Kindred to LP-Gas, Gives Dealer New Profit SourceMar. 72
Good Highway Habits 118	Smaller Classes Advocated for Texas Short Course
The Bulk Plant	Step-by-Step Planning Builds Live Mar- ket, by Gene C. CreightonOct. 48
Consumer Education 163 Employe Training 168	Summer Selling for Winter Heating, by
Good Rules for Trailer Coaches 178 Domestic Installations—Seven Safe Steps,	"To All Architects and Contractors"
Part 1, by John SzitarSept. 71 Domestic Installations—Seven Safe Steps,	by Ted Shields Dec. 40 What Counts? Not What Electric Industry Claims, but What Gas Can Actually Decky, Loc A Broad Feb. 77
Part 2, by John SzitarOct. 78 LP-Gas Can Be Safe, Says California	try Claims, but What Gas Can Actu- ally Do, by Lee A. BrandFeb. 74
Code Body	What's Needed to Make Sales Today, by Floyd F. CampbellJuly 38
Never Relax Safety Vigilance, Part 1, by Frank M. Taylor	ally Do, by Lee A. Brand Feb. 74 What's Needed to Make Sales Today, by Floyd F. Campbell July Where to Find New Customers and How to Look for Prospects, by Alvin R.
by Frank M. Taylor	Bravender
	Service
ty, by Edmund T. PriceFeb. 92 Fundamentals of Safety in Handling LP-Gas, by Jay F. SensenichJan. 64 Safe Handling of LP-Gases, Part 1, by	Regulator Freeze-ups, by Harold W. WickstromFeb. 41
Safe Handling of LP-Gases, Part 1, by E. O. MattocksDec. 58	Fundamentals of Liquid Transfer Usings LP-Gas Compressors, by Harold W.
Safe Use of LP-Gas in Domestic In-	WickstromApril 39
Stallations	There's a Right Regulator for Every Job, by Harold W. WickstromMar. 4:
lationsJan. 69	Ways to Avoid "Freeze-ups"Jan. 118
Sales Promotion, Advertising, Demonstrations Appliance Demonstrations Build Con-	Service Schools
sumers Acceptance	Colorado Will Hold Service School in FebruaryJan. 11'
Advertising ValueJan. 61 Back to Cooking School, by Joseph	Eighteen-Month Training School Will Graduate Gas TechniciansAug. 109
Lawren	Fire School Gets First Hand Information
for Colorado DealersMay 70	on LP-GasJuly 11: Georgia LP-Gas Course Will Run 18
Dealer Hires "Reddy" as LP-Gas Salesman, by Ted ShieldsOct. 38	Months High Altitude Service School Draws
Do Your Salesmen Know How to Sell? by Lee A. Brand	Large AttendanceMar. 110 Intensive Service Course Given Kansas
Electricity Is Decoy for LP-Gas Sales.	Gas MenJuly 4
by O. D. HallOct. 45 Every Home a Prospect, by James Jo-	Manufacturer Holds S - Day Training School in TennesseeJuly 8
Gas Appliances Sell Best, Says Colorado	Minnesota, "U" of, Schedules Service School for Sept. 6-8Aug. 10
Hardware Merchant, by Gene CreightonFeb. 86	Nebraska Association Holds Three-Day
ton	Second LP-Gas Short Course, U. of
ingson	Pittsburgh, Sept. 7-9Aug. 11: Servicemen Given Special Instruction at
Picnics and County Fairs, by Myra	Short CourseJuly 7 Technical Training in LP-Gas Opens in
HilderbrandFeb. 130 Money in the Bank, by Craig Espy. Sept. 51	Georgia Sept. 26Sept. 9:
New York Dealer Sells LP-Gas at Same Price for 20 Years! by I. ShykeOct. 97	Training Courses Provided for Texas Servicemen, by Paul J. Phillips. Jan. 7
1949 Water Heater Promotion Will Be National CampaignJan. 94	Statistics
One Appliance Sale Can Be Wedge for	(Production, National and State Sales)
an All-Gas Home, by Zoe Johnson Oct. 58 Persistent Selling Is Always the Reason	Gas Is the Popular Fuel in 64% of American HomesAug. 12
for Success, by Zoe JohnsonMay 89 Personal Contact. Store Demonstration	Industry Soars to New Heights with Sales of 2,600,000,000 Gals., by K. W.
Give Dealer Edge on Competition, by	Rugh and E. O. MattocksJan. 3

ADVERTISERS

American Car & Foundry Co. 20 American Liquid Gas Corp. 95 American Meter Co. — American Pipe and Steel Corp. 16 American Radiator & Standard Sanitary Corp. 137 Anchor Petroleum Co. Third Cover Anco Manufacturing & Supply Co. 3 Armstrong Products Co. — Athens Petroleum Corp. —
Barcafer Manufacturing Co. 150 Bastian-Blessing Co. The 32, 83 Baeacon Petroleum Co. 30 Black, Sivalls & Bryson, Inc. 8, 9 Bowser, Inc., Incinerator Division 149 Brodie Co., Inc., Ralph N 149 Brunner Manufacturing Co. 130 Buehler Tank and Welding Works. —
Carter Oil Co., The
Dallas Tank Co., Inc. 127 Dal-Worth Tank Co. — Day & Night Division. 119 Delta Tank Manufacturing Co., Inc. 89 Detroit-Michigan Stove Co. 129 Dix Manufacturing Co. 94 Downingtown Iron Works, Inc. —
Ellis Manifold Co. 94 Emory Corp., Charles 10 Empire Stove Co. 100 Ensign Carburetor Co. —
Fine Products Co. 147 Fisher Governor Co. 15 Florence Stove Co. 111
Gasair Associates 150 Gas Equipment Co., Inc. 150 Gas Equipment Supply Co. 148 General Controls 153 General Gas Light Co. 97
Hardwick Stove Co.
Ingalls Iron Works Co
Kerotest Manufacturing Co 21

LPG Insurance Underwriters
Madison Products Co. 149 Mallinckrodt Chemical Works. 149 Master Tank & Welding Co. 81 McNamar Boiler & Tank Co. 103 Midland Parts & Bearings Co. 146 Minneapolis-Honeywell Regulator Co. 9 Mitchell Co., John E. 99
National Tube Co. .123 Nordstrom Valve Division .29 North Texas Tank Co. .143
Ohio Foundry & Manufacturing Co134 O'Keefe & Merritt Co
Pacific Gas Corp. 121 Peerless Manufacturing Corp. 138 Phillips Petroleum Co. 14 Pittsburgh Equitable Meter Division, Rockwell Manufacturing Co. 1 Posey Iron Works, Inc. 116 Premiser Stove Co. 144 Prentiss-Wabers Products Co. 11 Pressed Steel Tank Co. Second Cover
Ransome Co. — Rector Well Equipment Co. — Reliance Regulator Division 71 Reznor Manufacturing Co. 86 Richardson Gasoline Co., Sid. 33 Rochester Manufacturing Co. 73 Rock Island Metal Foundry, Inc. 115 Roney, Inc., L. C. 34 Rose & Co., Inc., J. 149 Ross-Martin Co. 148
Scaife Co. 6, 7
Thomas Truck & Caster Co — Trageser Copper Works, IncFourth Cover
United Petroleum Gas Co. 26 United States Steel Universal Petroleum Co. —
Viking Pump Co.
Warren Petroleum Corp. Front Cover Weatherhead Co., The 17, 18 Weldit, Inc. 108 Wilcolator Co., The 12 Wood Manufacturing Co., A. R. 62 Wood Manufacturing Co., John —

